



2019 LINEUP

POLARIS GENERAL 1000



100 HP PROSTAR ENGINE
600 LB. DUMPING BOX
STANDARD HALF DOORS
ELECTRONIC POWER STEERING (EPS)
POLARIS LOCK & RIDE COMPATIBLE
VERSATRAC TURF MODE

POLARIS GENERAL 1000 PREMIUN



BASE PLUS:
AUTOMOTIVE PAINT
MATTE BLACK CAST ALUMINUM WHEELS
27" MAXXIS CORONADO TIRES
SPORT LOW PROFILE FRONT BUMPER
POLARIS HO 4500 LB. WINCH

POLARIS GENERAL 1000 HUNTER EDITIO



PREMIUM PLUS:

LOCK & RIDE DUAL GUN BOOT 2 POLARIS® GUN BOOTS BY KOLPIN® POLARIS PURSUIT CAMO

POLARIS GENERAL 1000 LIMITED EDITION



ADDITIONAL FEATURES:

CUSTOM BREAKOUT CAMO GRAPHICS COLOR MATCHED SPORT LOW PROFILE FRONT BUMPER

COLOR MATCHED ROCK SLIDERS

POLARIS GENERAL 1000 DELUXE



PREMIUM PLUS:
FOX PODIUM X 2.0 QS3 SHOCKS
SPORT ROOF
MTX PREMIUM SOUNDBAR
CONVEX REAR VIEW MIRROR

POLARIS GENERAL 1000 RIDE COMMAND EDITION



DELINE DI HO

RIDE COMMAND 7" GLOVE-TOUCH DISPLAY
FRONT 6 REAR WIRED CAMERAS
GPS MAPPING

BLUETOOTH® PHONE CONNECTIVITY

POLARIS GENERAL 4 1000



BASE PLUS:

AUTOMOTIVE PAINT

MATTE BLACK CAST ALUMINUM WHEELS

27" DIRT COMMANDER 8-PLY TIRES
FOX" PODIUM 2.0 QS3 SHOCKS
SPORT LOW PROFILE FRONT BUMPER
POLARIS HD 4500 LB. WINCH

POLARIS GENERAL 4 1000 RIDE COMMAND EDITION



BASE PL

SPORT ROOF
MTX" PREMIUM 8 SPEAKER SOUNDBAR
RIDE COMMAND 7" GLOVE-TOUCH DISPL

RIDE COMMAND 7" GLOVE-TOUCH DISPLAY
FRONT & REAR WIRED CAMERAS
GPS MAPPING

BLUETOOTH" PHONE CONNECTIVITY
CONVEX REAR VIEW MIRROR

2019 POLARIS GENERAL ACCESSORIES

PULARIS ENGINEEREU	UE
WORK & EXPLORE	06
WINDSHIELDS & REAR PANELS	08
DOORS	10
ROOFS & PROTECTION	
RIDE COMMAND, POLARIS PULSE, AUDIO	
& CAB ACCESSORIES	14
LIGHTING	16
STORAGE	
POLARIS NORTHSTAR COOLER	20
WHEELS & TIRES	22
WINCHES & PLOWS	28
PARTS & GARAGE	
OIL & LUBRICANTS	30
MAINTENANCE	34
POLARIS POWER	38
GARAGE & TRAILERING	42
APPAREL & HELMETS	
RIDING GEAR	44

P*LARIS* ENGINEERED

KEEP YOUR STANDARDS HIGH


DESIGNED

POLARIS OFFERS THE
BROADEST LINEUP OF
ACCESSORIES AND MOST
ACCESSORIES SOLUTIONS
INNOVATIVE SOLUTIONS
IN OFF-ROAD. EACH ONE IS
METICULOUSLY CRAFTED
MATCH YOUR MACHINE.
TO MATCH YOUR MACHINE.



TESTED

BY THE TIME YOU GET
THIS GEAR, PROTOTYPES
THIS GEAR, PROTOGH HELL
HAVE GONE THROUGH HELL
IN OUR LAB AND BEEN
EXTENSIVELY TESTED IN
THE FIELD. YOU RIDE WITH
100% CONFIDENCE.



TRUSTED

WE'VE EARNED RIDERS'
TRUST OVER DECADES
AND WE STAND BEHIND
OUR WORK.



We choose our partners carefully, selecting only the best in off-road. Every accessory is rigorously tested and validated at Polaris standards, to ensure seamless integration and performance.



PRO ARMOR.







LED LIGHTS P.16



OUTDOORS



ENGINEERED TO TAKE ON

THE ELEMENTS

PROFILE TUBE DESIGN

Contours built into the cage deliver the

best sealing surface in the industry.

A 360° gasket seal provides the tightest-sealing cab in the industry.

PERFECT SEAL

LOCK & RIDE

EASY ON 8

Adapt to your needs and environment with exclusive tool-less, easy-on, easy-off Lock & Ride components.



POLARIS GENERAL CABS PROVIDE THE INDUSTRY'S TIGHTEST SEAL

BETTER DUST SEAL

BUILD YOUR CAB SYSTEM STARTING ON P. 08



LUXURY
YOU HAVE TO
EXPERIENCE
TO BELIEVE

Our cab components create an experience enhancing interior, offering supreme comfort to your vehicle.



EFFORTLESSLY ADD **LIGHTS, HEAT, WIPERS & AUDIO**.

Be prepared for everything off-road riding & the elements throw at you.


A revolution in electrical accessory integration, the Polaris Pulse Electrical System allows for a simple plug & play approach for adding power to Polaris Engineered Accessories.





CONTROL THE SWIRL





GLASS VS POLY



2881090 See page 15

Hard Coat Layer

Curved to fit, seals tight, and is wiper ready.

view. Laminated safety glass

Superior OPTICAL CLARITY for a clear

Hard Coat options feature an extra layer on both sides of the poly, which provides **30x MORE** scratch resistance than regular poly windshields.

POLARIS ENGINEERED **ADVANTAGES**



AIRTIGHT GASKET SEAL

Our windshields and rear panels feature 360° airtight gasket seals to keep drafts and moisture out of your cab.



LOCK & RIDE

REVOLUTIONARY INSTALLATION

Windshields and rear panels install easily and lock securely in place using Polaris Lock & Ride technology. Once installed, it removes easily and can be reinstalled without the need for any tools.

provides automotive-level visibility.

SHIELD THE FRONT

Polaris GENERAL comes equipped with half doors. To create an enclosed cab for increased protection from the elements, choose from two great Polaris options.



REPLACE EXISTING HALF DOORS WITH PREMIUM POLY FULL DOORS.

- Impact and scratch-resistant tempered glass
- Fully-sealed design keeps elements out for a premium in-cab environment

FRONT

- Six-way glass window adjustability
- » 2883717

POLARIS GENERAL 4 '17-19 POLARIS GENERAL '16-19

- · Hinged window adjustability
- · Soft-touch, easy to clean premium interior liner



- Push-nut windows
- · Kit includes B-pillar cover seal
- » 2883082





PREMIUM FEATURES

Automotive-like finish, cast handle,



A PERFECT FIT FOR THE PERFECT SEAL

Polaris Engineered cab components nest perfectly into the contours of the cab frame with a 360° degree gasket seal.



ADD ZIP WINDOW UPPER DOORS TO STOCK HALF DOORS

- · Lightweight, UV-resistant construction
- Retention straps for increased strength

FRONT

- POLARIS GENERAL 4 '18-19 POLARIS GENERAL '18-19

- · Zipper windows for increased venting options
- Mounts easily by drilling into stock doors (drill hole plugs included)

REAR

POLARIS GENERAL 4 '18-19

TAKE ON THE TERRAIN

Arm your Polaris GENERAL with Polaris Engineered bumpers and guards to take on any challenge. Engineered for easy, secure installation; providing added protection for lights, bodywork and suspension.

REAR BUMPERS

SPORT REAR BUMPER

» 2881095

POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19

PREMIUM ROOF - POLY

POLARIS GENERAL 4 '17-19

4-SEAT ROOFS

SPORT ROOF - POLY

» 2883781 POLARIS GENERAL 4 '17-19

POLARIS ENGINEERED ADVANTAGES

Protect yourself from the elements. The right roof

» 2881105

» 2883780

2-SEAT ROOFS

ROOF - ALUMINUM

POLARIS GENERAL '16-19

POLARIS GENERAL '16-19

SPORT ROOF - POLY

PREMIUM ROOF - POLY

shields you from the sun and driving rain.



FOR THE PERFECT SEAL

Polaris Engineered cab components nest perfectly into the contours of the cab frame with a 360° gasket seal



COVERAGE FOR YOUR CAB

INCLUDES PREMIUM ROOF I TNER

PREMIUM FEATURES & QUIETER RIDE

Roof liners provide a clean look by hiding wiring, and absorb noise for a quieter ride.



KEEP MOISTURE MOVING

Keep precipitation moving with integrated channels that direct water away.

SPORT LOW PROFILE FRONT BUMPER

POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19

SPORT UPPER FRONT BUMPER

» 2881525

POLARIS GENERAL 4 '17-19,
POLARIS GENERAL '16-19
Requires Sport Low Profile

EXPANSION ANCHOR MOUNTS

OF ROCK SLIDERS AND BUMPERS WITHOUT

DAMAGING THE VEHICLE'S FRAME.

TOUGH EXPANSION ANCHOR MOUNTS DESIGNED

FOR POLARIS GENERAL ALLOW FOR QUICK INSTALL

POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19

HMW A-ARM GUARDS - REAR

» 2880171 POLARIS GENERAL 4 '17-19 POLARIS GENERAL '16-19

A-ARM GUARDS

HMW A-ARM GUARDS - FRONT

LOW PROFILE STEEL ROCK SLIDERS

ROCK SLIDERS / NERF BARS

POLARIS GENERAL '16-19

EXTREME KICK-OUT STEEL NERF BARS

» **2-SEAT • 2881101** POLARIS GENERAL '16-19

» 4-SEAT • 2881992



12

PULSE Green

DEFROST SYSTEM

POLARIS GENERAL 4 '17-19,

POLARIS GENERAL '16-19

PÜLSE

WINDSHIELD WIPER & WASHER SYSTEM

» 2881 ngn

POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19

CONVEX REAR VIEW MIRROR

> » 2881540 POLARIS GENERAL 4 '17-19,

POLARIS GENERAL '16-19

PULSE Betrick System

AVAILABLE IN FALL **MULTI-FUNCTION** CAB LIGHT

· Multi-color functionality

· Removable to use

as flashlight ANEW

» 2884047

POLARIS GENERAL 4 '19, POLARIS GENERAL '19

POLARIS GENERAL 4 '17-18 POLARIS GENERAL '16–18

Not compatible with 2881105 Roof

FLOOR MATS

» 2881934

POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19

POLARTS REMOTE GARAGE DOOR OPENER BY HOMELINK®

POLARIS GENERAL 4 '17-18

MTX[®] PREMIUM SOUNDBAR

CAB COMFORT

- Fully-sealed, injectionmolded enclosure with marine-grade components
 - 8 Speakers, 100-Watt
 - Bluetooth® connections
 - Not compatible with Ride Command (Need 2883803 Ride Command MTX® Soundbar with Mount Kit)
 - » 2881115 POLARIS GENERAL 4 '17-19,

POLARIS GENERAL '16-19



8-VENT HEATER &

» 2881316







AVAILABLE IN FALL

· Required to easily add

electric components

POLARIS GENERAL 4 '19, POLARIS GENERAL '19

» 2883785

POLARIS PULSE LED

LIGHT BAR HARNESS

provide power to your vehicle, and makes adding electrical accessories a snap. Light bars, audio or other cab accessories are easier to install.

POLARIS PULSE IS A REVOLUTIONARY way to

MADE EASY WITH PLUG & PLAY

• To install accessories, simply plug the harness into the Polaris PULSE hub

POLARIS ENGINEERED ADVANTAGES

NEW INTRODUCING

Electrical System

P@LARIS

- · No need to remove nuts and stack wire terminals like a three-post terminal setup
- · By plugging in your accessories, a secure connection is guaranteed every time

Look for to identify Polaris PULSE ready accessories.

THE FOLLOWING ACCESSORIES EASILY

MTX® Premium Sound Bar 8-Vent Heater & Defrost System Windshield Wiper & Washer System All RIGID® & Pro Armor Light Bars

PLUG INTO THE FACTORY INSTALLED **POLARIS PULSE UNDER THE HOOD:**

At right P. 16

**Requires in-helmet communication

» WITHOUT RIDE COMMAND

POLARIS GENERAL 4 '17-19

POLARIS GENERAL '16-19

MTX® SOUNDBAR

» 2883804

» 2884002

POLARIS GENERAL 4 '19,

TOTAL COMMAND CENTER FOR A WORLD OF CONNECTION AT

MEDIA PLAYER W/ BUILT IN AM/FM TUNER FOR ALL YOUR

BUDDY TRACKING AND SHARE YOUR RIDE USING THE RIDE COMMAND MOBILE APP*

RIDE COMMAND 7" DISPLAY | NIVE

• 7" High Bright Touchscreen visible in

Displays critical vehicle information

· Media player w/ built in AM/FM tuner

· Buddy tracking and share your ride

for fuel level, coolant temp and

HOLD A CONVERSATION
 WITHOUT SHOUTING AND
 SEE CALLS/TEXTS**

BUILT IN GPS WITH TOPOGRAPHY MAPS TO SEE YOUR LOCATION

YOUR FINGERTIPS

AND PLAN YOUR RIDE

FAVORITE MUSIC



* P&LARIS

accessory components

» WITH RIDE COMMAND

POLARIS GENERAL 4 '17-19,

POLARIS GENERAL '16-19

MTX° SOUNDBAR

» 2883803

· Includes front & rear cameras

RIDECOMMAND®

• Mount Ride Command seamlessly into the dash for perfect fit & finish

· Comes with wiring harnesses needed for Polaris GENERAL and

RIDE COMMAND MOUNT KIT

*DOWNLOAD THE RIDE COMMAND® MOBILE APP

REVOLUTIONIZING THE OFF-ROAD

EXPERIENCE

N PÜLSE €

 Dedicated shortcut buttons for quick access to features

Front and rear camera support for better visibility on and off trail

Bluetooth and USB smart

phone connectivity

ADVANCED TECH

RIGID® lights are driven by Aluminum PCB Smart Boards®, 6063-T5 aircraft aluminum extruded housings and Tiger Drylac® UV protection polyester powdercoating.

EXCLUSIVE OPTICS

RIGID* invests heavily in optical science and has patented multiple optics and optics systems, maximizing light output and efficiency.

LIGHT BAR TYPES



SR-SERIES PRO

Sleek, powerful, low-profile (under 5 cm tall). Lights extreme distances with low energy usage. **Available in 25.4 cm & 81.3 cm**



D-SERIES PRO

Compact to fit almost anywhere with high output and low energy usage.

Available in Driving, Flood & Spot

RUGGED CONSTRUCTION

Pro Armor lights are designed to be big and beefy with an aggressive style all their own, and housed in IP67 marine-grade rated UV polyester powdercoating.

MASSIVELY BRIGHT

Pro Armor builds bright lights designed for any riding experience. All that power is directed through heat dissipating aluminum for streamlined heat management.



DUAL-ROW LED LIGHT BARS

The most spread and farthest illumination downrange. Easy to mount.

Available in Cube, 25.4 cm, 50.8 cm & 76.2 cm



SINGLE-ROW LED LIGHT BARS

Powerful, compact, low-profile light bars with sleek look.


Available in 27.9 cm, 83.8 cm & 101.6 cm



CUBE LED LIGHTS

Small size allows mounting in strategic locations for added lighting. **Available in Flood & Spot**

LIGHT BAR OPTIONS



BUILD YOUR VISION

Consider the Optics, Angle & how you will use your vehicle to choose the right light or set of lights.



COMBO FLOOD & SPOT (25'/10') SPOT (10') ACCENT DRIVING (45')

ADD A HARNESS TO MOUNT YOUR LIGHTS

	LIGHT BAR SET-UPS							
MODEL	1 LIGHT IN 1 LOCATION ON 1 SWITCH	2 LIGHTS IN 2 LOCATIONS ON 1 SWITCH	2 LIGHTS IN 2 LOCATIONS ON 2 SWITCHES					
<i>2014-2018</i> All Models	LIGHT BAR HARNESS 2883486							
<i>2019</i> All Models	NEW POLARIS PULSE LED LIGHT BAR HARNESS 2883785	POLARIS PULSE LED LIGHT BAR HARNESS 2883785 Y-HARNESS 2879860	NEW POLARIS PULSE LED LIGHT BAR HARNESS (x2) 2883785					

⚠ No battery connection cables required on any model/model year Polaris GENERAL".

■ ♦ POLICIE All Rigid" and Pro Armor lights are Polaris Pulse ready.

TRAILBLAZER LED HEADLIGHTS

 Adjustable beam pattern (outer two lights) from spot to flood • 6,000 Lumen total output; 20-watt CREE® XHP LED Chips

Integrated LED daytime running light
 Waterproof, dustproof, fade resistant

» BLACK BEZEL • 2882073

POLARIS GENERAL 4 '17-18,
POLARIS GENERAL '16-18

TRAILBLAZER HEADLIGHT COLORED BEZEL

POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19

RED	2882479-293
WHITE	2882479-133
RAW	2882479
BLUE	2882479-689


ACCENT LIGHTING

ACCENT LIGHTS

POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19

COLOR	PN	
RED (SET OF 4)	2880500	
BLUE (SET OF 4)	2880506	
RED (SINGLE)	2880532	
BLUE (SINGLE)	2880533	

LOCK AND LOAD IT





LOCK & RIDE SPARE TIRE CARRIER

POLARIS ENGINEERED

ADVANTAGES

» 2881529

POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19



BEHIND SEAT STORAGE BAG

» 2882164

POLARIS GENERAL'16-19



IN-DASH STORAGE BAG

POLARIS GENERAL '16-19

» 2882165 POLARIS GENERAL 4 '17-19,

FIRE EXTINGUISHER HOLDER NOT SHOWN

» 2882158

POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19 Fits most 3.25" fire extinguishers

LOCK & RIDE



Available on all Polaris vehicles, Lock & Ride accessories allow for a quick reconfiguration between work and adventure. With the flip of a lever, Lock & Ride plungers use downward pressure to expand for a secure fit.





A LOCK & RIDE CARGO BOX

» 2881527

POLARIS GENERAL 4 '17-19, **POLARIS GENERAL '16-19**

LOCK & RIDE D-RINGS

» 2881545

POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19

STRAP OPTIONS



GENERAL

KOLPIN STRONGHOLD® MOUNT

LATCH DOUBLE BOOT MOUNT

KOLPIN STRONGHOLD® CASES

KOLPIN STRONGHOLD

» XL TRANSPORT • 2882430* POLARIS GENERAL 4 '17-19,

POLARIS GENERAL '16-19 » L IMPACT • 288242*

POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19

KOLPIN STRONGHOLD® PISTOL BOOT

» 2882429*

POLARIS GENERAL 4 '17-19, **POLARIS GENERAL '16-19**

KOLPIN STRONGHOLD® ICE ROD BOOT

POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19

KOLPIN STRONGHOLD ICE AUGER/ POP-UP BLIND BOOT

» 2882427*

POLARIS GENERAL 4 '17-19, **POLARIS GENERAL '16-19**

*REQUIRES AUTO-LATCH MOUNT



KOLPIN RHINO GRIPS® IDEAL FOR BOWS & UNCASED GUNS

We would like to thank our partners Browning" and Mathews for helping to deliver a successful and

safe off-road experience when out in the field.



LOCK & RIDE RATCHETING RHINO GRIP®

» 2881575

POLARIS GENERAL 4 '17-19, **POLARIS GENERAL '16-19**



LOCK & RIDE RHINO GRIP® PRO

» 2884107

POLARIS GENERAL 4 '17-19. **POLARIS GENERAL '16-19**



BROWNING

LOCK & RIDE RHINO GRIP® XL

» 2881574

POLARIS GENERAL 4 '17-19, **POLARIS GENERAL '16-19**

LOCK & RIDE RHINO GRIP® XL DOUBLE

» 2884108

POLARIS GENERAL 4 '17-19, **POLARIS GENERAL '16-19**



RHINO GRIP® XL REPLACEMENT RUBBER STRAPS

» 2881621

POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19



RHINO GRIP® PRO RUBBER STRAPS

POLARIS GENERAL 4 '17-19. POLARIS GENERAL '16-19

Never transport a loaded firearm. Verify firearm is unloaded prior to mounting. Please refer to local laws and regulations regarding the requirements for the legal transport of firearms.

* P&LARIS

NORTHSTAR





This cooler is IGBC-approved, meaning it withstands the power expended by a typical grizzly bear if it was trying to get inside. Seriously, there are experts who know what a grizzly is capable of doing, and they certify that the Polaris Northstar Cooler can take it.

#N=W

NEW

POLARIS NORTHSTAR® COOLER ACCESSORIES



WIRE BASKET

- » 99 LITER 2883648
- » 57 LITER 2882185
- » 28 LITER 2882438



- » 99 LITER 2883468 COMES WITH ONE DIVIDER
- » 57 LITER 2882184 COMES WITH TWO DIVIDERS
- » 28 LITER 2882186 COMES WITH ONE DIVIDER









SEAT CUSHION

- » 57 LITER 2882179
- » 28 LITER 2882507
- COOLER WHEELS
- » 57 LITER 2882180 BOTTLE OPENER

99 LITER » GRAPHITE • 2883426

» DESERT • 2883392

57 LITER

» GRAPHITE • 2883425

» DESERT • 2881259

POLARIS NORTHSTAR COOLERS can survive just about

anything - from extreme heat to a nasty tumble off a vehicle. So when we say ice will stay cold for hours on end and anything inside will stay locked up tight, we mean it.

KEEP IT

- - - » GRAPHITE 2883424

28 LITER

- » DESERT 2881315
- 14 LITER NINE
- » GRAPHITE 2883968
- 19 LITER SOFTSIDE » GRAPHITE • 2883390

28, 57 & 99 LITER FEATURES

POLARIS NORTHSTAR® COOLER



















TUMBLERS

» 887 mL • 2883394 » 591 mL • 2883393



» 2882187

ALL COOLERS AND POLARIS GENERAL CARGO BOXES



3.8 cm x 4.6 m 2495 kg RATCHET STRAP

- Heavy duty webbing
- 2495 kg Maximum Load /831 kg Working Load
- » 2884031

5.1 cm x 6.1 m 4536 kg RATCHET STRAP

- Heavy duty webbing
- 4536 kg Maximum Load / 1497 kg Working Load
- Floating D-Rings
- Double J-Hooks
- » 2884032

Each wheel and tire Pro Armor designs for off-road vehicles performs perfectly in the intended environment for its intended use. Developed, tested, and produced in partnership so you can tackle the terrain ahead with Polaris.

TRIPLE-BELTED SIDEWALLS

- Sidewalls are the most vulnerable puncture area of any off-road tire
- Pro Armor makes tires with extra protection exactly where it's needed most - the sidewall

8 or 10-PLY

- Pro Armor builds the toughest tires
- Higher ply ratings mean added protection

INNOVATION

DUAL DUROMETER LUGS (Crawler XG & Attack 2.0)

- Firm durometer rubber on base of lug for stability
- · Soft durometer rubber on top of lug for sticky grip

DUAL COMPOUND TREAD (Dual-Threat)

- · Firm durometer rubber on center of tread for long wear life
- Soft durometer rubber on shoulders of tread for superior grip

4,828+ km RATED

Pile on the kilometers with Pro Armor tires. Every tire is designed and constructed with longevity in mind. With ratings of and beyond, you are assured long life and performance.

KNOW YOUR TIRES

DIMENSIONS 28" × 9" R14

TIRE TIRE WHEEL HEIGHT WIDTH DIAMETER

TREAD DEPTH means more grip in all conditions

for improved vehicle puncture-resistance

SIDEWALL BELTS Increase your resistance to sidewall punctures

TIRE: DUAL-THREAT

Tires with higher load ratings can handle more weight

WHEEL: BUCKLE ACCENT

BACKCOUNTRY/TRAIL



PRO ARMOR DUAL-THREAT

- · Dual-compound technology and radial construction
- Softer durometer rubber on outer edge for overall superior grip and feel
- Harder durometer rubber in the middle for increased.

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14"	26" × 9" R14 5416340	FRONT		12 kg			413 kg

26" × 11" R14 **503** kg 503 kg 29" × 11" R14 16 kg 599 kg

EEL SIZE

DUAL-COMPOUND = MORE GRIP + LONGER LIFE

Firmer Durometer Rubber = Longer Life



Softer Durometer Rubber = More Grip

FRONT / REAR

PRO ARMOR ATTACK 2.0

- Engineered for excellent hard-pack performance
- Dual-compound technology and radial construction offer performance in all terrains
- · Tight thread pattern for a quieter ride

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
15"	28" × 10" R15 5416344	FRONT/ REAR	25mm	15 kg	8	3	503 kg



PRO ARMOR ATTACK

- · The best all-purpose tire for all-season traction in any terrain
- · Unique, full-face tread design
- · Harder durometer lugs promote extended wear, increasing tire life
- · Wider spaced lugs provide more grip in softer terrain

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14"	26" × 9" R14 5415613	FRONT	22	13 kg		_	413 kg
14"	26" × 11" R14 5415614	REAR	23 _{mm}	15 kg	8	3	599 kç

FRONT / REAR

ATTACK • Tighter Tread Pattern =

ATTACK 2.0

- Dual-Durometer Lug =
- in rough terrain, smoothe
- 10-Ply Rated = increased durability
- · Larger Size Offering in 28" = more ground clearance & trail traction



14"



PRO ARMOR DAGGER

MUD

- · From the trails to the pits, this tire gets you through it all
- · Deep, self-cleaning lug and wide tire design for exceptional
- · Rounded profile and full lug pattern for on-trail comfort

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATIN
14"	27" × 9" R14 5415617	FRONT		15 kg	_		503 k
14"	27" × 11" R14 5415618	REAR	38 _{mm}	18 kg	8	3	531 k

UTILITY





PRO ARMOR CRAWLER XR

SIDEWALL RATING BELTS

RATING **517** ka

· Wanna race? This tire grips it all from the trail to the rocks

• A tougher durometer than the XG to take on the toughest

· Square block profile for even surface contact

the trail has to offer

FRONT / REAR

XR

SINGLE DUROMETER

- Smaller lug height and single durometer gives this high-speed tire added rigidity and lateral stability when cornering
- Unique lug design excels in





FRONT / REAR

HEEL SIZE

PRO ARMOR CRAWLER XG

· Big or small, these tires crawl them all

THE PARTY OF THE P

- · A soft, sticky compound makes this tire ideal for both rock crawling and desert running
- · 8-ply, triple-belted ballistic sidewalls resist punctures

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
15"	28" * 10" R15 5416346	FRONT/ REAR	20mm	15 kg	8	3	503 kg



XG

DUAL-DUROMETER

- Taller lug height and dual-durometer construction
- Perfect balance between high-speed performance, durability and flex in order to grip slick rock











PRO ARMOR HARVESTER

- · All-around work horse with tread life of 5,000 miles
- Tread pattern designed to withstand anything from the farm yard, to the pastures to the trail
- With 10-Ply it can carry the load day-in and day-out
- 28" * 10" R14 FRONT/REAR 5416347 27" × 10" R14 • FRONT/REAR • 5415965
- 26" × 8" R12 FRONT 5416396 26" × 10" R12 REAR 5415966

		DEPTH	WEIGHT	RATING	BELTS	RATING
26R12	FRONT	16mm	11 kg			388 kg
SOKIS	REAR		15 kg			615 kg
27R14	FRONT/ REAR		15 kg	10	3	599 kg
28R14	FRONT/		15 kg		-	630 kg



		TREAD DEPTH	WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
26R12	FRONT		11 kg			388 kg
SOKIS	REAR	16mm	13 kg	10	3	599 kg
27R14	FRONT/ REAR		13 kg			599 kg

THAIL THAIL

FRONT / REAR






FRONT





PRO ARMOR PRESERVE

- Turf-friendly for areas where low-impact tire tread is needed
- Rounded profile and special tread pattern to limit footprint



		TREAD DEPTH	WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
26R12	FRONT		11 kg			388 kg
SOKIS	REAR	16mm	13 kg	10	3	599 kg
27R14	FRONT/ REAR		13 kg			599 kg

• 26" Aramid fiber-belted tire to tackle any terrain

· Unique full-face tread design


XD-K

X SON

PRO ARMOR

Harder durometer lugs promotes for extended wear increasing tire life

FRONT / REAR



	TREAD DEPTH	WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
FRONT	31.7mm	13 kg	_	3/1 Aramid	388 k
REAR		15 kg	8		499 k

WINDSHIELDS & REAR PANELS
























AMPLIFY O

FRONT WEIGHT: $5.9~\mathrm{kg}$ | Load rating: $408~\mathrm{kg}$ | offset: -9REAR WEIGHT: 6.4 kg | LOAD RATING: 590 kg | OFFSET: +4

FRONT 14" × 7" • 1522956-266 ACCENT: REAR 14" × 8" • 1522957-266

MATTE BLACK: FRONT 14" × 7" • 1522956-458 REAR 14" × 8" • 1522957-458

BUCKLE O

FRONT WEIGHT: 5.8 kg | LOAD RATING: 408 kg | OFFSET: +4

REAR WEIGHT: 6.1 kg | LOAD RATING: 590 kg | OFFSET: -9 FRONT 14" × 7" • 1522544-266 REAR 14" × 8" • 1522545-266

MATTE BLACK: FRONT 14" × 7" • 1522544-458 REAR 14" × 8" • 1522545-458

© COMBAT (BEADLOCK RINGS INCLUDED)

WEIGHT: 7.3 kg | LOAD RATING: 729 kg | OFFSET: +38

14" × 7" · 1523283 MATTE BLACK: 14" × 7" · 1523284

REBLR O (REQUIRES BEADLOCK RINGS)

WEIGHT: 5.9 kg | LOAD RATING: 408 kg | OFFSET: +4 REAR
WEIGHT: 6.6 kg | LOAD RATING: 590 kg | OFFSET: -9

FRONT 14" × 7" • 1522238-458 REAR 14" × 8" • 1522239-458

SHACKLE O

FRONT
WEIGHT: 5.9 kg | LOAD RATING: 408 kg | OFFSET: +4 REAR WEIGHT: $6.4~\mathrm{kg}$ | Load rating: $590~\mathrm{kg}$ | offset: -9

FRONT 14" × 7" • 1522546-266 REAR 14" × 8" • 1522547-266 MATTE BLACK: FRONT 14" × 7" • 1522546-458 REAR 14" × 8" • 1522547-458

□ SIXR ○

FRONT
WEIGHT: 4.8 kg | LOAD RATING: 408 kg | OFFSET: +4 REAR WEIGHT: $5.7~\mathrm{kg}$ | Load rating: $590~\mathrm{kg}$ | offset: -9

MATTE BLACK: FRONT 14" × 7" • 1521507-521 REAR 14" × 8" • 1521508-521 FRONT 14" × 7" · 1521507-410 REAR 14" × 8" • 1521508-410

© CYCLONE

WEIGHT: 7.8 kg | LOAD RATING: 590 kg | OFFSET: +4

15" × 7" · 1523184-266 ACCENT: **MATTE BLACK:** 15" × 7" • 1523184-458

(BEADLOCK RINGS INCLUDED)

WEIGHT: 7.7 kg | LOAD RATING: 726 kg | OFFSET: +38

15" × 7" · 1523282 MATTE BLACK: 15" × 7" · 1523266

WYDE O

WEIGHT: 6.1 kg | LOAD RATING: 590 kg | OFFSET: +55

15" × 7" · 1522550-266 MATTE BLACK: 15" × 7" · 1522550-458

FLARE

WEIGHT: 8.1 kg | LOAD RATING: 590 kg | OFFSET: +4

15" × 7" • 1523102-266 ACCENT: MATTE BLACK: 15" × 7" • 1523102-458

O LUG NUTS REQUIRED







	14" FORGED BEADLOCK Only used on REBLR	(RINGS PART #	
)	Voodoo Blue	1522244-619	
)	Machined	1522244-266	
)	White	1522244-133	
)	Indy Red	1522244-293	
)	Orange Crush	1522244-589	
)	Matte Black - Replacement Only used on Combat	1523146-458	
	Cold individually		



EVERY 15" SET FITS ALL POLARIS GENERAL MODELS POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19

WHEEL & TIRE SETS

TIRES WHEELS	ATTACK 26" 4828 km	DAGGER 27" 4828 km	DUAL-THREAT 26" 4828 km	DUAL-THREAT 29" 4828 km	PRESERVE 27" 8047 km	PRO ARMOR HARVESTER 27" 8047 km	PRO ARMOR HARVESTER 28" 8047 km	CRAWLER XR 28" 4828 km
AMPLIFY O Accent	2882390	2882392	2883138	2883146	2883208	2882388	2883225	2882394
AMPLIFY O Matte Black	2882391	2882393	2883139	2883147	2883209	2882389	2883226	2882395
BUCKLE O Accent	2881335	2881337	2883140	2883148	2883203	2882383	2883220	2881343
BUCKLE O Matte Black	2881336	2881338	2883141	2883149	2883204	2882384	2883221	2881344
COMBAT Accent BEADLOCKS PRE-MOUNTED			2883217	2883219				2883213
COMBAT Matte Black BEADLOCKS PRE-MOUNTED			2883216	2883218				2883212
REBLR Matte Black BEADLOCKS SOLD SEPARATELY	2881381	2881383						2881386
SHACKLE Accent	2881347	2881349	2883142	2883150	2883205	2882385	2883222	2881355
SHACKLE Matte Black	2881348	2881350	2883143	2883151	2883206	2882386	2883223	2881356
SIXR O	2881359	2881362						2881371
SIXR O Matte Black	2881360	2881363	2883144	2883152	2883207	2882387	2883224	2881372

EVERY 14" SET FITS ALL POLARIS GENERAL MODELS POLARIS GENERAL 4 '17-19,

15 SETS

TIRES WHEELS	ATTACK 2.0 28" 4828 km	CRAWLER XG 28" 4828 km
CYCLONE Accent	2883160	2883188
CYCLONE Matte Black	2883159	2883187
FLARE Accent	2883158	2883186
FLARE Matte Black	2883157	2883185
HALO Accent BEADLOCKS PRE-MOUNTED	2883162	2883190
HALO Matte Black BEADLOCKS PRE-MOUNTED	2883161	2883189
WYDE Accent	2883156	2883184
WYDE O Matte Black	2883155	2883183

12MM × 1.5 SPLINED LUG NUTS O LUG NUTS

16 SPLINED LUG NUTS WITH WRENCH ADAPTER		2879332
4 SPLINED LUG NUTS WITHOUT WRENCH	ALL POLARIS GENERAL	2879331
12MM x 1.5 SPLINED LUG WRENCH	MODELS	2204966

REPLACEMENT CAPS

POLARIS

BLACK



SHACKLE, SIXR

1521509-410

PRU ARMUR						
LUSTER	AMPLIFY, BUCKLE, COMBAT, CYCLONE,	5453209-41				
MATTE Black	FLARE, HALO, REBLR, SHACKLE, SIXR	5453209-45				
MATTE BLACK	WYDE	1523063-45				

O LUG NUTS REQUIRED

TRACKS



PROSPECTOR PRO® TRACK SYSTEM

- Polaris exclusive optimized hub geometry minimizes feedback and eases steering effort
- Flexible lug design provides the highest level of deep snow performance by lifting up in deep snow as opposed to digging down
- Lightweight design with slight weight reduction over Camoplast' kit provides for better flotation, eases steering effort, and provides better vehicle control

PROSPECTOR PRO® TRACK MOUNTS

- Install this track system mounting hardware in place of tires and wheels. Tracks sold separately

POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19

PROSPECTOR PRO® TRACK

POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19

If using Glacier Pro Plow System with tracks, Track Plow Extension is required (2880267)

PRO HEAVY DUTY SERIES

INDUSTRY 1ST TECHNOLOGY





1. Set Winch Dial to FREE SPOOL (N) to attach Winch Hook

- 2. Set Winch Dial to PULL (L) for Winch Mode
- 3. Set Winch Dial to ROPE RECOVERY (H) for 5x Faster Rope Recovery


INTEGRATED WIRING TNCLLINED SEALED PERMANENT

PREMIUM SYNTHETIC ROPE

- Superior Flexibility







Auto Stop Technology stops winch at end of pull to prevent driveline stress



HEAVY DUTY SERIES

3 ADD CABLES

Polaris GENERAL

'16-'18 Requires 2882373







-29°C TEMPERATURES



MILITARY

- Lightweight & Easy to Handle
- · Greater Strength than Steel Cable

1 FIND YOUR MACHINE

POLARTS GENERAL 4 '19 POLARIS GENERAL '19

POLARIS GENERAL 4 '17-18

RAPID ROPE RECOVERY



3 STEPS FOR ADDING A WINCH: 2 CHOOSE BETWEEN POLARIS PRO HD OR POLARIS HD WINCH

PRO HEAVY DUTY SERIES

HEAVY DUTY SERIES

2041 kg

OPTION

STEEL CABLE

STEEL ROLLER

STANDARD WIRED

AVAILABLE IN FALL

1588 kg

2882477 2882476

2883860

CUT STEEL GEARS &

SEALED DRIVETRAIN

HOOK WITH STRAP

STANDARD

2041 kg

AVAILABLE IN FALL

NEW

2883861

2882239

WIRELESS

AUTO STOP TECHNOLOGY WINCH LINE SYNTHETIC FAIRLEAD

UPGRADE YOUR POLARIS HD WINCH WITH THESE ACCESSORIES

POLARIS WIRELESS WINCH REMOTE

- · Allows for remote operation of
- Up to 15 m range with LED indicator

WORKS WITH 2882476, 2882477, 2883860 POLARIS GENERAL '16-19

SYNTHETIC

- 2041 kg WINCH SERIES » 2879187
- 1588 kg WINCH SERIES POLARIS GENERAL '16-19

AUTO STOP TECHNOLOGY

- Machined from billet aluminum and weighs less than common steel fairleads
- · Installs easily in place of stock fairlead
- Requires synthetic winch rope (not included) (not compatible with steel cable)
- » 2041 kg 2881288 » 1588 kg • 2881289

DASH SWITCH

- » 2882373 POLARIS GENERAL 4 '17-19 REQUIRED ON ABOVE MODELS TO ADD WINCH
- » 2-SEAT 2879388 POLARIS GENERAL '16-19 REQUIRED ON ABOVE MODELS TO ADD WINCH
 - » 4-SEAT 2879685 POLARIS GENERAL 4 '17-19 REQUIRED ON ABOVE MODELS TO ADD WINCH

PUSH FOR MORE

GLACIER® PRO HD GIVES YOU

»183 cm OR 168 cm Blades » Choice of poly or steel » Manual angle system standard

*FLACIER

TESTED 1,200+ PULLS AT MAX LOAD

IT WORKS WHEN YOU

THERE'S A REASON

THESE ARE THE BEST WINCHES ON THE MARKET.

sealed to keep out water, dust and other debris.



SEALED MOTOR & HEAVY DUTY GEARS

OPERATE FULLY SUBMERGED **UNDERWATER**

BUILT TO WITHS TAND

WINCH

WIRING KIT

MAKE OUICK WORK OF **SMALLÈR JOBS**

Move snow with the robust and capable Glacier® HD plow system, and discover why a major snowfall can be the highlight of your week. With a robust frame, beefy poly and steel blade options, convenient Lock & Ride mounting and dismounting and amazing value, Glacier® HD is a great choice in the dead of winter.

BLADE MATERIAL Durable poly and steel blades are designed to push more. Choose a steel blade 168 cm POLY BLADE 183 cm STEEL BLADE for longevity and increased rigidity or a lightweight non-stick, poly blade that's

MODELS
POLARIS
GENERAL
4 '17-19,
POLARIS
GENERAL
'16-19

SELECT A MOUNT SELECT A FRAME **FRAME**

2880260

2881763

MOUNT

SELECT A LIFT METHOD WINCH Polaris PRO HD 2041 kg Winch

2883861 POLARIS GENERAL 4 '19,

POLARIS GENERAL '19 Polaris PRO HD 2041 kg Winch

2882239 POLARIS GENERAL 4 '17-18. POLARIS GENERAL '16-18

BLADES

183 cm Steel 2880270

easier on plowing surfaces.

168 cm Poly 2880269

> 168 cm Steel 2880268

SELECT ACCESSORIES

ACCESSORIES

183 cm Blade Snow Deflector 2858541 183 cm HD Wear Bar 2879875

183 cm Wear Bar 2204976 168 cm Blade Snow Deflector 2879866

168 cm HD Wear Bar 2879868 168 cm Wear Bar 2879867 Plow Marker 2872726

Skid Shoe 2205071 Shear Pin 2205527

Extension for Tracks 2880267

GLACIER® HD GIVES YOU

»168 cm Blades » Choice of poly or steel » Manual angle system standard



168 cm POLV BLADE 168 cm STEEL BLADE

STEP 1 SELECT A MOUNT	STEP 2 SELECT A FRAME	STEP 3 SELECT A LIFT METHOD	STEP 4 SELECT A BLADE	STEP SELEC
MOUNT	FRAME	WINCHES	BLADES	ACCE
2883256	2882927	Polaris PRO HD 2041 kg Winch 2883860 POLARIS GENERAL 4 '19, POLARIS GENERAL '19 Polaris HD 2041 kg Winch	168 cm Poly 2880269 168 cm Steel 2880268	168 cr 168 cr 168 cr Plow I Skid S
		2882477 POLARIS GENERAL 4 '17-18, POLARIS GENERAL '16-18		Shear
		Polaris HD 1558 kg Winch		

CT ACCESSORIES **SSORIES**

m Blade Snow Deflector 2879866 cm HD Wear Bar 2879868

cm Wear Bar 2879867 Marker 2872726 Shoe 2205071

r Pin 2205527

П

MODELS

POLARIS

GENERAL

4 '17-19,

2882476





PERFORMANCE

"The Baja 1000 is probably the toughest race in the world! In the brutal Baja desert there are so many things that can ruin your race it is great to know that Polaris Engineered Lubricants will never let us down.

We trust in the Polaris products like the PS-4 motor oil to protect our machines vitals, they are a critical part of a winning formula."

BILL SCHUELER CREW CHIEF JAGGED X



SPECIFIC NEEDS, SPECIFIC OILS

Polaris invests millions in engine development, and part of that investment is making sure its lubricants—critical to engine performance—are the right formula for your specific engine.

PS-4 is designed specifically for Polaris 4-cycle engines and has high film strength and wear protection under extreme loads and temperatures. Exclusive anti-wear additives protect engine parts with extra rust and corrosion protection.



IPS-4

Everything needed to change your oil! The correct filter & amount of oil for your vehicle.



PS-4 EXTREME DUTY

OIL CI-IANO KIT (OIL 8 FILTER)	SIE O	IL CHANGE KIT (OIL 8 FILTER)
PART NUMBER	VEHICLE FITMENT	PART NUMBER
2202166	RANGER/RZR/SPORTSMAN 570, TWIN 600, TWIN 700, TWIN 800	2879004
2879323	RANGER, POLARIS GENERAL, RZR 900/1000, RS1	2879324
2877473	RANGER/ SPORTSMAN 300-500, SPORTSMAN/SCRAMBLER 500/850/1000	2878924
2881696	RZR TURBO	2881697



PS-4 FULL-SYNTHETIC OIL

PS-4 is optimal for ambient operating temperatures of -40° C to 38° C

- » .95 L 2876244
- » 3.8 L 2876245
- » 60.6 L 2876247



PS-4 EXTREME-DUTY FULL-SYNTHETIC OIL

PS-4 Extreme Duty is optimal for ambient operating temperatures of -18° C to 54° C

- » .95 L 2878920
- » 3.8 L 2878919
- » 60.6 L 2879003



ORV MAINTENANCE KIT

This convenient kit includes everything you need, in the correct fluid volumes, to properly maintain your drive train, and keep your vehicle in top operating condition.

- Includes: 1.4 L AGL, .95 L Angle Drive Fluid, .47 L Demand Drive Fluid, 29.6-88.7 ml tube of All-Season Greece
- » 2880425

MAINTENANCE

FLUIDS



Maximum protection for your 4-cycle engine. additives protect your engine and extend the life of engine components.

onths or 800 km



AGL

Extreme pressure additives protect jears, drive chain, and bearings from scoring and wear. Unlike typical gear case oils, AGL's unique scosity range allows instant flow and film protection in extreme cold or high heat environments.

ange every 100 hours 12 months or 1600 km.

- » .95 L 2878068
- » 3.8 L 2878069
- » 9.5 L 2878070
- » 208 L 2879594



A heavy-duty lubricant formulated with molybdenum disulfide to accept the high shock applications of Polaris ATV shaft drive universal joints.

Add every 50 hours, 3 months or 800 km

» 89 mL • 2871515 » 414 mL • 2871551



DEMAND DRIVE FLUID

Provides positive 4WD engagement in extreme cold or high heat conditions. Unique friction additives protect internal components under heavy loads and promote positive engagement

nge every 100 hours or yearly

» .95 L • 2877922

DOT 4 BRAKE FLUID

Change every 200 hours, 3200 km or

» 355 mL • 2872189

A high-quality brake fluid designed for use in

Polaris hydraulic brakes. Superior high-temp

ANTI-FREEZE Organic acid technologies to prevent corrosion on metal

Change every 60 months

performance.

» .95 L • 2880514

» 3.8 L • 2880513

» 208 L • 2880512

components, eliminate scaling, and maximize cooling system

characteristics plus anti-corrosive additives extend the life of brake system components

and provide consistent, positive braking.

» 9.5 L · 2877923



PREMIUM GAS

- ».95 L 2870995
- » 9.5 L 2872279 FOX® REBUILDABLE



10WT GAS SHOCK OIL SHOCK OTL

- ».95 L · 2874124 WALKER EVANS® REBUILDABLE SHOCKS

GREASE

GUN KIT

» 2871312

FITS 2871322

ALL-SEASON AND

2871322 U-JOINT



LUBRICANT ACCESSORIES

- CHATN LUBRICANT
- » 473 ml AFROSOL 2872348
- ALL-SEASON **GREASE TUBE**

2D BATTERY-OPERATED

SIPHON PUMP

» 2830513

Liquid transfer numps 5-6

quarts/min suctioning powe

· Use with has water hil and

other non-corrosive liquids

- » 89 mL 2871322
- » 414 ml 2871423

ANGLE DRIVE FLUTD » .95 L • 2876160

- » 9.5 L 2872276
 - SPORTSMAN. RANGER RZR ANGLE DRIVE GEAR CASE SYSTEMS

CARBON

FLEX SPOUT

Convenient easy

pour flex spout

fits all Polaris

2871285

- fuel injectors, piston ring

CLEAN

- improves fuel economy.
- » 355 mL 2881413

ADVANCED FUEL TREATMENT

- Prevents ethanol corrosion, stabilizes fuel, and cleans lands, intake systems, and Helps maintain peak HP and

Prevents ethanol

corrosion and stabilizes

protects against gum and

varnish for easy starting.

» 355 mL • 2881416

» 9.5 L • 2881417

fuel for up to 2 years.

- quart, gallon, and



PUMP

- Attaches to 3.8- or 9.5-liter bottle for easy, no-drip
- 2870465

TIRE

SEALANT

HOW IT WORKS

Tire sealant remains liquefied inside vour tire until a leak develops in the tire or wheel.

PREMIUM TIRE SEALANT

- · Instantly seals and repairs rim, bead leaks, and punctures up to 0.64 cm on standard tires, and 1.9 cm on heavy ply
- · Helps maintain air pressure for the life of
- · Helps seal the tire bead against the wheel
- » 946 ml 2830484
- » 3.8 LITER 2830485
- » 19 LITER 2830486

· Will not rust, corrode, or pit wheels · Creates permanent repair

· 100% water soluble for easy cleanu

- · Remains fluid and effective in
- temperatures down to -43° C · Easily installed through existing tire valve
- » 19 LITER PUMP 2830487
 - » 208 LITER 2830489
 - » 1041 LITER 2830488

stem with valve core removed

Once a leak occurs, the tire sealant rushes out of the tire and quickly creates a permanent solid plug. The plug maintains the pressure of

the tire so you can

continue your ride.



24 X 7 COVERAGE | BE PREPARED FOR ANYTHING

NOTHING CAN STOP YOU. COVERAGE WHEN YOU NEED IT.

FIX ON THE GO | TEMPORARY COVERAGE

UTV CV BOOT

CV BOOT REPAIR KIT*

- · A quick trail side fix to increase trail time
- · The flexible and durable boot material expands over a cone tool for CV boot repairs, without disassembling CV axles.
- Universal fit works as a temporary fix for most powersports axles.
- · All components fit inside the cone, and a cover is provided for compact durable storage.
- · Easily fits in a cargo box, attached to the roll cage, in the glovebox, or many other storage locations.



Items shown are contained inside cone

REPAIR KIT

Kit includes the following items:

- (1) Expandable XL CV Boot
- (1) Reusable Cone Tool
- (2) CV Boot Clamps • (1) Tube of Silicone Lube
- (1) Grease Packet
- (1) Cone Cover
- » 2830526


UTV TRAIL BOOT ONLY » 2830527

ATV


- » CV REPAIR KIT 2830528
- » TRAIL BOOT ONLY

2830529






Remove brake caliper, hub, tie rod, & upper & lower ball joints




Remove old boot & clean joint



for outer boot instructions.

Empty the bag of grease into cone tool. Slide boot over cone tool, large end first. See package points & install clamps



Reassemble tie rod, ball joints, the CV joint/boot, clean sealing brake caliper, axle nut, tire & wheel

Refer to your owner's manual for further instructions and torque specifications. *Designed for temporary CV boot repair. Purchase the OEM CV Boot for a permanent repair.

AIR FILTERS

Critical to engine performance and reliability. A clogged air filter can restrict air flow to the engine leading to reduced engine performance. Dirt and debris ingestion can damage the engine leading to reduced engine life or catastrophic failure. Polaris recommends changing the vehicle's air filter at the specified intervals outlined in the owner's manual, which may be shorter if your vehicle is subject to severe conditions.

FOR THE LIFE OF YOUR RIDE

BRAKE PADS

Check your brakes if you are close to the recommended service interval, hear grinding when applying the brakes, your vehicle is taking longer to stop or if you have to apply more pressure to your pedal to engage the brakes. Check the brake discs for signs of cracks, excessive corrosion or warping.

If the brake pads are contaminated with oils or grease (petroleum products), brake pads have to be discarded and replaced.

Discs need to be cleaned with brake cleaner or alcohol based cleaner only.

DRIVE BELTS

Polaris Engineered belts deliver unmatched performance for your off-road vehicle. Developed and tested on all our engines for all environments and conditions. Check your belt for delamination, hour glassing and glazing.

OIL FILTERS

Change oil filters with every oil change to provide the best protection for your engine. Superior engine protection keeps your engine operating at peak performance. Be sure to follow the suggested service intervals for oil/oil filter changes.

BATTERIES

Never leave a battery unattended during the storage season. To ensure your battery maintains its level of charge when unused for extended periods of time or during freezing weather, the battery should be connected to a BatteryMINDer. Be sure to check for corrosion from the terminals to the ends of the cables.

MAINTENANCE TIP

BREAK-IN PERIOD

The break-in period for your new Polaris GENERAL is the first 25 hours of operation, or the time it takes to use the first two tanks of fuel. No single action on your part is as important as a proper break-in period. Careful treatment of a new engine will result in more efficient performance and longer life for the engine. Perform the listed procedures carefully.

ITICE: Excessive heat build-up during the first three hours operation will damage close-fitted engine parts. Do not erate at full throttle or high speeds for extended periods ring the first three hours of use.

MAINTENANCE SCHEDULE

25 HRS/400 km

BREAK-IN MAINTENANCE

ENGINE OIL: CHANGE

GENERAL LUBRICATION: ALL FITTINGS, PIVOTS, CABLES, ETC.

> AIR FILTER: INSPECT & CLEAN REPLACE AS NEEDED

EXHAUST SYSTEM: INSPECT & CLEAN

INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR 50 HRS/800 km

MONTHS

EXHAUST SYSTEM: INSPECT & CLEAN INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN TYPE
SPARK ARRESTOR

GENERAL LUBRICATION: ALL FITTINGS, PIVOTS, CABLES, ETC.

DRIVE BELT:
INSPECT & ADJUST
REPLACE AS NEEDED

100 HRS/1600 km MONTHS

ENGINE OIL: CHANGE

DRIVE BELT: INSPECT & ADJUST REPLACE AS NEEDED

> TRANSMISSION FLUID: CHANGE

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

EXHAUST SYSTEM: INSPECT & CLEAN INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

18 MONTHS

150 HRS/2400 km

ENGINE OIL: CHANGE

BATTERY: TEST, CLEAN, & CHECK FLUID LEVEL REPLACE AS NEEDED

DRIVE BELT:
INSPECT & ADJUST
REPLACE AS NEEDED

TIRES: INSPECT CONDITION & PRESSURE

EXHAUST SYSTEM: INSPECT & CLEAN INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR MONTHS

ENGINE OIL:

BRAKE PADS
S FLUID:
INSPECT & CLEAN
REPLACE AS NEEDED

SPARK PLUGS: INSPECT REPLACE AS NEEDED

EXHAUST SYSTEM: INSPECT & CLEAN INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR 350 HRS/4020 km

MONTHS

ENGINE OIL: CHANGE

BATTERY: TEST, CLEAN, & CHECK FLUID LEVEL REPLACE AS NEEDED

DRIVE BELT:
INSPECT & ADJUST
REPLACE AS NEEDED

GENERAL LUBRICATION: ALL FITTINGS, PIVOTS, CABLES, ETC.

EXHAUST SYSTEM:
INSPECT & CLEAN
INSPECT FOR LEAKAGE OR
CARBON BUILD UP AT JOINTS
INSPECT & CLEAN SCREEN
TYPE SPARK ARRESTOR

MONTHS

ENGINE OIL: CHANGE

AIR FILTER: INSPECT, CLEAN REPLACE AS NEEDED

COOLANT: CHECK LEVEL REPLACE EVERY 2 YEARS

GEARCASES: CHECK OIL LEVEL

EXHAUST SYSTEM:
INSPECT & CLEAN
INSPECT FOR LEAKAGE OR
CARBON BUILD UP AT JOINTS
INSPECT & CLEAN SCREEN
TYPE SPARK ARRESTOR

OWNER'S MANUAL FOR ADDITIONAL RECOMMENDED SERVICE ITEMS AND VEHICLE-SPECIFIC TIMING

34

SERVICE PARTS

Polaris Engineered service parts deliver unmatched performance and fit for your off-road vehicle.

All service parts are developed and tested for your vehicle. Half shafts, bushings, bearings, decals, side panels, electrical components, and clutching components are the same parts that are manufactured on the factory lines for each specific vehicle. This ensures it doesn't merely fit your vehicle – it outperforms your expectations!

VISIT YOUR POLARIS DEALER TO SHOP FOR SERVICE PARTS.



FOR THE LIFE OF YOUR RIDE

Maintenance is the key to keeping your Polaris off-road vehicle performing at its peak. Items like belts, lubricants, and batteries represent only a few of these critical items engineered specifically by Polaris.



POLARIS ENGINEERED DRIVE BELTS

TESTED, PERFECTED

We test each belt on the intended vehicle – we don't just try to make an existing belt "just work".

- Amery Kuhl, Polaris® CVT System Engineer

OUR INVESTMENT

- 32,187 km of field testing
- Thousands of dyno hours
- •18+ months of development (3,000+ design hours) per belt
- · 1200+ vehicle validation hours
- · Collaboration with powertrain & clutch engineers

YOUR ADVANTAGE

- · No clutch recalibration
- · Less wear & tear due to heat
- Ensure maximum performance of your vehicle
- More time out riding, less time wrenching

OUR INVESTMENTS ENSURE POLARIS BELTS **OUTPERFORM YOUR EXPECTATIONS**.

POLARIS FLEX JUMPSTARTER

- · 12,000 mAh capacity. Two 5V/2.1A USB outputs, 200-lumen flashlight, and a digital battery life monitor. Includes storage case, smart jumper cables, car charger, wall charger, and user guide.
- Jumpstart any engine up to 6.4L. The Polaris Flex Jumpstarter is small enough to be stored in your glovebox and holds its charge so you can count on it when it's needed.
- » 2830495

POWERFUL, PORTABLE, DURABLE. Portable, quiet power great for remote locations. Tested to be tough, these generators are an excellent addition to any trip.

WHICH GENERATOR FITS YOUR NEEDS?

Add up the running watts of everything you might power at



Pick the device with the highest running watts and add its starting watts to the previous total.



Select a generator with a slightly higher wattage.

	Startup Wattage	Running Wattage
140 cm LCD TV	0	150
CROCK POT	0	200
RADIO	0	50-200
LAPTOP	0	200-250
625W MICROWAVE	0	625
FRIDGE OR FREEZER	700	700
COFFEE MAKER	1300	800
SUMP PUMP: 1/3 HP	1300	800
BLENDER	1000	1000
ELECTRIC GRIDDLE	0	1500
18 cm CIRCULAR SAW	1700	1400
AIR CONDITIONER	1500	1500

POLARIS POWER INVERTER GENERATORS



P1000i

1000 WATT PORTABLE / QUIET

- Dual handles and only 16.5 kg
- · Connect two units together for even more output
- Quieter than casual conversation (54db @ 25%)
- Up to 10 hours on 1 tank of gas
- » P13GDGANA



P2000i

2000 WATT VERSATILE / LIGHTWEIGHT

- Dual handles and only 24 kg
- · Connect two units together for even more output
- · Ouieter than casual conversation (54db @ 25%)
- Up to 10 hours on 1 tank of gas
- » P13GDGBNA



P3000iE

3000 WATT ROBUST / ELECTRIC START

- · Locking 360 degree pivoting wheels
- · Easy electric start for
- · Ouieter than casual conversation (56db @ 25%)
- Up to 21.5 hours on 13 L of gas
- » P13GDGCNA

GENERATOR ACCESSORIES

POLARIS POWER **COLD WEATHER KIT**

- · Ensure smooth running of your Polaris Generator in sub-zero temperatures
- Prevents ice blockage in the crankcase breather tube, which may lead to operational issues including
- · Installation required, no need to disconnect for
- Exclusively designed for use with Polaris P1000i & P2000i inverter generators
- » 2881433



POLARIS POWER CABLE KIT

- · Use a parallel cable kit to easily connect two Polaris Power generators together to increase the total power available to a load
- » 3410281



TIE-DOWN LEADS

POLARIS POWER

- Secure your Polaris Power Generator by inserting the Lock & Ride Tie Down Leads into the handle and running a strap across to tie down the generator
- Secures Lock & Ride accepting gear
- Safely provides a point for 2.5 cm wide tie-down strap
- » 2880959



POLARIS POWER GENERATOR OIL



POLARIS POWER GENERATOR STORAGE COVERS

- · Keep your generator looking like new with a strong, durable cover that is resistant to mold, mildew, tears, and abrasions
- » 1000 WATT COVER 2686441
- » 2000 WATT COVER 2686442
- » 3000 WATT COVER 2686443








			36
	BatteryMINDer 2012 AGM 2 AMP	BatteryMINDer 1510 1.5 AMP	BatteryMINDer 1.5 AMP CONVERTIBLE
PART NUMBER	2830438	2830404	2830511
VOLTAGE	12	12	12
CHARGING CURRENT	2 AMP	1.5 AMP	1.5 AMP
OVERCHARGE PROTECTION	Yes	Yes	Yes
BATTERIES MAINTAINED AT ONE TIME	6	4	4
BATTERY COMPATIBILITY	12 Volt Sealed AGM Lead-Acid	12 Volt flooded (filler cap) and sealed maintenance free batteries	12 Volt flooded (filler cap) and sealed maintenance free batteries
COMES WITH	• Non-fused battery clip cord set with Quick Connector	Ambient temperature sensor (installed) 12ft. power cord Battery clip cord set with Quick Connector Optional Permanent Mounting Tab	Auto-Temp compensation sensor (installed) Optional permanent mounting brackets & screws Battery clips (fully-insulated, aircraft grade, 15A replaceable fuse) Ring terminal assembly with 15A replaceable fuse
KEY FEATURES	Designed for high performance specialty AGM sealed batteries	Easy to use, economical	Convertible on-vehicle or bench top use

LIFT IT SECURELY LIFT IT SAFELY



» 544 kg • 2830424

LIFT ATTACHMENTS

- · Add the appropriate attachment to use your lift for all your off-road vehicles
- » ATV/POLARIS ACE 2830427
- » SNOWMOBILE 2830426

BATTERY MAINTENANCE TIPS

ENSURE YOUR

RIDE IS READY

WHEN YOU ARE!

· Add years of capacity, power and range to new and older batteries, regardless of

· Recover older-weak batteries that would

Never over or under charged in

· Leave your vehicle connected for months and return to fully charged and

normally need to be replaced · Charge and maintain extra-backup batteries as well as those in your vehicle · Automatic turn-on, sleeps while keeping

your batteries at full-charge · Easy Push-Button selector to change

battery type or time

type or brand

any temperature

conditioned batteries

Extend your battery life with a BatteryMINDer and these tips.

- 1. Store batteries in a cool, dry location.
- 2. Check that the battery connections are tight. Cables should not be able to be rotated or shifted by hand.
- 3. If your battery has a drain tube, make sure it is free of clogs.
- 4. Clean your battery use a soft brush to scrub the top of the battery. Use baking soda to remove grease.
- 5. Connect a BatteryMINDer after using your vehicle even if the vehicle is in regular use.

POLARIS X3 CREEPER

- Three positions: flat, 45-degree angle or seated work stool
- Helps you perform any repair with ease

185 cm

- Stay dry and warm away from cold, wet cement floors
- Easily stores away when not in use
- » BLACK 2830429

BatteryMINDer ACCESSORIES



BatteryMINDer VPP-12:12/24 VOLT VEHICLE POWER PLUG

- · Allows easy connection to vehicle's battery through lighter or 12/24V power port with replaceable 15 amp fuse
- » 2830518



BattervMINDer 3.7 m EXTENSION

- · Made with heavy-duty 16 gauge black zip cord featuring automotive SAE bullet
- » 2830410



BattervMINDer MULTI-BATTERY SPLITTER

- A simple, safe, and affordable way to connect two batteries simultaneously for easy
- Includes a set of ring
- » 2830409



BatteryMINDer RING TERMINAL KIT

- Features 61 cm long 18-gauge wire · Plug has standard .8 cm negative
- and .95 cm positive terminals · Replaceable 15 amp in-line fuse for
- SAE guick connector and cap

» 2830437



BatteryMINDer EZ CONNECT

- · Allows for quick and easy connecting and disconnecting and disconnecting
- Includes a set of ring
- » 2830411

SHOP ACCESSORIES



POLARIS MAGNETIC PARTS TRAY

» SILVER • 2830432



POLARIS 8.4 cm TELESCOPIC MAGNET

» BLACK • 2830435



POLARIS 30.5 cm HI-TORQUE RATCHETING DRIVER

» BLACK / BLUE • 2830434



POLARIS LED POCKET FLASHLIGHT

» BLACK • 2830436

TRAILER BALL

» 17/8" BALL • 2877602

» 2" BALL • 2877603

BRING IT EVERYWHERE

TRAILERING



RAMP PRO BY CALIBER®

HITCHES.

- Designed for ATVs and UTVs up to 127 cm
- · Integrated grip glides for ultimate traction
- · Folding sides for easy transportation
- » 132 cm × 229 cm 2883005

3:1 HITCHES

VERSATILE 3 IN 1 FUNCTIONALITY



ALUMINUM ARCHED LOADING RAMPS

- » 193 cm × 30.5 cm 907 kg 2875384
- » 224 cm × 30.5 cm 1361 kg 2875386



LIGHTWEIGHT TRI-FOLD RAMPS

- · Ramp folds up for transport
- · Capacity for up to 680.7 kg
- · Safety straps included » 183 cm × 130 cm • 2875385
- » 208 cm × 130 cm 2875860



FOLDING ALUMINUM ARCHED RAMPS

- · Ramp folds up for transport
- · Capacity up to 1361 kg
- · Safety straps included
- » 224 cm × 30.5 cm 2875387

· Ball, pin and hook design

· Durable steel construction Rust resistant, black

Heavy Duty ⁵/₈" pin and clip

powdercoated finish

Removable ball

CLEAN YOUR VEHICLE

PRE-TREAT

MUD SHIELD PRE-TREATMENT

- · Inhibits the adhesion of dirt, mud, and snow, making cleaning your vehicle faster and easier.
- » 473 mL AEROSOL

CLEAN I

NEVER RUST SPRAY

- · Synthetic formula highly resistant to water protects against rust and corrosion while lubricating metal surfaces.
- » 473 mL AEROSOL

PROFESSIONAL GRADE CLEANERS

VEHICLE

VEHICLE & EQUIPMENT WASH

- Concentrated professional grade formula powers through vehicle buildup, dirt and grease with a spot-free rinse. Treat up to 32 gals. Biodegradable product.
- » 19 L 2830422

XP WASH

- · Foaming, highlyconcentrated wash easily removes the most stubborn and intense dirt build-up.
- » 946 mL

XP SPRAY WASH

- Effortless biodegradable high-performance wash ideal for removing dirt, oils and carbon-simply spray on, spray off and go.
- » 946 mL

Professional grade, Heavy-duty foam non-streak formula cuts

GLASS

» 473 mL

CLEANER

through grease, dirt,

eaving a crystal clear

dirt-resistant barrier for

dried bugs and film

long-lasting results.

non-streak, foam formula cuts through grease, dirt and film leaving an invisible dirt-resistant barrier for long-lasting results.

ALL-PURPOSE

CLEANER

» 473 mL

INSTANT

» 473 mL

SHINE & DETAILER

Spray and wipe formula-cleans, polishes, and

protects plastic and painted surfaces.

SHOP

ALL-PURPOSE CLEANER PLUS

- » 19 L 2830416

SHINE POLARIS POLISH

- · Easy protection and shine-spray on, wipe off, and go. For ideal use on painted and plastic surfaces.
- » 335 mL

CLEAN YOUR SHOP

TOWELS

POLARIS SHOP TOWELS

- » 200 CT WITH DISPENSER 2830402
- » 200 CT REFILL 2830403
- » 64 CT REFILL 2830440



POLARIS HEAVY-DUTY SCRUBBER WIPES

90 CT • 2830441



HD CLEANER & DEGREASER

- » 3.8 L 2830418
- » 19 L 2830420

SECULO





NEW HITCH WITH 2" BALL

BALL

- » 2" x 2" RECEIVER 2830522
- » 1 1/4" x 1 1/4" RECEIVER



- · 1 %" replacement ball for hitch
- Designed to work with 3:1 Hitch
- » 2830524





PIN

- » 2" RECEIVER TONGUE 2875320
- » FRONT HITCH RECEIVER



- 34" SHANK

STRAPS & ROPES

NEW RECOVERY STRAP

- 5cm x 9.1 m (8165 kg)
- · Comes with carry bac
- » 2884033

COVERS



RATCHET STRAP

- 3.8 cm x 4.6 m straps, 2 Pack
- · Heavy duty webbing 2495 kg maximum load, 831 kg working load
- » 2884031



RATCHET STRAP


- Heavy duty webbing, floating D-rings, double J-hooks
- · 4536 kg maximum load, 1497 kg working load
- » 2884032



SHOCK STRAPS · 3.8 cm 1361 kg breaking strength

- Keeps tension on tie-down straps to secure load, 2 Pack
- » 3.8 cm x 4.6 m 2883296
- » 3.8 cm x 2.1 m 2883295





» 4-SEAT • 2881787



POLARIS SxS CAMO FIELD COVER

POLARIS GENERAL 4 '17-18, POLARIS GENERAL '16-18



- POLARIS GENERAL '16-19
- POLARIS GENERAL 4 '17-19



BE PREPARED FOR ANYTHING NATURE

management of the forther and

THROWS AT YOU





FIND YOUR PERFECT HELMET!

RIDE SAFE - OUR HELMETS ARE DOT/ECE CERTIFIED



509° ALTITUDE **CARBON HELMET**

- Durable, ultra lightweight, Carbon Fiber
- Full carbon fiber shell
- 1100 grams
- » S-4XL 2867814 • MATTE BLACK 2867815 • GLOSS BLACK



509° ALTITUDE HELMET

- Stylish, Lightweight with 509 Fit
- Thermoplastic poly alloy out shell
- 1260 grams

» S-4XL

2868539 • LIME 2867820 · BLUE 2867818 · ORANGE 2867819 • RED 2867817 • GRAY



TENACITY HELMET

- · All the style and protection in our
- · Injection molded plastic
- 1450 grams
- » XS-3XL

2868624 • PINK GLOSS 2868620 • BLACK/GRAY 2868622 • BLUE GLOSS

2868619 • BLACK MATTE 2868623 • RED GLOSS 2868621 • LIME GLOSS

PROTECT YOUR HANDS

OFF-ROAD RIDING GLOVES

· As seen in images at left

» S-3XL

2867937 · PINK 2867933 · GRAY 2868712 • BLUE/LIME 2867936 • RED 2867935 • ORANGE 2867934 · BLUE

KINGPIN DIRT 509° GOGGLE

Quick change lens & triple layer foam

• Anti-fog & anti scratch

» ONE SIZE 2868671 • LIME 2868668 • ORANGE


ORV RIDING JERSEY

2868711 · LIME

2867941 • PINK 2867942 • RED

*COOL

POLARIS











WOMEN'S BASEBALL 3/4 SLEEVE TEE

MEN'S LONG SLEEVE TECH 1/4 ZIP

» S-3XL BLACK/RED • 2869535 GRAY/LIME • 2869536





» S-3XL GRAY/BLACK • 2869925 » ONE SIZE BLACK • 2868650





CAMO COFFEE

TRAVEL MUG

STEERING

WHEEL COVER

» 2867961

CAMO

CAMO BOTTLE

CAMO BOTTLE

OPENER NOTSHOWN

KOOZIE

» 2867964







CAMO WATER

BOTTLE

» 2867962

KOOZIE

CAMO CAN





SEE P. 20



MY19 GENERAL APP ACC INTL 9930504