





*RZR* is a brand fueled by the passion to do more for our loyal riders, since day one. WE ARE THE DRIVING FORCE IN OFF-ROAD, built with the power and performance to dominate

### 2019 LINEUP

#### **XTREME PERFORMANCE**





#### TRAIL & SPORT







4-SEAT





RZR XP 4 TURBO















RZR XP TURBO S NEW





**RZR S 1000 EPS** 

RZR XP 4 1000



POLARIS ENGINEERED	02
MAKE IT YOUR RZR CHECKLIST	04
INTRODUCING RZR XP TURBO S	06
RZR RS1 ACCESSORIES	08
LIGHTING	10
RIDE COMMAND / AUDIO	17
PRO ARMOR WHEELS & TIRES	32
BARRICADE CAGE SYSTEM	
ROOFS	50
PROTECTION	52
PROTECTION DOORS	
	56
DOORS	56 58
DOORS WINDSHIELDS / REAR PANELS	56 58 60
DOORS WINDSHIELDS / REAR PANELS STORAGE / KOLPIN® GRIPS	56 58 60 62
DOORS WINDSHIELDS / REAR PANELS STORAGE / KOLPIN° GRIPS COCKPIT ACCESSORIES	56 58 60 62 64
DOORS WINDSHIELDS / REAR PANELS STORAGE / KOLPIN® GRIPS COCKPIT ACCESSORIES POLARIS NORTHSTAR COOLERS	56 58 60 62 64 66
DOORS WINDSHIELDS / REAR PANELS STORAGE / KOLPIN <sup>®</sup> GRIPS COCKPIT ACCESSORIES POLARIS NORTHSTAR COOLERS WINCHES	

#### PARTS & GARAGE

OIL & LUBRICANTS	70
MAINTENANCE	74
POLARIS POWER	78
GARAGE & TRAILERING	32

#### APPAREL & HELMETS

RIDING GEAR	8	4	
CASUALWEAR	8	6	1



# THE JOURNEY TO XTREME DEREORDANGE

## TRUSTED

WE'VE EARNED RIDERS' TRUST OVER DECADES AND WE STAND BEHIND OUR WORK.

000

TESTED

DESIGNED POLARIS<sup>®</sup> OFFERS THE BROADEST LINEUP OF BRUADED I LINEUP OF ACCESSORIES AND MOST INNOVATIVE SOLUTIONS INNUVATIVE BULUTIONB IN OFF-ROAD. EACH ONE IS METICULOUSLY CRAFTED TO MATCH YOUR MACHINE.

BY THE TIME YOU GET THIS GEAR, PROTOTYPES HAVE GONE THROUGH HELL IN OUR LAB AND BEEN EXTENSIVELY TESTED IN THE FIELD. YOU RIDE WITH 100% CONFIDENCE.

POLARIS

## POLARIS POLANIO PARTNERS WITH THE BEST We choose our partners carefully, selecting only

the best in off-road. Every accessory is rigorously tested and validated to Polaris standards to ensure seamless integration and performance.



LED LIGHTS p.10 WHEELS & TIRES p.32



WINING REPORTE

LED LIGHTS p.10







ACCESSORIES p.61



### MAKE IT YOURS

Whatever your style, however you ride Polaris Engineered Accessories help you create your one-of-a-kind *RZR*.

#### ESSENTIALS TO KEEP YOU RIDING LONGER

Roofs	Pg 50
Windshields	Pg 58
Rear Panels	Pg 59
Doors	Pg 56
Protection	Pa 52

#### ADD STYLE. ADD FUNCTION. ADD YOU.

Audio	Pg 18
Lighting	Pg 10
Wheels & Tires	Pg 32
Winches	Pg 66
Storage	Pg 60

#### THE RIGHT STUFF TO MAINTAIN YOUR RZR

Oil & Lubricants	Pg 7
Maintenance	Pg 7

#### EVERYTHING YOU NEED TO GEAR UP

Riding Gear	Pg 84
Casualwear	Pg 86

## XTREME PERSONALIZATION

RZR XP 4 1000





## INTRODUCING THE NEWEST RZR



## BIGGER 6 BADDER

From dark and sinister to brash and bold, you can make the unequaled RZR XP Turbo S truly one-of-a-kind.


LIGHTING P. 10 AUDIO P. 18

P. 32

STORAGE & COCKPIT P. 60-63

BARRICADE CAGE P. 48 BUMPERS & PROTECTION P. 52

WINDSHIELDS P. 58



## INTRODUCING THE NEWEST RZR

7000

SEE P. 32 FOR / WHEEL & TIRE SETS

PRO ARMOR 😫

#### POLARIS



#### NEW

**ALUMINUM ROOF** 2882698-458 · Black Strong, durable 5051 aluminum const
 360-degree sealed to eliminate vibra

#### NEW

RZR RS1 SUBZERO 4-PT HARNESS 2882709

CAPE ar

#### NEW

SPORT SIDE **TIRE CARRIER** 2882738

#### NEW

EXTREME KICK-OUT ROCK SLIDERS - STEEL 2882695-458 · Black Fully e-coated & powder-coated for premium protection Stock ground clearance is maintained Required for the Sport Side Tire Carrier (2882738)

#### POLARIS ENGINEERED ADVANTAGES



#### NEW LOCK & RIDE

LOCK & RIDE FULL WINDSHIELD - HARD COAT POLY 2882703 iss design fully seals around cab frame n, optical-grade impact-resistant poly material

#### NEW

LOCK & RIDE

LOCK & RIDE HALF WINDSHIELD - POLY (not shown) 382704

#### NEW

POLARIS PRO HD 2041 ka WINCH p. 66 for full winch details

RAPID ROPE RECOVERY 5X

#### NFW

EXTREME DUTY BUMPER 2883783-458 • Front • Black 2882694-458 · Rear · Black Easy installation into factory mounts Fully e-coated and powder-coated for premium protection Includes all mounting hardware

SEE P. 10 FOR LIGHTING & HARNESSES FIGID PROARMOR 😫

#### PLUG & PLAY ELECTRICAL

#### **EFFORTLESSLY ADD LIGHTS & AUDIO**

A revolution in electrical accessory integration, the Polaris Pulse Electrical System allows for a simple plug & play approach for adding power to Polaris Engineered Accessories.

**POLARIS PULSE LED HARNESS** 

Required for mounting LED light bar
 Weatherproof, fully-sealed



#### NEW LOCK & RIDE

**3000 COOLER/STORAGE** COMBO - REAR 2882701 Seamless mounting to the rear cargo platform

#### NEW

830 COOLER/STORAGE COMBO - UNDERHOOD 2882700 Fits in underbood compartment

830 cu. in. 10 beverage cans

625 cu. in.

1 goggle

2 cell phones

3 small items

#### NEW

QUIKREACH 625 DOORPAK 2882697

Three storage compartments
"Quick to Reach" mounted directly to driver-side door

#### NEW

**OUIKREACH 525 DASHPAKS** 2883332 • "Quick to Reach" storage on both sides of steering whee

#### 

- **SPORT LOW PROFILE BUMPER FRONT** 2882692-458
- Tough, tubular steel design Easy installation into factory mounts
- · Fully e-coated and powder-coated for premium protection Includes all mounting hardware
- LOCK & RIDE

#### REVOLUTIONARY INSTALLATION

Lock & Ride Cage Clamp allows for easy installation and easy removal of Polaris poly windshields, eliminating fear of cracked trim when tightening.





LIGHTING





STORAGE & COCKPIT ACCESSORIES



Removable, waterproof cooler liner for easy cleaning



2882706

NEW

2882696

NEW

2883488

with dash enclosures

BLUETOOTH<sup>®</sup> INTEGRATED 200 WATT AUDIO SYSTEM BY MB OUART<sup>®</sup> (not shown)

• 2 x 13.3 cm speakers and 1.9 cm titanium dome tweeters

Includes all necessary wiring, harnesses and mounting hardware

Bluetooth<sup>®</sup> remote fits seamlessly into switch panel

Fully-integrated Bluetooth<sup>®</sup> Audio System

XL FENDER FLARES (not shown)

Extra-wide design protects you and your vehicle from kicked-up debris

REAR PANEL - POLY (not shown)

• Easily and seamlessly attaches to existing plastic

NEW TRAILERABLE COVER (not shown) 2882705

- Strong, durable, weatherproof canvas construction • UV-stable to resist fading from prolonged exposure to sunlight

ALL PRODUCTS FIT RZR RS1 '18-19

### ADD A REAR PANEL TO REDUCE THE DUST SWIRL

With a windshield and roof installed, turbulent air develops behind the cab. Add a rear panel to reduce dust intrusion from this swirl.



Extend your ride time and be more visible to others, with the brightest light bars in the industry.

### FIGID LIGHT BARS

### PROARMOR LIGHT BARS

Pro Armor gives you aggressiv styling, rugged protection, and lighting solutions for your riding needs.

'TIL



Replace your stock headlights, add more lumens to the trail, and keep the ride going into the night. The Trailblazer light features changeable custom-color bezels and LEDs that adjust from spot to flood for optimal light distribution.

**BUILD YOUR** VISION

OPTICS **& USAGE**  **DRIVING SPEED & LIGHT ANGLE** 



#### HEADLIGHTS AND ACCENTS \* P&LARIS

### HARNESS

11

COOLERS, WINCHES PLOWS & MISC

## BUILD YOUR VISION


	1				
OPTICS	ACCENT		FLOOD	SPOT	COME
USAGE	DIFFUSED COLORED LIGHT ADDED FOR STYLE & PERSONALIZATION	GREAT FOR ALL RIDING STYLES, TERRAINS OR WORK APPLICATIONS	BEST FOR WIDE-OPEN TERRAINS OR WORK APPLICATIONS REQUIRING BROAD LIGHT	BEST FOR TIGHT RIDING TERRAINS AND CONDITIONS REQUIRING LONG-DISTANCE VISIBILITY	ALL-AROUN RIDING TE WORK APP
	<ul> <li>Durable, dust and water resistant construction</li> </ul>	<ul> <li>Beam: Extra-wide, moderate center intensity</li> </ul>	Beam: Wide, shorter     Ideal for: Medium speeds when peripheral	Beam: Concentrated long beam     Ideal for: High conceds to see	• Beam: Com • Ideal for: Al
	<ul> <li>Ideal for: Showcasing your lifted vehicle or custom suspension</li> </ul>	• Recommended Mounting: All points	<ul> <li>Ideal for: Medium speeds when peripheral vision is important</li> <li>Recommended Mounting: Low &amp; rear</li> </ul>	<ul> <li>Ideal for: High speeds to see</li> <li>&amp; react to your environment</li> <li>Recommended Mounting: High</li> </ul>	• Recommen
			Recommended mounting. Low o real		<mark>.</mark>
			ALL AND AND A HOUSE AND		Car Car
		the second			
		A Care of	Alt that the state	- DEPENDENCE	
		A Start Street		The second second	
DRIVING	ALL		SLOW TO MEDIUM		
SPEED	ALL	SLOW TO MEDIUM			
LIGHT ANGLE				COME FLOOD	30 & SPOT .0°)
ANOLL					0°)
-					
				(25°)	
			DRIVING (45°)		
12			(45°)		

#### BO

## UND VERSATILITY FOR ANY TERRAIN, CONDITION OR PPLICATION

nbination of flood and spot optics All-around distance visibility nded Mounting: All points







COOLERS, WINCHES, PLOWS & MISC

#### POLARIS ENGINEERED ADVANTAGES

#### DESIGNED

to mount perfectly to your Polaris Engineered bumper, roof or other mounting point

TESTED for maximum performance

TRUSTED to not overtax your machine



#### ADVANCED TECH

RIGID<sup>®</sup> lights are driven by Aluminum PCB Smart Boards<sup>®</sup>.6063-T5 aircraft aluminum extruded housings and Tiger Drylac<sup>®</sup> UV protection polyester powdercoating.

#### LIGHT BAR TYPES



#### **SR-SERIES PRO**

Sleek, powerful, low-profile (under 5 cm tall). Lights extreme distances with low energy usage. Available in 25.4 cm & 81.3 cm



#### EXCLUSIVE OPTICS

RIGID<sup>®</sup> invests heavily in optical science and has patented multiple optics and optics systems that maximize total light output and efficiency.



#### **D-SERIES PRO**

Compact to fit almost anywhere with high output and low energy usage. Available in Driving, Flood & Spot

#### ADD A HARNESS TO MOUNT YOUR LIGHTS

MODEL	1 LIGHT IN 1 LOCATION ON 1 SWITCH	2 LIGHTS IN 2 LOCATIONS ON 1 SWITCH	2 LIGHTS IN 2 LOCATIONS ON 2 SWITCHES
<b>2018-2019</b> RZR RS1	POLARIS PULSE LIGHT BAR HARNESS 2883388	POLARIS PULSE LIGHT BAR HARNESS 2883388 Y-HARNESS	POLARIS PULSE LIGHT BAR HARNESS (x2) 2883388
		2879860	
2014-2019 XP 1000 / XP 4 1000 900 / S 900 S4 900 / S4 1000 2016-2019 XP TURBO / XP 4 TURBO XP TURBO / XP 4 TURBO XP TURBO S / S 1000	LIGHT BAR HARNESS 2883486	LIGHT BAR HARNESS 2883486 Y-HARNESS 2879860	LIGHT BAR HARNESS (x2) 2883486

■\<u>IPCII\_SE</u> All Rigid® and Pro Armor lights are Polaris Pulse ready.

#### RUGGED CONSTRUCTION

Pro Armor lights are designed to be big and beefy with an aggressive style all their own, and housed in IP67 marine-grade rated UV polyester powdercoating.


#### LIGHT BAR TYPES





#### **DUAL-ROW LED LIGHT BARS**

The most spread and farthest illumination downrange. Easy to mount. Available in Cube, 25.4 cm, 50.8 cm & 76.2 cm sleek look



#### ADD BATTERY CONNECTION CABLES FOR POWER

BUSBAR HARNESSES			
MODEL	BUSBAR HARNESS		
RZR RS1 '18-19, XP TURBO/XP 4 TURBO '17-19, XP 1000/XP 4 1000 '18-19, XP TURBO S '18	HARNESS NOT REQUIRED, INCLUDED ON MACHINE		
XP TURBO '16, XP 1000 '16-17, S 1000 '16-19, 900/S 900 '16-19, 900 XC '16-17	2881551		
XP 1000 '14-15, 900/S 900/900 XC '15	2885865		
XP 4 TURBO '16, XP 4 1000 '16- 17, 4 900 '16-19, S4 1000 '19	2881646		
XP 4 1000 '14-15, 4 900 '14-15	2882861		

## RIDE COMMAND & AUDIO

WHEELS & TIRES



BUMPERS & PROTECTION







## PRDARMOR.

#### MASSIVELY BRIGHT

Pro Armor builds bright lights designed for any riding experience. All that power is directed through heat dissipating aluminum for streamlined heat management.

#### SINGLE-ROW LED LIGHT BARS

Powerful, compact, low-profile light bars with

Available in 27.9 cm, 83.8 cm & 101.6 cm



#### **CUBE LED LIGHTS**

Small size allows mounting in strategic locations for added lighting. Available in Flood & Spot

## REVOLUTIONIZING THE **OFF-ROAD EXPERIENCE**

#### TRAILBLAZER LED **ADJUSTABLE HEADLIGHTS**

BLAZEYOUR

Direct replacement for factory headlight

- 6,000 lumen total output; 20-watt CREE® XHP LED Chi
- Durable construction is waterproof, dustproof, and fac
- Adjustable beam pattern (outer two lights) allows for c patterns, from spot to flood, based on riding style and pre
- Integrated LED daytime running light
- Includes six black bezels

#### » BLACK BEZEL • 2882073

XP TURBO S '18, XP 4 1000/TURBO '14-19, XP 1000/TURBO '14-19, S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, AZR RSIT '19, RZR RSI '18, 900 S 1'5-18, 900 EPS '19, 900 '14-19, 4 900 '15-18, 1000 S '17-18

MIX & MATCH COLOR BEZELS

• Personalize the look of your Trailblazer lights with

#### **CONTROL BEAM PATTERNS**

The Trailblazer LED headlight features adjustable beams on the inside and outside reflectors. Set the beam to your desired width or focus to dial in your beam pattern.

> TOTAL COMMAND CENTER FOR A WORLD OF CONNECTION AT YOUR FINGERTIPS

**BUILT IN GPS WITH** TOPOGRAPHY MAPS TO SEE YOUR LOCATION AND PLAN YOUR RIDE

#### CALL AWATLADTITY

FALL AVAILABILITY			
RIDE COMM	1AND 7" D	ISPLAY	NEW

- 7" high bright touchscreen visible in all conditions Dedicated shortcut buttons for quick access to features Displays critical vehicle information for fuel level. Bluetooth<sup>®</sup> and USB smart phone connectivity coolant temp and battery voltage
- Media player with built in AM/FM tuner • Front and rear camera support for better visibility on and off trail
- Buddy tracking and share your ride with Ride Command mobile app

» 2884002 XP TURBO '19, XP 4 TURBO '19, XP 4 1000 '19, XP 1000 '19



erchangeable color	matched bezels		
oose from a variety	of colors, or mix and m	atch	

**SHOWCASE** YOUR STYLE



COLOR	2-PACK	
WHITE	2882479-133	
RED	2882479-293	
BLUE	2882479-689	
RAW	2882479	

Be a shining beacon of color when you ride at night. With our colorful line of LED accent lights and

headlight bezels, you can stand out from the rest of the pack and create an iconic ride.

#### ACCENT LIGHTS

- Kit includes four LEDs and all harnessing/switching required.
   Single lights can be added to the kit (kit required)
- Durable off-road ready construction that is both dust and water resistant

TRAIL

Control hub and complete instructions included



ADJUST

C	DLOR	LIGHTING KIT (4)	SINGLE LIGHT
	RED	2880500	2880532
	BLUE	2880506	2880533

XP TURBO S '18, XP 4 1000/TURBO '14-19, XP 1000/TURBO '14-19, S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 570 '12-18, 4 900 '15-18, 1000 S '17-18



## \* P&LARIS **RIDE**COMMAND<sup>®</sup>

MEDIA PLAYER WITH BUILT IN AM/FM TUNER FOR ALL YOUR FAVORITE MUSIC

BUDDY TRACKING AND SHARE YOUR RIDE USING THE RIDE COMMAND **MOBILE APP\*\*** 

HOLD A CONVERSATION WITHOUT SHOUTING AND SEE CALLS/TEXTS\*

FALL AVAILABILITY RIDE COMMAND MOUNT KIT

- Mount your 7" touchscreen to RZR
- Replaces dash for seamless fit and finish
- Includes front and rear cameras with mounts
- Comes with wiring harnesses needed for RZR and accessory components, including all audio adapter harnesses
- » 2884021
- XP TURBO '19, XP 4 TURBO '19, XP 4 1000 '19, XP 1000 '19



ACCESSORIES

RZR XP TURBO & RZR RS1


\*Reauires in-helmet communication



## OFF-ROAD GRADE AUDIO

When you research audio solutions for your Polaris *RZR*, you'll see manufacturers bragging about how their audio equipment is "Marine Grade". Or worse yet, you'll discover for yourself that they are repackaged components built for automotive applications. MB Quart<sup>®</sup>, combined with Polaris, engineers Off-Road Grade Audio equipment that's proven to deliver the loudest, crispest sound in the harshest conditions. Rain, snow, mud, heat, cold, dust-**ANY PLACE YOUR** *RZR* **EXCELS, SO WILL YOUR AUDIO.** 





### SURROUNDED BY SOUND

**POLARIS AND MB QUART**<sup>®</sup> partner to bring you an audio experience that is powerful and comprehensive. A full offering of solutions are available for your ultimate *RZR* audio build. Choose from loud to loudest. Each component is designed and engineered to enhance your surround sound experience while surviving the harshest environments.

## **MB**QUART**I**°

AMPLIFIER P. 23

HEAD UNITS P. 22

### BUILD YOUR SYSTEM

**SELECT YOUR** HEAD UNIT P. 22

AUDIO ROOFS P. 22

RIDE COMMAND P. 24





**B** FIND YOUR FULL AUDIO SYSTEM P. 24

### AUDIO SYSTEM HEAD UNITS


These solutions get you well on your way to hitting the trails with your favorite tunes. Each feature head-units, allowing you to control audio delivery. Both audio roofs and sound bars are all-in-one solutions that can serve as the base of an expanded system with more speakers.

### SPEAKERS

Build your dream audio system. From a simple setup with only door speakers, to complex system with door speakers, audio pods and a subwoofer-BUILD IT YOUR WAY.

#### AUDIO ROOFS

Add a Premium Audio Roof to your RZR and get an all-in-one solution for your sound. Easy to install and integrate into your build, this roof comes complete with an LED push-button stereo and high-efficiency 16.5 cm coaxial speakers for unbeatable sound.



**S4 AUDIO ROOF** 

» 2882064 XP 1000/TURBO '14-19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 1000 S '17-18 **S8 AUDIO ROOF** » 2882065

XP 1000/TURBO '14-19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 1000 S '17-18

**S10 AUDIO ROOF** » 2882066 XP 1000/TURBO '14-19, S 900 EPS '19, S 900 '1 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 E 900 '14-19, 1000 S '17-18

	AIVI/FIVI RADIO AND AUX		
	MODULAR DESIGN FOR IMPROVED SERVICEABILITY AND ACCESS	*	×
	(4) 16.5 cm COAXIAL SPEAKERS	*	×
	(4) 16.5 cm COMPONENT SPEAKERS MIDS AND TWEETERS		×
	(2) 15.2 cm x 22.9 cm COAXIAL SPEAKERS		
	4-CHANNEL 2-OHM 300W AMPLIFIER		×
	83.8 cm SINGLE-ROW PRO ARMOR LIGHT BAR		×
), S PS '19.	76.2 cm DUAL-ROW PRO ARMOR LIGHT BAR		
,	DOME LIGHT		×

MODEL: S4

BUILT-IN STEREO WITH BLUETOOTH<sup>®</sup>,

ΔΜ/ΕΜ ΒΔΠΤΟ ΔΝΟ ΔΙΙΧ

58

×

S10

X

×

×

×

×

×

×

×



#### **EXTREME** AUDIO PODS

• Two 20.3 cm coaxial speakers with 2.5 cm titanium tweeters in weatherproof enclosures

• Self-amplified 200-watt per speaker output Rear Audio Harness included

#### » 2883739

XP TURBO S '18, XP 4 1000/TURBO '14-19, XP 1000/TURBO '14-19, S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 4 900 '15-18, 1000 S '17-18

 Wiring harness included » 2882063

and superior fit

#### SOUND BAR 8

Six mid-range/mid-bass speakers and two dedicated tweeters

Integrated, self-powered amplifier for easy installation

Waterproof speakers and controls

Large, easy-to-use external controls

#### » 2881465

XP 4 1000/TURBO '14-19, XP 1000/TURBO '14-19, S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 4 900 '15-18, 1000 S '17-18

SPEAKER BAR HARNESS 2882280 REQUIRED, SEE RIGHT BUSBAR HARNESS REQUIRED, SEE NEXT PAGE



SOUND BAR 4

• Two mid-range/mid-bass speaker and two dedicated tweeters

BUSBAR HARNESS REQUIRED. SEE NEXT PAGE

» 2881230

XP 4 1000/TURBO '14-19, XP 1000/TURBO '14-19, S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 570 '12-18, 4 900 '15-18, 1000 S '17-18 SPEAKER BAR HARNESS 2882280 REQUIRED SEE RIGHT



SPEAKER BAR HARNESS

Power connection for sound bars

• Used to connect sound bar to accessory busbar for power

» 588558U XP TURBO S '18: XP 4 1000/TURBO '14-19: XP 1000/TURBO '14-19: S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 4 900 '15-18, 1000 S '17-18 BUSBAR HARNESS REQUIRED, SEE NEXT PAGE

#### RIDE COMMAND AUDIO ADAPTER

• Required to hook any audio components up to the


· Connect up to 2 speaker options and subwoofer

Amp 3 specifically designed for subwoofer

#### » 2883232

XP TURBO S '18, XP 4 1000/TURBO '14-19, XP 1000/TURBO '14-19, S4 1000 EPS '19, S 900 EPS '19, S 900 EPS '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 4 900 '15-18, 1000 S '17-18

REQUIRED WHEN ADDING AUDIO TO RIDE COMMAND 7" DISPLAY (2884002) DOOR SPEAKERS AND AUDIO AMPLIFIER NOT RECOMMENDED WITH DYNAMIX ACTIVE SUSPENSION MODELS.



#### DASH RADIO

 A seamlessly integrated source unit to control all your audio needs

Easy installation and great fit and finish

• Remote mounted USB / 3.5mm plug for external device connection

Bluetooth<sup>®</sup> connectivity

#### » 2881988

XP TURBO S '18, XP 4 1000/TURBO '14-19, XP 1000/TURBO '14-19, S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 4 900 '15-18, 1000 S '17-18



Keep your phone stowed away and play your favorite tunes through your RZR

A head unit controls all aspects of your sound system. It lets you choose what you want

• Includes two (2) audio outputs for easy addition of audio components

Bluetooth<sup>®</sup> 4.0 connectivity

3.5mm AUX jack for direct connection to music source

• Mount in an any open switch panel. Control music via the easy to use joystick. Turn the dial for volume control and toggle left/right or up/down for track selection. Push dial for power and pause/play.

#### » 2883113

XP TURBO S '18, XP 4 1000/TURBO '14-19, XP 1000/TURBO '14-19, S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 4 900 '15-18, 1000 S '17-18






VEHICLE FITMENT	BUSBAR HARNESS
RZR RS1 18-19, XP TURBO/XP 4 TURBO 17-19, XP 1000/XP 4 1000 '18-19, XP TURBO S '18	HARNESS NOT Required, Included on Machine
XP TURBO '16, XP 1000 '16-17, S 1000 '16-19, 900/S 900 '16-19, 900 XC '16-17	2881551
XP 1000 '14-15, 900/S 900/900 XC '15	2882862
XP 4 TURBO '16, XP 4 1000 '16-17, 4 900 '18, S4 1000 '19	2881646
XP 4 1000 '14-15, 4 900 '14-15	2882861



#### Y-AUDIO HARNESS

### » 2883269







#### 30.5 cm MAXBOOST **SUBWOOFER**

High strength molded enclosure for optimal acoustics

• Lock & Ride connectivity to cargo bed

• Integrated 250-watt Class D amplifier

• Deep bass 30.5 cm subwoofer with 5.1 cm voice coil

XP TURBO S '18, XP 4 1000/TURBO '14-19, XP 1000/TURBO '14-19, S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 4 900 '15-18, 1000 S '17-18





#### DOOR SPEAKERS

- High performance 16.5 cm component speakers with 1.9 cm titanium dome tweeters
- Harnessing included to connect to audio amplifier
- Works with Polaris Aluminum Door kits or Polaris Lower Door kits
- Requires Audio Amplifier (2883738)
- » FRONT 2881989 (Set of two)

XP 4 1000/TURBO '14-19, XP 1000/TURBO '14-19, S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 4 900 '15-18, 1000 S '17-18

» REAR (4-SEAT ONLY) • 2883116 (Set of two) XP 4 1000/TURBO '14-19, S4 1000 EPS '19, 4 900 '15-18 REQUIRES FRONT DOOR SPEAKERS (2881989) CONNECTS DIRECT!

TO 2883738 AUDIO AMPLIFIER. NO ADDITIONAL AMPLIFIER NEEDED HARNESSING INCLUDED.

#### AUDIO AMPLIFIER

 This amplifier is a 200-watt TDA-based full-range Class D amplifier with fixed connections for power, ground and turn-on and Delphi connectors for door speakers

#### • Required with Door Speakers (2881989)

#### » 2883738

XP 4 1000/TURBO '14-19, XP 1000/TURBO '14-19, S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '15-19, 4 900 '15-18, 1000 S '17-18

#### Depending on your vehicle model, you may need to add a busbar harness and audio harnesses specific to your vehicle.



• Y-Harness splits the audio signal to allow for additional audio components to be added

XP TURBO S '18, XP 4 1000/TURBO '14-19, XP 1000/TURBO '14-19, S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 4 900 '15-18, 1000 S '17-18



#### LINE OUT AUDIO HARNESS

- Harness designed to extend JST audio signal. Use to run JST audio signal from rear of audio roof to the front of the vehicle.
- » 2881652

XP TUREO S '18, XP 4 1000/TUREO '14-19, XP 1000/TUREO '14-19, S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 4 900 '15-18, 1000 S '17-18

RZR XP TURBO S & RZR RS1

LIGHTING





### \* P&LARIS RIDECOMMAND® SYSTEMS



TOTAL COMMAND CENTER FOR A WORLD OF CONNECTION AT YOUR FINGERTIPS

BUILT IN GPS WITH TOPOGRAPHY MAPS TO SEE YOUR LOCATION AND PLAN YOUR RIDE

MEDIA PLAYER WITH BUILT IN AM/FM TUNER FOR ALL YOUR FAVORITE MUSIC

BUDDY TRACKING AND SHARE YOUR RIDE USING THE RIDE COMMAND MOBILE APP\*\*

HOLD A CONVERSATION WITHOUT SHOUTING AND SEE CALLS/TEXTS\*

\*Requires in-helmet communication





#### HEAD UNIT

Ride Command 7" Display 2884002

**Ride Command** 2884021 Mount

SPEAKERS





881989	Door Speakers
883116	Rear Door Speakers (4-seat add-on only)
883738	Audio Amp
883739	Extreme Audio Pods
882063	30.5 cm Subwoofer

HARNESSES

Ride Command 2883232 Audio Adapter

Rear Audio Harness included with Pod Kit





Ride Command 2884021 Mount

SPEAKERS





2884002

2884021



Extreme Audio Pods

HEAD UNIT

Ride Command 7" Display

Ride Command Mount

SPEAKERS

2883739 Door Speakers Rear Door Speakers 2882063 30.5 cm Subwoofer (4-seat add-on only) Audin Amn 30.5 cm Subwoofer

### HARNESSES

Ride Command 2883232 Audio Adapter

2881989


2883116


2883738

2882063









IT

HE	AD UNIT	HE	AD UNIT
2884002	Ride Command 7" Display	2884002	Ride Command 7" Display
2884021	Ride Command Mount	2884021	Ride Command Mount
SPEAKERS		SPEAKERS	







Door Speakers

2881989

2883116

2883738

2883739

2883232



Rear Door Speakers (4-seat add-on only) Audio Amn Extreme Audio Pods HARNESSES HARNESSES

> Ride Command Audio Adapter

Ride Command 2883232 Audio Adapter

2883739 Extreme Audio Pods

Rear Audio Harness included with Pod Kit

Rear Audio Harness included with Pod Kit

BUSBAR HARNESS MAY BE REQUIRED. SEE RIGHT. DOOR SPEAKERS AND AUDIO AMPLIFIER NOT RECOMMENDED WITH DYNAMIX ACTIVE SUSPENSION MODELS.

BUSBAR HARNESS MAY BE REQUIRED. SEE RIGHT. DOOR SPEAKERS AND AUDIO AMPLIFIER NOT RECOMMENDED WITH DYNAMIX ACTIVE SUSPENSION MODELS.

BUSBAR HARNESS MAY BE REQUIRED. SEE RIGHT.

Rear Audio Harness included with Pod Kit

BUSBAR HARNESS MAY BE REQUIRED. SEE RIGHT. DOOR SPEAKERS AND AUDIO AMPLIFIER NOT RECOMMENDED WITH DYNAMIX ACTIVE SUSPENSION MODELS.

BUSBAR HARNESS MAY BE REQUIRED. SEE RIGHT.







#### HEAD UNIT

2884002	Ride Command 7" Display
2884021	Ride Command Mount

#### SPEAKERS



2881989	Door Speakers
2883116	Rear Door Speakers (4-seat add-on only)
2883738	Audio Amp

#### HARNESSES

2883232

Ride Command Audio Adapter

BUSBAR HARNESS MAY BE REQUIRED. SEE RIGHT. DOOR SPEAKERS AND AUDIO AMPLIFIER NOT RECOMMENDED WITH DYNAMIX ACTIVE SUSPENSION MODELS.

#### BUSBAR HARNESS

Depending on your vehicle model, you may need to add a busbar harness and audio harness specific to your vehicle.

VEHICLE FITMENT	BUSBAR HARNESS
RZR RS1 '18-19, XP TURBO/ XP 4 TURBO '17-19, XP 1000/XP 4 1000 '18-19, XP TURBO S '18	HARNESS NOT Required, Included on Machine
XP TURBO '16, XP 1000 '16-17, S 1000 '16-19, 900/S 900 '16-19, 900 XC '16-17	2881551
XP 1000 '14-15, 900/S 900/900 XC '15	2882862
XP 4 TURBO '16, XP 4 1000 '16-17, 4 900 '18, S4 1000 '19	2881646
XP 4 1000 '14-15, 4 900 '14-15	2882861



- Y-Harness splits the audio signal to allow for additional audio components to be added
- » 2883269

LINE OUT AUDIO HARNESS

- Harness designed to extend JST audio signal. Use to run JST audio signal from rear of audio roof(s) to the front of the vehicle.
- » 2881652

#### RIDE COMMAND \ AUDIO ADAPTER

- Required to hook any audio 🖤 Ride Command system
- Connect up to 2 speaker options and subwoofer
- Amp 3 specifically designed for subwoofer
- » 2883232

REQUIRED WHEN ADDING AUDIO TO RIDE COMMAND 7" DISPLAY (2884002) DOOR SPEAKERS AND AUDIO AMPLIFIER NOT RECOMMENDED WITH DYNAMIX ACTIVE SUSPENSION MODELS. ACCESSORIES



DOORS & WINDSHIELD/ REAR PANELS

STORAGE & COCKPIT ACCESSORIES



## AUDIO ROOF

#### AUDIO SYSTEMS

#### S4 AUDIO ROOF

The RZR Audio Roof S4 delivers a factory look but with the benefit of a 160-watt, AM/FM Bluetooth® stereo system with four 16.5 cm coaxial speakers designed and manufactured by MB Quart\*.

S8 AUDIO ROOF When your ride demands sound and lights, the RZR Audio Roof S8-L is the best choice. This step-up system delivers a factory-look roof with more power.



LOUDEST

2882064

2882065

2882066





2882066 S10 Audio Roof

SPEAKERS

SPEAKERS

HEAD UNIT

S4 Audio Roof

S8 Audio Roof

S10 Audio Roof







2883739 2882063 30.5 cm Subwoofer

#### HARNESSES

2883269 V-Audio Harness (x2) Line Out 2881652 Audio Harness

Rear Audio Harness included with Pod Kit

2883269 V-Audio Harness Line Out 2881652 Audio Harness

Door Speakers

Audio Amp

HARNESSES



HEAD UNIT 2882064 S4 Audio Roof 2882065 S8 Audio Roof 2882066 S10 Audio Roof

SPEAKERS

Extreme Audio Pods

30.5 cm Subwoofer

Rear Audio Harness included with Pod Kit

HARNESSES

2883269 Y-Audio Harness



HEAD UNIT 2882064 S4 Audio Roof 2882065 S8 Audio Roof 2882066 S10 Audio Roof

100


SPEAKERS











HEAD UNIT		HEAD UNIT		
2882064	S4 Audio Roof	2882064	S4 Audio Roof	
2882065	S8 Audio Roof	2882065	S8 Audio Roof	
2882066	S10 Audio Roof	2882066	S10 Audio Roof	

SPEAKERS

#### SPEAKERS





BUSBAR HARNESS MAY BE REQUIRED, SEE RIGHT.

BUSBAR HARNESS MAY BE REQUIRED, SEE RIGHT.

2883739

2882063

BUSBAR HARNESS MAY BE REQUIRED.

Rear Audio Harness included with Pod Kit

#### S10 AUDIO ROOF

HEAD UNIT

2882064

2882065

2882066

S4 Audio Roof

S8 Audio Roof

S10 Audio Roof

SPEAKERS

Take a seat under more sound and more lights. The RZR Audio Roof S10-L is the top of the line choice for audio and LED lighting integrated into a RZR roof. This top-tier system delivers a factory-look roof with more power in a 300-watt, AM/FM Bluetooth" system with ten MB Quart<sup>®</sup> speakers and includes an 11,250-Lumen LED light bar.

► LOUD

BUSBAR HARNESS

your vehicle.

RZR RS1 '18-19, XP TURBO/ XP 4 TURBO '17-19, XP

1000/XP 4 1000 '18-19, XP TURBO S '18

XP TURBO '16, XP 1000 '16-17, S 1000 '16-19, 900/5 900 '16-19, 900 XC '16-17

XP 1000 '14-15, 900/S 900/900 XC '15

VEHICLE FITMENT

Depending on your vehicle model, you may need to add a busbar harness and audio harness specific to

BUSBAR

HARNESS HARNESS NOT

REQUIRED, Included on

MACHINE

2881551

2882862











COOLERS, WINCHES, PLOWS & MISC

			XP 4 TURBO '16, XP 4 1000 '16-17, 4 900 '18, S4 1000 '19	2881646
			XP 4 1000 '14-15, 4 900 '14-15	2882861
12				
			Y-AUDIO HARNESS	2
			<ul> <li>Y-Harness splits the to allow for addition components to be a</li> </ul>	al audio
			» 2883269	
2881989 2883738	Door Speakers Audio Amp			
2003/30	Αυτιο Απρ		LINE OUT AUD HARNESS	
		•	Harness designed to audio signal. Use to r signal from rear of au	un JST audio
HAR	NESSES		to the front of the ve	
2881652	Line Out Audio Harness	,	> 2881652	
BUSBAR HARN	ESS MAY BE REQUIRED.			

#### BUSBAR HAR SEE RIGHT.


## DASH RADIO

AUDIO SYSTEMS




 A seamlessly integrated source unit to control all your audio needs

 Bluetooth<sup>®</sup> connectivity • Easy installation and great fit and finish



LOUDEST






2881988 Dash Radio

SPEAKERS

HEAD UNIT








Extreme Audio Pods

Extreme Audio Pods



2883739

2883739



HARNESSES

Y-Audio 2883269 Harness (x2)

Rear Audio Harness included with Pod Kit

HARNESSES

Y-Audio Harness (x2) 2883269 Rear Audio Harness included with Pod Kit



HEAD UNIT

2881988 Dash Radio

SPEAKERS







2881988 Dash Radio



2881989 Door Speakers Rear Door Speakers 2883116 (4-seat add-on only) 2883738 Audio Amp 2882063 30.5 cm Subwoofer

HARNESSES

2883269 Y-Audio Harness

SPEAKERS

HEAD UNIT

2883739



Extreme Audio Pods

2882063 30.5 cm Subwoofer

HARNESSES

Rear Audio Harness included with Pod Kit

2883269 Y-Audio Harness





Extreme Audio Pods

Rear Audio Harness included with Pod Kit

2883739

2883739 Extreme Audio Pods

HARNESSES

Rear Audio Harness included with Pod Kit

HARNESSES

BUSBAR HARNESS MAY BE REQUIRED, SEE RIGHT.

2883269 Y-Audio Harness



2881988

HEAD UNIT

Dash Radio

SPEAKERS



HEAD UNIT

SPEAKERS

2881988 Dash Radio

#### Remote-mounted USB / 3.5mm plug for external device connection

HEAD UNIT

2881988 Dash Radio

SPEAKERS

► LOUD



RZR XP TURBO S & RZR RS1



ź

WHEELS & TIRES



BUMPERS & PROTECTION



STORAGE & COCKPIT ACCESSORIES



#### BUSBAR HARNESS

Depending on your vehicle model, you may need to add a busbar harness and audio harness specific to your vehicle.

VEHICLE FITMENT	BUSBAR HARNESS
RZR RS1 '18-19, XP TURBO/ XP 4 TURBO '17-19, XP 1000/XP 4 1000 '18-19, XP TURBO S '18	HARNESS NOT REQUIRED, INCLUDED ON MACHINE
XP TURBO '16, XP 1000 '16-17, S 1000 '16-19, 900/S 900 '16-19, 900 XC '16-17	2881551
XP 1000 '14-15, 900/S 900/900 XC '15	2882862
XP 4 TURBO '16, XP 4 1000 '16-17, 4 900 '18, S4 1000 '19	2881646
XP 4 1000 '14-15, 4 900 '14-15	2882861



- Y-Harness splits the audio signal to allow for additional audio components to be added
- » 2883269

2881989	Door Speakers
2883116	Rear Door Speakers (4-seat add-on only
2883738	Audio Amp

#### HARNESSES

Included with Speaker Kit

#### BUSBAR HARNESS MAY BE REQUIRED. SEE RIGHT.



## RADIAL BLUETOOTH REMOTE AUDIO SYSTEMS

Keep your phone stowed away and play your favorite tunes

 Mount in any open switch panel • Control music via the easy to use joystick

 Turn the dial for volume control and toggle left/right or up/down for track selection

• Push dial for power and pause/play





Radial Bluetooth® 2883113 Remote

LOUDEST

SPEAKERS



Door Speakers

Audio Amp

HARNESSES

2883269 Y-Audio Harness

Rear Door Speakers

(4-seat add-on only)

Extreme Audio Pods


30.5 cm Subwoofer

2881989

2883116

2883738

2883739 2882063



HEAD UNIT

SPEAKERS

2883113

Radial Bluetooth® Remote



HEAD UNIT Radial Bluetooth" Remote 2883113

SPEAKERS









2883739

Extreme Audio Pods 2881989 Door Speakers Extreme Audio Pods 2883116 2883738 Audio Amp 2882063 30.5 cm Subwoofer

Rear Door Speakers (4-seat add-on only)

HARNESSES

No harness required



HEAD UNIT




Extreme Audio Pods

2882063 30.5 cm Subwoofer

HARNESSES

Rear Audio Harness included with Pod Kit





HEAD UNIT HEAD UNIT Radial Bluetooth" Remote 2883113 2883113

SPEAKERS

SPEAKERS





Radial Bluetooth<sup>®</sup> Remote



2881989

2883116

2883738

2883739 Extreme Audio Pods

Rear Audio Harness included with Pod Kit



Door Speakers 2883739 Extreme Audio Pods **Rear Door Speakers** (4-seat add-on only) Audio Amp

HARNESSES

HARNESSES Rear Audio Harness included with Pod Kit

Rear Audio Harness included with Pod Kit

BUSBAR HARNESS MAY BE REQUIRED, SEE RIGHT.

2883739

2883739

HARNESSES

Rear Audio Harness included with Pod Kit

 Bluetooth<sup>®</sup> 4.0 connectivity • 3.5mm AUX jack for direct connection to music source

LOUD













#### BUSBAR HARNESS

Depending on your vehicle model, you may need to add a busbar harness and audio harness specific to your vehicle.

VEHICLE FITMENT	BUSBAR HARNESS
RZR RS1 '18-19, XP TURBO/ XP 4 TURBO '17-19, XP 1000/XP 4 1000 '18-19, XP TURBO S '18	HARNESS NOT REQUIRED, INCLUDED ON MACHINE
XP TURBO '16, XP 1000 '16-17, S 1000 '16-19, 900/S 900 '16-19, 900 XC '16-17	2881551
XP 1000 '14-15, 900/S 900/900 XC '15	2882862
XP 4 TURBO '16, XP 4 1000 '16-17, 4 900 '18, S4 1000 '19	2881646
XP 4 1000 '14-15, 4 900 '14-15	2882861



- Y-Harness splits the audio signal to allow for additional audio components to be added
- » 2883269

2881989	Door Speakers
2883116	Rear Door Speakers (4-seat add-on only)
2883738	Audio Amp

HEAD UNIT

SPEAKERS

2883113

Radial Bluetooth" Remote

#### HARNESSES

Included with Speaker Kit

BUSBAR HARNESS MAY BE REQUIRED. SEE RIGHT.



Pro Armor tires are developed and tested with Polaris engineers ensuring the perfect fit and optimal performance.



INDIVIDUAL WHEELS & TIRES - OR -COMPLETE SETS

#### DOMINATE ANY ENVIRONMENT

#### **CHECK OUT THE FOLLOWING PAGES TO FIND YOURS**

1990

0.00





COOLERS, WINCHES, PLOWS & MISC

## 

Each wheel and tire Pro Armor designs for off-road vehicles performs perfectly in the intended environment for its intended use. Developed, tested, and produced in partnership so you can tackle the terrain ahead with Polaris.

## 8 OR 10-PLY RATED

- Pro Armor builds the toughest tires
- Higher ply ratings mean added protection

#### INNOVATION

#### DUAL-DUROMETER LUGS (Crawler XG & Attack 2.0)

- Firm durometer rubber on base of lug for stability
- Soft durometer rubber on top of lug for sticky grip

#### DUAL COMPOUND TREAD (Dual-Threat)

- Firm durometer rubber on center of tread for long wear life
- Soft durometer rubber on shoulders of tread for superior grip

DIMENSIONS

28" × 9" R14

TIRE: DUAL-THREAT

### WHEEL: BUCKLE ACCENT

Sidewall puncture force vs. competition independently tested at Smithers Rapra (smithers.com). The results speak for themselves.

PRO ARMOR ATTACK

**BIGHORN 2.0** 







read patterns optimized for extreme traction Ideal for both hard pack and loose trail

and durability in soft sand

uilt to float on top of sand



KNOW YOUR I I V TIRE TIRE WHEEL HEIGHT WIDTH DIAMETER **TIRES** 

TREAD DEPTH Deeper tread = more grip in all conditions

> PADDLE DEPTH Increases grip and performance in the sand

SIDEWALL BELTS Increase your resistance to sidewall punctures

A lighter tire makes for

improved vehicle performance

WEIGHT

LOAD RATING Tires with higher load ratings can handle more weight

Indicates the puncture-

resistance of a tire

PLY RATING

34



- Sidewalls are the most vulnerable puncture area of any off-road tire
- Pro Armor makes tires with extra protection exactly where it's needed most - the sidewall



#### **TORTURE-TESTED TOUGH SIDEWALLS**



Pile on the kilometers with Pro Armor tires. Every tire is designed and constructed with longevity in mind. With ratings of 4,828 km and beyond, you are assured long life and performance.

Flexible "grippy" tread



ides traction and durability

Built to perform in hard sand, jagged rocks or any other extreme terrain

Extra deep treads

LIGHTING

BUMPERS & PROTECTION

DOORS & WINDSHIELD/ REAR PANELS

/ STORAGE & COCKPIT ACCESSORIES




Purpose-built, long



dles extreme cold

Holds shape and

35



TEST AREAS

TIRES

#### RALLY AT THE MINES

<sup>66</sup> OVERLY IMPRESSED BY THE SIDE BITE IN THE TIGHT PARTS ON THE TRAIL...CONSTANT TRACTION <sup>39</sup>

- Jeff Parker Columbia, Missour

## EACKCOUNTEY/ TEATL

TRAIL DESERT KIT ROCK

#### **PRO ARMOR ATTACK 2.0**

Engineered for excellent hard-pack performance

• Dual-compound technology and radial construction offer performance in all terrains

• Tight thread pattern for quieter ride

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
15"	28" × 10" R15 5416344	FRONT/	05	15 kg	-	_	504 kg
15"	<b>30" × 10" R15</b> 5416345	REAR	25mm	<b>17</b> kg	8	3	560 kg



### ATTACK 2.0 VS. ATTACK

TIGHTER TREAD PATTERN = Better traction in hard pack DUAL-DUROMETER LUG = Increased grip & traction in rough terrain, smoother ride in all terrain

10-PLY RATED = Increased durability LARGER SIZE OFFERING IN 28" = More ground clearance & trail traction



#### **PRO ARMOR ATTACK**

• The best all-purpose tire for all-season traction in any terrain

• Unique, full-face tread design

Harder durometer lugs promote extended wear, increasing tire life

• Wider spaced lugs provide more grip in softer terrain

			tread Depth	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14"	26" × 9" R14 5415613	FRONT		13 kg		-	<b>413</b> kg
14"	<b>26" × 11" R14</b> 5415614	REAR	23mm	15 kg	8	3	599 kg



#### **PRO ARMOR DUAL-THREAT**

Dual-compound technology and radial construction offer performance in all terrains

ullet Softer durometer rubber on outer edge for overall superior grip and feel

 Harder durometer rubber in the middle for increased traction during acceleration and longer tread life

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	
14"	<b>26" × 9" R14</b> 5416340	FRONT	16mm	12 kg			<b>413</b> k	
14"	<b>26" × 11" R14</b> 5416341	REAR		14 kg			504 k	
14"	<b>29" × 9" R14</b> 5416342	FRONT		16mm	14 kg	10	3	504 k
14"	<b>29" × 11" R14</b> 5416343	REAR			16 kg			599 k
15"	<b>32" × 10" R15</b> 5416753	FRONT/ REAR		<b>19</b> kg			599 k	



Tame the roughest trail and high desert conditions with this multi-terrain tire
High-durometer compound withstands high temperatures and abusive environments

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATIN
15"	<b>30" × 9.5" R15</b> 5415615	FRONT/ REAR	20mm	16 kg	8	3	599 ı







#### **PRO ARMOR DUNES**

• 28" flotation across the dunes

Lightweight 12-paddle rear tires tout a flexible sidewall for flotation and acceleration
 3-tiered front tire design delivers hard-turning bite and straight-line tracking







FRONT

REAR

#### **PRO ARMOR SAND**

SAND

han's

5

 $\cdot$  30" and 16 paddles optimized to carve up the biggest dunes


• 16 paddles directly deliver the HP to the sand for high-performance dune riding

• Unique 3-tiered front tire design delivers hard-turning bite and straight-line tracking

• Lightweight and flexible sidewalls ensure full contact with the sand in the rear

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LO/ RATI
14"	<b>30" × 11" R14</b> 5415251	FRONT	12.8mm	10 kg	8	2	388
14"	<b>30" × 14" R14</b> 5415252	REAR	<b>31</b> mm	15 kg	8	-	499

16 PADDLES Best for RZR XP Turbo/XP 1000



#### **PRO ARMOR CRAWLER XR**

• Wanna race? This tire grips it all, from the trail to the rocks

WHAT CRAWLER ARE YOU?

Square block profile for even surface contact

DESERT TRAIL

• A tougher durometer than the XG to take on the toughest the trail has to offer

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
147	28" × 10" R14 5415536	FRONT/	10	15 kg		-	<b>517</b> kg
15"	<b>32" × 10" R15</b> 5416114	REAR	16mm	<b>18</b> kg	8	3	630 kg

RACE



FRONT/REAR

RZR

201 DI



• Smaller lug height and single durometer gives this high-speed tire added rigidity and lateral stability when cornering

• Unique lug design excels in hard-packed, fast terrain



#### **PRO ARMOR CRAWLER XG**


• Big or small, these tires crawl them all

• A soft, sticky compound makes this tire ideal for both rock crawling and desert running

30.30

8-ply, triple-belted ballistic sidewalls resist punctures

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAI RATIN
14" •	<b>30" × 10" R14</b> 5415616			17 kg			581
14" •	<b>32" × 10" R14</b> 5416113			19 kg			644
15"	<b>28" × 10" R15</b> 5416346	FRONT/ REAR	<b>20</b> mm	15 kg	8	3	499
15"	<b>30" × 10" R15</b> 5416397			18 kg			581
16" •	<b>32" × 10.5" R16</b> 5416401			<b>20</b> kg			644



• Perfect balance between high-speed performance,

durability and flex in order to grip slick rock

## MUD

Referen

FRONT/REAR

#### **PRO ARMOR ANARCHY**

• Take on any mud pit with the Mud Master

• Ultra deep lugs for maximum mud traction

• Deep, evenly spaced out lugs help channel the muck out so you can keep going

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
147	<b>29.5" × 9" R14</b> 5415535	FRONT/ REAR	52mm	<b>18</b> kg	8	3	<b>499</b> kg







#### **PRO ARMOR DAGGER**

• From the trails to the pits, this tire gets you through it all

Deep, self-cleaning lugs and wide tire design for exceptional mud pit performance

Rounded profile and full lug pattern for on-trail comfort









#### **PRO ARMOR WHITEOUT**

• Extra wide tires for flotation in snow

• Cross-hatched tread pattern designed for superior snow traction with limited digging

• 2-ply sidewall designed to balloon for maximum use of its 15" wide contact patch

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14"	<b>27" × 14" R14</b> 5416032	FRONT/			-	_	-01
15"	<b>30" × 15" R15</b> 5416395	REAR	17mm	<b>21</b> kg	2	2	531 k

#### MORE SURFACE AREA FOR BETTER FLOTATION ON SNOW

Snow-specific tire for trails and deep powder. Features an extra wide, bias-ply construction that can run at low pressures for maximum flexibility. High-flotation performance maintains critical vehicle ground clearance in the snow.

RZR XP TURBO S & RZR RS1

LIGHTING

RIDE COMMAND & AUDIO

WHEELS & TIRES

CAGES & ROOI

BUMPERS & PROTECTION

DOORS & WINDSHIELD/ REAR PANELS

WHEEL SIZE

/ STORAGE & COCKPIT ACCESSORIES

COOLERS, WINCHES PLOWS & MISC

## DIESELSeller

ff...TIRES ARE UNSTOPPABLE IN SNOW.<sup>33</sup>
 - Heavy D. dieselsellerz.com

FRONT/REAR

ng D NG

kg

			<section-header></section-header>	
			14"	
		G FLARE		
RONT/REAR: Weight: 8.6 kg Load Rating: 726 kg / Offset: +38	FRONT/REAR: Weight: 7.8 kg Load Rating: 590 kg / Offset: +4	FRONT/REAR: Weight: 8.1 kg Load Rating: 590 kg / Offset: +4	+	
RONT/REAR: Weight: 8.6 kg	FRONT/REAR: Weight: 7.8 kg	FRONT/REAR: Weight: 8.1 kg		REBLR (BEADLOCK RINGS SOLD
RONT/REAR: Weight: 8.6 kg Load Rating: 726 kg / Offset: +38 CCENT: FRONT/REAR 15" × 7" 1523286 IATTE BLACK: FRONT/REAR 15" × 7" 1523285	FRONT/REAR:         Weight: 7.8 kg Load Rating: 590 kg / Offset: +4           ACCENT:         FRONT/REAR         15" × 7"         1523184-266           MATTE BLACK:         FRONT/REAR         15" × 7"         1523184-458	FRONT/REAR:       Weight: 8.1 kg Load Rating: 590 kg / Offset: +4         ACCENT:       FRONT/REAR         15" × 7"       1523102-266         MATTE BLACK:       FRONT/REAR         15" × 7"       1523102-458         HALO       (BEADLOCK RINGS INCLUDED)	+	REBLR (BEADLOCK RINGS SOLD FRONT: Weight: 5.9 kg Load Rating: 408.2 kg / 0
RONT/REAR: Weight: 8.6 kg Load Rating: 726 kg / Offset: +38 CCENT: FRONT/REAR 15" × 7" 1523286	FRONT/REAR: Weight: 7.8 kg Load Rating: 590 kg / Offset: +4 ACCENT: FRONT/REAR 15" × 7" 1523184-266	FRONT/REAR:       Weight: 8.1 kg Load Rating: 590 kg / Offset: +4         ACCENT:       FRONT/REAR       15" × 7"       1523102-266         MATTE BLACK:       FRONT/REAR       15" × 7"       1523102-458         HALO       (BEADLOCK RINGS INCLUDED)	AMPLIFY O      FRONT: Weight: 5.9 kg	FRONT: Weight: 5.9 kg
RONT/REAR:       Weight: 8.6 kg Load Rating: 726 kg / Offset: +38         SCENT:       FRONT/REAR       15" × 7"       1523286         ATTE BLACK:       FRONT/REAR       15" × 7"       1523285         LUG NUTS       Particular State       287933         In IUIS       XP TURBO S 18. XP 4 1000/       287933	FRONT/REAR:         Weight: 7.8 kg Load Rating: 590 kg / Offset: +4           ACCENT:         FRONT/REAR         15" × 7"         1523184-266           MATTE BLACK:         FRONT/REAR         15" × 7"         1523184-458           O LUG NUTS REQUI           .95 cm - 24 HEX LUG NUTS           2         16 HEX LUG NUTS         287740	FRONT/REAR:       Weight: 8.1 kg Load Rating: 590 kg / Offset: +4         ACCENT:       FRONT/REAR         15" × 7"       1523102-266         MATTE BLACK:       FRONT/REAR         15" × 7"       1523102-458         Image: Construction of the state of the	AMPLIFY O      FRONT: Weight: 5.9 kg     Load Rating: 408.2 kg / Offset: -9      REAR: Weight: 6.4 kg	FRONT: Weight: 5.9 kg Load Rating: 408.2 kg / O REAR: Weight: 6.6 kg
Int/REAR:         Weight: 8.6 kg Load Rating: 726 kg / Offset: +38           CENT:         FRONT/REAR         15" × 7"         1523286           TTE BLACK:         FRONT/REAR         15" × 7"         1523285           LUGG NUTS           Study NUTS         XP TURBO S 18, XP 4 1000/ TURBO 14 19, 54 1000 FFS         287933           TH WRENCH         XP TURBO S 18, XP 4 1000/ TURBO 14 19, 54 000 FFS         287933           LUG NUTS         "19, 5000 FFS 19, 5000 16 19, 900 55 158, 5000 FFS         287933	FRONT/REAR:         Weight: 7.8 kg Load Rating: 590 kg / Offset: +4           ACCENT:         FRONT/REAR         15" × 7"         1523184-266           MATTE BLACK:         FRONT/REAR         15" × 7"         1523184-458           O LUG NUTS REQUI           .95 cm - 24 HEX LUG NUTS           16 HEX         16 HEX         287740           570 '13-18           4 HEX         570 '13-18	FRONT/REAR:       Weight: 8.1 kg Load Rating: 590 kg / Offset: +4         ACCENT:       FRONT/REAR         MATTE BLACK:       FRONT/REAR         Image: Provide and the state of the	AMPLIFY O      FRONT: Weight: 5.9 kg     Load Rating: 408.2 kg / Offset: -9      REAR: Weight: 6.4 kg     Load Rating: 590 kg / Offset: +4      ACCENT: FRONT 14"*7" 1522956-266	FRONT:         Weight: 5.9 kg Load Rating: 408.2 kg / 0           REAR:         Weight: 6.6 kg Load Rating: 590 kg / 0ff           ACCENT:         FRONT         14" × 7"
NT/REAR:         Weight: 8.6 kg Load Rating: 726 kg / Offset: +38           ENT:         FRONT/REAR         15" × 7"         1523286           TE BLACK:         FRONT/REAR         15" × 7"         1523285           LUG NUTS           LUG NUTS TH WRENCH         XP TURBO \$ '18, XP 4 '1000 / TURBO '14 :19, S4 1000 / TURBO '14 :19, S4 10	FRONT/REAR:         Weight: 7.8 kg Load Rating: 590 kg / Offset: +4           ACCENT:         FRONT/REAR         15" × 7"         1523184-266           MATTE BLACK:         FRONT/REAR         15" × 7"         1523184-458           O         LUG NUTS REQUI         .95 cm - 24 HEX LUG NUTS         287740           16 HEX         LUG NUTS         570 '13-18         287740	FRONT/REAR:       Weight: 8.1 kg Load Rating: 590 kg / Offset: +4         ACCENT:       FRONT/REAR         15" × 7"       1523102-266         MATTE BLACK:       FRONT/REAR         10"       HALO         (BEADLOCK RINGS INCLUDED)         FRONT/REAR:       Weight: 7.7 kg Load Rating: 726 kg / Offset: +38         9       ACCENT:         4       ENT/REAR:         16       HEXLR (BEADLOCK RINGS SOLD SEPARATELY)         7       1523282         7       1523266         4       FRONT/REAR:         8       HEXLR (BEADLOCK RINGS SOLD SEPARATELY)	Herein and the set of th	FRONT: Weight: 5.9 kg Load Rating: 408.2 kg / 0 REAR: Weight: 6.6 kg Load Rating: 590 kg / 0ff: ACCENT: FRONT 14" × 7" REAR 14" × 8" USHACKLE O FRONT: Weight: 5.9 kg
NT/REAR:         Weight: B.6 kg Load Rating: 726 kg / Offset: +38           ENT:         FRONT/REAR         15" × 7"         1523286           TE BLACK:         FRONT/REAR         15" × 7"         1523285           LUG NUTS           LUG NUTS         TURBO 14-19, XP 1000/ TURBO 14-19, XP 1000/ TH WRENCH         287933           UG NUTS         Y9 TURBO 315, XP 4 1000/ TURBO 14-19, XP 1000 FPS 19, 900 515-18, 900 EPS 19, 900 EPS 19, 5000 EPS 19, 900 EPS 19, 500 EPS 19, 900 EP	FRONT/REAR:         Weight: 7.8 kg Load Rating: 590 kg / Offset: +4           ACCENT:         FRONT/REAR         15" × 7"         1523184-266           MATTE BLACK:         FRONT/REAR         15" × 7"         1523184-458           O         LUG NUTS         O         LUG NUTS         287740           1         16 HEX LUG NUTS         570 '13-18         287740           2         16 HEX LUG NUTS         287675	FRONT/REAR:Weight: $8.1 kg$ Load Rating: $590 kg / 0ffset: *4$ ACCENT:FRONT/REARACCENT:FRONT/REAR $15" \times 7"$ $1523102-266$ MATTE BLACK:FRONT/REAR $15" \times 7"$ $1523102-458$ $10$ HALO(BEADLOCK RINGS INCLUDED)FRONT/REAR:Weight: $7.7 kg$ Load Rating: $726 kg / 0ffset: *38$ 9ACCENT:FRONT/REAR $14" \times 7"$ 4GHEXLR (BEADLOCK RINGS SOLD SEPARATELY)4GHEXLR (BEADLOCK RINGS SOLD SEPARATELY)6FRONT/REAR:Weight: $7.3 kg$ Load Rating: $590 kg / 0ffset: *38$	AMPLIFY O      FONT: Weight: 5.9 kg     Load Rating: 408.2 kg / Offset: -9     Load Rating: 590 kg / Offset: -9     EAR: Weight: 6.4 kg     Load Rating: 590 kg / Offset: +4     Load Rating: 5	FRONT: Weight: 5.9 kg Load Rating: 408.2 kg / 0 REAR: Weight: 6.6 kg Load Rating: 590 kg / 0ff: ACCENT: FRONT 14" × 7" REAR 14" × 8" SHACKLE O FRONT: Weight: 5.9 kg Load Rating: 408.2 kg / 0 REAR: Weight: 6.4 kg
NT/REAR:         Weight: 8.6 kg Laad Rating: 726 kg / Offset: +38           ENT:         FRONT/REAR         15" * 7"         1523286           ENT:         FRONT/REAR         15" * 7"         1523286           TE BLACK:         FRONT/REAR         15" * 7"         1523285           LUG NUTS           LUG NUTS         XP TURBO S 18, XP 4 1000/ TURBO 14-19, 54 1000 EPS 19, 5000 EPS 19, 5000         287933           UG NUTS         XP TURBO S 18, XP 4 1000/ TURBO 14-19, 54 000 EPS 19, 5000         287933           UG NUTS         YP TURBO S 18, XP 4 1000/ TURBO 14-19, 54 000 EPS 19, 5000         287933           UG NUTS         YP TURBO S 18, XP 4 1000/ TURBO 14-19, 54 000 EPS 19, 5000         287933           UNDS 14-19, SA 000 EPS 19, 5000         YP TURBO 3 18, 90 EPS 19, 5000         287933           UNDS 14-19, SA 000 EPS 19, 5000         YURBO 14-19, XP 1000/ TURBO 14-19, SA 000 15-18, 90 EPS 19, 5000         220496           UINED 14-19, AP 101 14-19	FRONT/REAR:         Weight: 7.8 kg Load Rating: 590 kg / Offset: +4           ACCENT:         FRONT/REAR         15" × 7"         1523184-266           MATTE BLACK:         FRONT/REAR         15" × 7"         1523184-458           O         LUG NUTS         O         LUG NUTS         287740           1         16 HEX LUG NUTS         570 '13-18         287740           2         16 HEX LUG NUTS         287675	FRONT/REAR:       Weight: 8.1 kg Load Rating: 590 kg / Offset: +4         ACCENT:       FRONT/REAR       15" × 7"       1523102-266         MATTE BLACK:       FRONT/REAR       15" × 7"       1523102-458         Image: Comparison of the state of the	CAMPLIFY C  FRONT: Weight: 5.9 kg Caad Rating: 408.2 kg / Offset: -9  ERONT: Weight: 6.4 kg Caad Rating: 590 kg / Offset: +4  ACCENT: FRONT: 14" × 7" 1522956-266 REAR 14" × 8" 1522957-266 MATTE BLACK: FRONT: 14" × 7" 1522956-458 REAR 14" × 8" 1522957-458 DOES NOT FIT RZR XP 10000TURBO '18-19 AND XP 4 10000TURBO '18-19  DOES NOT FIT RZR XP 10000TURBO '18-19 AND XP 4 10000TURBO '18-19  BUCKLE C  FRONT: Weight: 5.8 kg Caad Rating: 408.2 kg / Offset: +4	FRONT:       Weight: 5.9 kg Load Rating: 408.2 kg / 0         REAR:       Weight: 6.6 kg Load Rating: 590 kg / 0ffs         ACCENT:       FRONT       14" × 7" REAR         SHACKLE       O         FRONT:       Weight: 5.9 kg Load Rating: 408.2 kg / 0         FRONT:       Weight: 5.9 kg Load Rating: 408.2 kg / 0         REAR:       Weight: 6.4 kg Load Rating: 590 kg / 0ffs
INT/REAR:         Weight: 8.6 kg Load Rating: 726 kg / Offset: +38           VENT:         FRONT/REAR         15" × 7"         1523286           ITTE BLACK:         FRONT/REAR         15" × 7"         1523285           ITTE BLACK:         FRONT/REAR         15" × 7"         1523285           ILUG NUTS         ITTH WRENCH         YP TURBO S '18, XP 4 1000/ TURBO '14-19, S 1000 EPS '19, S 000 EPS '19, S 5000 '16-19, 900 S '151, 800 EPS '19, S 000 EPS '19, S 5000 '19, S 000 EPS '19, S 500 '19, S 000 EPS '19, S 000 '19, S 000 EPS '19, S 000 '10, EPS (10, EPS '19, EPS '19, EPS '19, E	FRONT/REAR:         Weight: 7.8 kg Load Rating: 590 kg / Offset: +4           ACCENT:         FRONT/REAR         15" × 7"         1523184-266           MATTE BLACK:         FRONT/REAR         15" × 7"         1523184-458           O         LUG NUTS         O         LUG NUTS         287740           1         16 HEX LUG NUTS         570 '13-18         287740           2         16 HEX LUG NUTS         287675	FRONT/REAR:       Weight: 8.1 kg Load Rating: 590 kg / Offset: +4         ACCENT:       FRONT/REAR:       15" × 7"       1523102-2666         MATTE BLACK:       FRONT/REAR:       15" × 7"       1523102-458         Image: Constraint of the state of t	AMPLIFY O      FRONT: Weight: 5.9 kg     Load Rating: 408.2 kg / Offset: -9      EAR: Weight: 6.4 kg     Load Rating: 590 kg / Offset: +4      Load Rating: 590 kg / Offset: +4      ACCENT: FRONT 14" × 7" 1522956-266     REAR 14" × 8" 1522957-266 MATTE BLACK: FRONT 14" × 7" 1522956-458     REAR 14" × 8" 1522957-458      DOES NOT FIT RZR XP 1000/TURBO '18-19 AND XP 4 1000/TURBO '18-19      BUCKLE O      FRONT: Weight: 5.8 kg	FRONT:         Weight: 5.9 kg Load Rating: 408.2 kg / 0           REAR:         Weight: 6.6 kg Load Rating: 590 kg / 0ffs           ACCENT:         FRONT REAR         14" × 7" REAR           SHACKLE         O           FRONT:         Weight: 5.9 kg Load Rating: 408.2 kg / 0           REAR:         Weight: 5.9 kg Load Rating: 408.2 kg / 0           REAR:         Weight: 5.4 kg Load Rating: 590 kg / 0ffs           ACCENT:         FRONT REAR         14" × 7" REAR
DNT/REAR:         Weight: 8.6 kg Load Rating: 726 kg / Dffset: +38           CENT:         FRONT/REAR         15" × 7"         1523286           TTE BLACK:         FRONT/REAR         15" × 7"         1523285           LUGG NUTS         TURBO S 18, XP 4 1000/ TURBO 14-19, S 41000 EPS 19, S 300 EPS 19, S 1000         287933           LUG NUTS         XP TURBO S 18, XP 4 1000/ TURBO 14-19, S 41000 EPS 19, S 300 EPS 19, S 1000         287933           LUG NUTS         XP TURBO S 18, XP 4 1000/ TURBO 14-19, S 41000 EPS 19, S 300 EPS 19, S 1000         287933           LUG NUTS         XP TURBO S 18, XP 4 1000/ 19, S 1000 EPS 19, S 1000         287933           DILUG NUTS         XP TURBO S 18, XP 4 1000/ 19, S 1000 EPS 19, S 1000         287933           PLINED         XP TURBO S 18, XP 4 1000/ 19, S 300 EPS 19, S 1000 16, S 200 EPS 19, S 1000         287933           PLINED         XP TURBO S 18, XP 4 1000/ 19, S 300 EPS 19, S 1000 16, S 200 EPS 19, S 2000         220496           YB S00 S 14-38, 490 DF5-8, 19, 900 S 14-38, 490 DF5-8, 19, 900 S 15-18, 900 EPS 19, S 000 EPS 19, S 2000         220496	FRONT/REAR:       Weight: 7.8 kg Load Rating: 590 kg / Offset: +4         ACCENT:       FRONT/REAR       15* × 7*       1523184-266         MATTE BLACK:       FRONT/REAR       15* × 7*       1523184-458         O LUG NUTS REQUI         .95 cm - 24 HEX LUG NUTS         16 HEX       287740         10 HEX       570 '13-18       287675         4 HEX       LUG NUTS       287675	FRONT/REAR:       Weight: 8.1 kg Load Rating: 590 kg / Offset: +4         ACCENT:       FRONT/REAR       15" × 7"       1523102-266         MATTE BLACK:       FRONT/REAR       15" × 7"       1523102-458         Image: Comparison of the state of the	AMPLIFY      ERDNT: Weight: 5.9 kg     Load Rating: 408.2 kg / 0ffset: -9     Load Rating: 509 kg / 0ffset: -9     Coad Rating: 509 kg / 0ffset: +4     CCENT: Kennt 14" × 8" 1522956-266     CALE REAR 14" × 8" 1522957-245     CALE REAR 14" × 8" 1522957-245     COES NOT FIT R2R XP 1000/TURBO '18-19 AND XP 4 1000/TURBO '18-19     DOES NOT FIT R2R XP 1000/TURBO '18-19 AND XP 4 1000/TURBO '18-19     DOES NOT FIT R2R XP 1000/TURBO '18-19 AND XP 4 1000/TURBO '18-19     DOES NOT FIT R2R XP 1000/TURBO '18-19 AND XP 4 1000/TURBO '18-19	FRONT:         Weight: 5.9 kg Load Rating: 408.2 kg / 0           REAR:         Weight: 6.6 kg Load Rating: 590 kg / 0ffs           ACCENT:         FRONT         14" × 7" REAR           SHACKLE         O           FRONT:         Weight: 5.9 kg Load Rating: 408.2 kg / 0           REAR:         Weight: 5.9 kg Load Rating: 408.2 kg / 0           REAR:         Weight: 5.4 kg Load Rating: 590 kg / 0ffs           ACCENT:         FRONT         14" × 7"
Instruction       Weight: 8.6 kg Load Rating: 726 kg / Offset: +38         EXENT:       FRONT/REAR       15" × 7"       1523286         ITE BLACK:       FRONT/REAR       15" × 7"       1523285         ILUG NUTS       ITH WRENCH       XP TURBO S '18, XP 4 1000/ TURBO '14-19, S4 1000 EPS '19, 500 EPS '19, 500 EPS '19, 500 EPS '19, 500 EPS '19, 900 5 15 /18, 900 EPS '19, 900 14 /19, XP 4 1000/ TURBO '14 /19, AP 000 EPS '19, 900 15 /17 /18       220496         INF       INF       INF       2000 EPS '19, 200 EPS '19, 900 15 /18, 900 EPS '19, 900 15 /17 /18       220496         INF       INF       INF       INF       220496	FRONT/REAR:       Weight: 7.8 kg Load Rating: 590 kg / Offset: +4         ACCENT:       FRONT/REAR       15" × 7"       1523184-266         MATTE BLACK:       FRONT/REAR       15" × 7"       1523184-458         O LUG NUTS REQUT         .95 cm - 24 HEX LUG NUTS       287740         16 HEX       16 HEX       287675         16 HEX       106 NUTS       287675         4 HEX       106 NUTS       287675         3       STO 13-18       287675         4 HEX       106 NUTS       287675         5       STO 13-18       287675         5       STO 13-18       287675         5       STO 13-18       287675	FRONT/REAR:       Weight: 8.1 kg Load Rating: 590 kg / Offset: +4         ACCENT:       FRONT/REAR       15" × 7"       1523102-266         MATTE BLACK:       FRONT/REAR       15" × 7"       1523102-458         Image: Constraint of the state of the	AMPLIFY O      FONT: Weight: 5.9 kg         Load Rating: 408.2 kg / Offset: -9         Load Rating: 590 kg / Offset: -9         Load Rating: 590 kg / Offset: +4         Load Rating: 44** x8********************************	FRONT:       Weight: 5.9 kg Load Rating: 408.2 kg / 0         REAR:       Weight: 6.6 kg Load Rating: 590 kg / 0ffs         ACCENT:       FRONT         14" × 7" REAR       14" × 8"         SHACKLE       O         FRONT:       Weight: 5.9 kg Load Rating: 408.2 kg / 0         FRONT:       Weight: 5.9 kg Load Rating: 408.2 kg / 0         REAR:       Weight: 6.4 kg Load Rating: 590 kg / 0ffs         ACCENT:       FRONT         ACCENT:       FRONT         MATTE BLACK:       FRONT         MATTE BLACK:       FRONT         MATTE BLACK:       FRONT         Weight:       14" × 7" REAR
NT/REAR:       Weight: B.B kg Load Rating: 726 kg / Offset: +38         ENT:       FRONT/REAR       15" * 7"       1523286         ENT:       FRONT/REAR       15" * 7"       1523285         LUCG NUTS       NURBO S 18, XP 41000/ TURBO 1419, 54 1000 EPS 19, 5 300 EPS 19, 5 1000 19, 5 300 EPS 19, 5 1000 19, 5 300 EPS 19, 5 1000 19, 5 1000 EPS 19, 5 1000 19, 5 300 EPS 19, 5 100 19, 5 300 EPS 19, 5 100 10, 5 30 EPS 10, 5 300 EPS 19, 900 11, 45, 4 400 15 19, 400 EPS 19, 900 11, 45, 4 400 15 19, 400 EPS 19, 900 11, 45, 4 400 15 19, 400 EPS 19, 900 11, 45, 4 400 15 19, 400 EPS 19, 900 11, 45, 4 400 15 19, 400 EPS 19, 900 11, 45, 4 400 15 19, 400 EPS 10, 10, 10, 10, 10, 10, 10, 10, 10, 10,	FRONT/REAR:       Weight: 7.8 kg Load Rating: 590 kg / Offset: +4         ACCENT:       FRONT/REAR       15* × 7"       1523184-266         MATTE BLACK:       FRONT/REAR       15" × 7"       1523184-266         MATTE BLACK:       FRONT/REAR       15" × 7"       1523184-266         O       LUG NUTS       O       LUG NUTS REQUI         .95 cm - 24 HEX LUG NUTS       287740         2       16 HEX       287740         LUG NUTS       570 '13-18       287675         4       HEX       287675         4       HEX       287675         4       HEX       287675         5       PRO ARMOR CAPS         8-410       LUSTER       545320	FRONT/REAR:       Weight: 8.1 kg Load Rating: 590 kg / Offset: +4         ACCENT:       FRONT/REAR:       15" × 7"       1523102-266         MATTE BLACK:       FRONT/REAR:       15" × 7"       1523102-458         Image: Construction of the state of	<image/> Image: Construction of the second	FRONT:       Weight: 5.9 kg Load Rating: 408.2 kg / 0         REAR:       Weight: 6.6 kg Load Rating: 590 kg / 0ff:         ACCENT:       FRONT         14" × 7" REAR       14" × 8"         SHACKLE O         FRONT:       Weight: 5.9 kg Load Rating: 408.2 kg / 0         FRONT:       Weight: 5.9 kg Load Rating: 408.2 kg / 0         REAR:       Weight: 6.4 kg Load Rating: 590 kg / 0ff:         ACCENT:       FRONT         HEAR:       Weight: 5.9 kg         MATTE BLACK:       FRONT         H4" × 7"         MATTE BLACK:       FRONT
DNT/REAR:         Weight: 8.6 kg Load Rating: 726 kg / Dffset: +38           CENT:         FRONT/REAR         15" × 7"         1523286           CITE BLACK:         FRONT/REAR         15" × 7"         1523285           LUGG NUUTS           SLUG NUTS         TURBO S '18, XP 4 1000/ TURBO 14:9, 34 1000 FS '19, 5300 FP3 '19, 5300 '19, 5300 FP3 '19, 5400 FS '19, 5300 FP3 '19, 5400 FS '19, 5300 FP3 '19, 5400 FS '19, 5000 FP3 '19, 54000 FS '19, 5000 FP3 '19, 54000 FS '19, 5000 FP3 '19, 54000 '19, 5000 FP3 '19, 5000 '19,	FRONT/REAR:       Weight: 7.8 kg Load Rating: 590 kg / Offset: +4         ACCENT:       FRONT/REAR       15" × 7"       1523184-266         MATTE BLACK:       FRONT/REAR       15" × 7"       1523184-266         MATTE BLACK:       FRONT/REAR       15" × 7"       1523184-266         MATTE BLACK:       FRONT/REAR       15" × 7"       1523184-266         O LUG NUTS REQUT       .95 cm - 24 HEX LUG NUTS       287740         16 HEX       LUG NUTS       287740         16 HEX       LUG NUTS       287675         14       HEX       287675         15       4 HEX       287675         16       ENT CAPS       287675         17       ENT CAPS       287675         18       ENT CAPS       287675         19       LUG NUTS       570 '13'18         19       ENT CAPS       287675         20       ENT CAPS       287675	FRONT/REAR: Weight: 8.1 kg   Load Rating: 590 kg / Offset: +4   ACCENT: FRONT/REAR: FRONT/REAR: FRONT/REAR: FRONT/REAR: Weight: 7.7 kg Load Rating: 726 kg / Offset: +38 ACCENT: FRONT/REAR: Weight: 7.7 kg Load Rating: 726 kg / Offset: +38 ACCENT: FRONT/REAR: Weight: 7.7 kg Load Rating: 520 kg / Offset: +38 ACCENT: FRONT/REAR: Weight: 7.3 kg Load Rating: 590 kg / Offset: +38 ACCENT: FRONT/REAR: Weight: 7.3 kg Load Rating: 590 kg / Offset: +38 ACCENT: FRONT/REAR: Weight: 7.3 kg Load Rating: 590 kg / Offset: +38 ACCENT: FRONT/REAR: Weight: 6.6 kg Load Rating: 363 kg / Offset: -5 MATTE BLACK: FRONT/REAR: Weight: 6.6 kg Load Rating: 363 kg / Offset: -5 MATTE BLACK: FRONT/REAR: Weight: 6.6 kg Load Rating: 363 kg / Offset: -5 MATTE BLACK: FRONT/REAR: Weight: 6.6 kg Load Rating: 363 kg / Offset: -5 MATTE BLACK: FRONT/REAR: Weight: 6.6 kg Load Rating: 363 kg / Offset: -5 MATTE BLACK: FRONT/REAR: Weight: 6.6 kg Wy DE O FRONT/REAR: Weight: 6.1 kg	<image/> Image: Constant of the set	FRONT:       Weight: 5.9 kg Load Rating: 408.2 kg / 0         REAR:       Weight: 6.6 kg Load Rating: 590 kg / 0ffs         ACCENT:       FRONT         14" × 7" REAR       14" × 8"         SHACKLE       O         FRONT:       Weight: 5.9 kg Load Rating: 408.2 kg / 0         FRONT:       Weight: 5.9 kg Load Rating: 408.2 kg / 0         REAR:       Weight: 6.4 kg Load Rating: 590 kg / 0ffs         ACCENT:       FRONT         ACCENT:       FRONT         MATTE BLACK:       FRONT         MATTE BLACK:       FRONT         MATTE BLACK:       FRONT         Weight:       14" × 7" REAR
Int/REAR:         Weight: 8.6 kg Load Rating: 726 kg / Offset: +38           SENT:         FRONT/REAR         15" × 7"         1523286           TTE BLACK:         FRONT/REAR         15" × 7"         1523285           LUGG NUTS ITH WRENCH         XP TURBO S 18, XP 41000/ 19, S 300 EP 19, S 100 19, S 100 EP 19, S 100 19, S 300 EP 19, S 100 19, S 100 EP 19, S 100 19, S 100 EP 19, S 100 19, S 100 EP 1	FRONT/REAR:       Weight: 7.8 kg Load Rating: 590 kg / Offset: +4         ACCENT:       FRONT/REAR       15* × 7*       1523184-266         MATTE BLACK:       FRONT/REAR       15* × 7*       1523184-266         MATTE BLACK:       FRONT/REAR       15* × 7*       1523184-266         O       LUG NUTS       O       LUG NUTS       0         .95       cm - 24 HEX LUG NUTS       287740         .95       cm - 24 HEX LUG NUTS       287675         1       16 HEX LUG NUTS       287675         4 HEX LUG NUTS       570 '13-18       287675         4 HEX LUG NUTS       570 '13-18       287675         50       ENT CAPS       28740         51       LUSTER       ALL WHEELS EXCEPT THRASHER, WYDE & HEXLR       545320         521       MATTE BLACK       ALL WHEELS EXCEPT THRASHER, WYDE & HEXLR       545320	FRONT/REAR:Weight: $8.1 kg$ Load Rating: $590 kg / 0ffset: +4$ ACCENT:FRONT/REAR $15^{v} \times 7^{v}$ $1523102-266$ MATTE BLACK:MATTE BLACK:FRONT/REAR $15^{v} \times 7^{v}$ $1523102-458$ Image: Constraint of the state of the stat	<image/> Image: Construction of the second	FRONT: Weight: 5.9 kg Load Rating: 408.2 kg / 0 REAR: Weight: 6.6 kg Load Rating: 590 kg / 0ffs ACCENT: FRONT 14" * 7" REAR 14" * 8" SHACKLE O FRONT: Weight: 5.9 kg Load Rating: 408.2 kg / 0 REAR: Weight: 6.4 kg Load Rating: 590 kg / 0ffs ACCENT: FRONT 14" * 7" REAR 14" * 8" MATTE BLACK: FRONT 14" * 8" MATTE BLACK: FRONT 14" * 8" EFORGEED 14" BEADLOCK RINGS REBLR ONLY VOODOO BLUE: 1522244-619
NT/REAR:         Weight: B.6 kg Load Rating: 726 kg / Offset: +38           ENT:         FRONT/REAR         15" × 7"         1523286           ENT:         FRONT/REAR         15" × 7"         1523285           LUCG         NUTS         1287933           THEROTH         XP TURBO 3'18, XP 4 1000/ TURBO 14-19, XP 1000/ TURBO 14-19, XP 400/ TURBO 14-19, XP 400/ TURBO 14-19, XP 4000/ TURBO 14-19, XP 400/ TURBO 14-19, XP 400/ T	FRONT/REAR:       Weight: 7.8 kg Load Rating: 590 kg / Offset: +4         ACCENT:       FRONT/REAR       15" × 7"       1523184-266         MATTE BLACK:       FRONT/REAR       15" × 7"       1523184-266         MATTE BLACK:       FRONT/REAR       15" × 7"       1523184-266         MATTE BLACK:       FRONT/REAR       15" × 7"       1523184-458         O LUG NUTS REQUI       .95 cm - 24 HEX LUG NUTS       287740         16 HEX       16 HEX       287675         16 HEX       16 HEX       287675         16 HEX       106 NUTS       287675         17       4 HEX       287675         18       4 HEX       287675         19       ENT CARPS       287675         19       LUS NUTS       287675         10       LUSTER       ALL WHEELS EXCEPT         11       THRASHER, WYDE & HEXLR       545320         3-410       MATTE BLACK       WYDE & THRASHER       152306         24158       MATTE BLACK       WYDE & THRASHER       152306	FRONT/REAR:Weight: $8.1 \text{ kg}$ Load Rating: $590 \text{ kg} / 0 \text{ ffset: } *4$ ACCENT:FRONT/REAR $15" \times 7"$ $1523102 \cdot 266$ MATTE BLACK:MATTE BLACK:FRONT/REAR $15" \times 7"$ $1523102 \cdot 458$ Image: Construction of the state of	<image/> AMPLIFY O FUNE: Weight: 5.9 kg Cand Rating: 60.02 kg / Offset: -6. CARE: Weight: 5.9 kg Cand Rating: 500 kg / Offset: -6. CARE: Weight: 6.4 kg Cand Rating: 500 kg / Offset: -7. CACEN: KRONT 14**7" 1522956-266 CATE BLACK: FRONT 14**7" 1522956-458 CARE: 14**8" 1522957-466 COS NOT FIT RZP VP 1000/TURBO '18-19 AND XP 4 1000/TURBO '18-19 DOES NOT FIT RZP VP 1000/TURBO '18-19 AND XP 4 1000/TURBO '18-19 COS NOT FIT RZP VP 1000/TURBO '18-19 AND XP 4 1000/TURBO '18-19 COS NOT FIT RZP XP 1000/TURBO '18-19 AND XP 4 1000/TURBO '18-19 LEAR: Weight: 5.8 kg CARE: Meight: 5.8 kg CARE: Weight: 7** 1522544-266 CARE: Weight: 7*** CARE: Weight: 7**** CARE: Weight: 7**** CARE: Weight: 7**** CARE: Weight: 7***** CARE: Weight: 7***** CARE: Weight: 7****** CARE: Weight: 7******	FRONT:       Weight: 5.9 kg Load Rating: 408.2 kg / 0         REAR:       Weight: 6.6 kg Load Rating: 590 kg / 0ffs         ACCENT:       FRONT         14" × 7" REAR         Load Rating: 590 kg / 0ffs         C       SHACKLE O         FRONT:       Weight: 5.9 kg Load Rating: 408.2 kg / 0         REAR:       Weight: 5.9 kg Load Rating: 408.2 kg / 0         REAR:       Weight: 6.4 kg Load Rating: 590 kg / 0ffs         ACCENT:       FRONT         REAR:       Weight: 6.4 kg         Load Rating: 590 kg / 0ffs         ACCENT:       FRONT         REAR:       Weight: 6.4 kg         Load Rating: 590 kg / 0ffs         ACCENT:       FRONT         REAR       14" × 8"         MATTE BLACK:       FRONT         LACCENT:       FRONT         REAR       14" × 8"         DEORGEED         14" BEADLOCK RINGS REBLR ONLY
RONT/REAR:         Weight: 8.6 kg Load Rating: 726 kg / Offset: +38           CCENT:         FRONT/REAR         15" × 7"         1523286           ATTE BLACK:         FRONT/REAR         15" × 7"         1523285           LUCG NUTS           LUCG NUTS           VPTURED LUG NUTS           LIS LUG NUTS           VPTURED '14', 9, 24'000 LPS           VIGEO 14', 9, 24'	FRONT/REAR:       Weight: 7.8 kg Load Rating: 590 kg / Offset: +4         ACCENT:       FRONT/REAR       15* × 7*       1523184-266         MATTE BLACK:       FRONT/REAR       15* × 7*       1523184-266         MATTE BLACK:       FRONT/REAR       15* × 7*       1523184-266         MATTE BLACK:       FRONT/REAR       15* × 7*       1523184-458         O       LUG NUTS       287740         .95       cm - 224       HEX       287740         LUG NUTS       570 '13-18       287675         4       HEX       106 NUTS       287675         4       HEX       106 NUTS       287675         5       ALL WHEELS EXCEPT       287675         5       PRO ARMOR CAPS       545320         9-410       LUSTER       ALL WHEELS EXCEPT       545320         9-410       LUSTER       ALL WHEELS EXCEPT       545320         9-410       MATTE BLACK       WYDE & THRASHER       152306	FRONT/REAR:Weight: $B.1 kg$ Load Rating: $590 kg / 0ffset: *4$ ACCENT:FRONT/REAR $15" \times 7"$ $1523102-266$ MATTE BLACK:MATTE BLACK:FRONT/REAR $15" \times 7"$ $1523102-266$ MATTE BLACK:MALO(BEADLOCK RINGS INCLUDED)FRONT/REAR:Weight: $7.7 kg$ Load Rating: $726 kg / 0ffset: •30$ MATTE BLACK:FRONT/REAR $14" \times 7"$ MATTE BLACK:FRONT/REAR $15" \times 7"$ MATTE BLACK:FRONT/REAR $15" \times 10"$ MATTE BLACK:FRONT/REAR $15" \times 7"$ MATTE BLACK:	<image/> Image: Contraction of the second state of the sec	FRONT:       Weight: 5.9 kg Load Rating: 408.2 kg / 0         REAR:       Weight: 6.6 kg Load Rating: 590 kg / 0ff         ACCENT:       FRONT         14" × 8"         SHACKLE O         FRONT:       Weight: 5.9 kg Load Rating: 408.2 kg / 0         REAR:       Weight: 5.9 kg Load Rating: 408.2 kg / 0         REAR:       Weight: 5.9 kg Load Rating: 408.2 kg / 0         REAR:       Weight: 6.4 kg Load Rating: 590 kg / 0ff         ACCENT:       FRONT         REAR:       Weight: 5.9 kg Load Rating: 590 kg / 0ff         ACCENT:       FRONT         HATTE BLACK:       FRONT         HATTE BLACK:       FRONT         HATTE BLACK:       FRONT         H4"       BEADLOCCK         REBLR ONLY       V00D00 BLUE:         1522244-619         MACHINED:       1522244-266



#### 15" BEADLOCK RINGS

HEXLR UN	LY
VOODOO BLUE:	1522240-619
MACHINED:	1522240-266
WHITE:	1522240-133
INDY RED:	1522240-293
ORANGE CRUSH:	1522240-589
COMBAT REPLACI (MATTE BLACK):	



45

COOLERS, WINCHES, PLOWS & MISC

-	BACKCO		AIL	ROCK/R/	ACE		мир		DUNES		UTILITY		
14"	DUAL-THREAT 26" ALL RZR	DUAL-THREAT 29" RZR XP 1000/TURBO	ATTACK 26" ALL RZR	CRAWLER XG 30" RZR XP 1000/TURBO	CRAWLER XG 32" XP 4 1000/ TURBO '14-18	CRAWLER XR 28" ALL RZR EXCEPT 570 & 900/900 EPS	ANARCHY 29.5" RZR XP 1000/TURBO	DAGGER 27" ALL RZR	DUNE 28" ALL RZR EXCEPT 570 & 900/900 EPS	SAND 30" RZR XP 1000/ TURBO	HARVESTER 27" ALL RZR EXCEPT 570 & 900/900 EPS	HARVESTER 28" ALL RZR EXCEPT 570 & 900/900 EPS	PRESERVE 27" ALL RZR EXCEPT 570 & 900/900 EPS
AMPLIFY Accent DOES NOT FIT RZR XP 1000/TURBO	<b>0</b> 2883138	2883146	2882390	2882396	2882452	2882394	2882402	2882392	2882400	2882398	2882388	2883225	2883208
AMPLIFY Matte Black DOES NOT FIT RZR XP 1000/TURBO	<b>0</b> 2883139	2883147	2882391	2882397	2882451	2882395	2882403	2882393	2882401	2882399	2882389	2883226	2883209
BUCKLE Accent DOES NOT FIT RZR XP 1000/TURBO	<b>O</b> 2883140	2883148	2881335	2881560	2882448	2881343	2881341	2881337	2881345	2881339	2882383	2883220	2883203
BUCKLE Matte Black DOES NOT FIT RZR XP 1000/TURBO	<b>2883141</b>	2883149	2881336	2881561	2882447	2881344	2881342	2881338	2881346	2881340	2882384	2883221	2883204
COMBAT Accent BEADLOCKS PRE-MOUNTED	2883217	2883219		2883211	2883215	2883213							
DOES NOT FIT RZR XP 1000/TURBO COMBAT Matte Black BEADLOCKS PRE-MOUNTED	2883216	2883218		2883210	2883214	2883212							
DOES NOT FIT RZR XP 1000/TURBO REBLR Matte Black BEADLOCKS SOLD SEPARATELY	<b>O</b>		2881381	2881382	2881382	2881386		2881383	2881387	2881384			
SHACKLE Accent	O 2883142	2883150	2881347	2881558	2882450	2881355	2881353	2881349	2881357	2881351	2882385	2883222	2883205
SHACKLE Matte Black	<b>O</b> 2883143	2883151	2881348	2881559	2882449	2881356	2881354	2881350	2881358	2881352	2882386	2883223	2883206
SIX'R Luster	0		2881359	2881564		2881371		2881362		2881365			
SIX'R Matte Black	<b>O</b> 2883144	2883152	2881360	2881563	2882453	2881372	2881369	2881363	2881375	2881366	2882387	2883224	2883207
SPLIT Matte Black	O 2883145	2883153	2881404					2881405	2881407	2881406			
	BACKCO		AIL	ROCK/R/	ACE			SNOW					
15"	HAMMER 30" RZR XP 1000/TURBO	ATTACK 2.0 28" ALL RZR EXCEPT 570 & 900/900 EPS	ATTACK 2.0 30" RZR XP 1000/TURBO	CRAWLER XG 28" ALL RZR EXCEPT 570 & 900/900 EPS	CRAWLER XG 30" RZR XP 1000/TURBO	CRAWLER XR 32" RZR XP 1000/TURBO	15"	WHITEOUT 30" RZR XP 1000/TURBO			OAR		
CYCLONE Accent	2883200	2883160	2883169	2883188	2883179	2883194	<b>WHITEOUT R15</b> Matte Black	O 2883172					
CYCLONE Matte Black	2883199	2883159	2883168	2883187	2883178	2883193							· ·
FLARE Accent	2883198	2883158	2883167	2883186	2883177	2883192		ROCK/RA	CE	1 and the		TATES	
FLARE Matte Black	2883197	2883157	2883166	2883185	2883176	2883191		CRAWLER XG 32" RZR XP 1000/TURBO		at the			and the second
HALD Accent BEADLOCKS PRE-MOUNTED	2883202	2883162	2883171	2883190	2883181	2883196	<b>REVOLVER</b> Accent BEADLOCKS PRE-MOUNT	2883703			110-	<u> </u>	
HALO Matte Black BEADLOCKS PRE-MOUNTED	2883201	2883161	2883170	2883189	2883180	2883195	<b>REVOLVER</b> Matte Black BEADLOCKS PRE-MOUNT			Service W		6	
HEXLR Matte Black BEADLOCKS SOLD SEPARATELY	<b>O</b> 2881388	2883154	2883163	2883182	2883173	2882444				5 HERE		1000	
WYDE ACCENT BEADLOCKS SOLD SEPARATELY	O 2881402	2883156	2883165	2883184	2883175	2882446						1 (m. 2)	
WYDE Matte Black BEADLOCKS SOLD SEPARATELY	O 2881403	2883155	2883164	2883183	2883174	2882445	O LUG NUTS REQUI SEE P. 44-45 FOR BEADLOCK RINGS	R CAPS,		TIRE: DUA	L-THREAT		S- Declar
											ILO - MATTE BLACH		Street A




#### PREMIUM TIRE SEALANT

- Instantly seals and repairs rim, bead leaks, and punctures up to 0.64 cm on standard tires, and 1.9 cm on heavy ply tires
- Helps maintain air pressure for the life of the tire • Helps seal the tire bead against the wheel
- 100% water soluble for easy cleanup
- » 946 mL 2830484 » 3.8 L • 2830485
- » 19 L 2830486

• Will not rust, corrode, or pit wheels • Creates permanent repair

- Remains fluid and effective in temperatures down to -43° C
- Easily installed through existing tire valve stem with valve core removed
- » 19 L PUMP 2830487 » 208 L • 2830489 » 1041 L • 2830488





COLBY SHORT ULTIMATE VALVE (2 PACK)

» 2883292

COLBY EMERGENCY VALVE (2 PACK)

» 2883293

COLBY COMBO VALVE KIT (16 PACK)

Includes 8 Ultimate valves and 8 Emergency valves

» 2883294

ALL VALVES FIT XP TURBO S '18, XP 4 1000/TURBO '14-19, XP 1000/TURBO '14-19, S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 570 '13-18, 4 900 '15-18, 1000 S '17-18

FRONT SWAY BAR KIT » 2881205-458 XP 4 1000/TURBO '16-19, XP 1000/TURBO '16-19 DOES NOT WORK WITH HIGH CLEARANCE A-ARMS

PERFORMANCE / CLEARANCE

WHEELS & TIRES


CAGES & ROOFS

BUMPERS & PROTECTION

DODRS & WINDSHIELD/ STORAGE & COCKPIT CODLERS, WINCHES, REAR PANELS ACCESSORIES PLOWS & MISC

RZR XP TURBO S & RZR RS1

## 



#### NO MODIFICATIONS NEEDED FOR INSTALLATION.

Add a custom look that sets you apart from the crowd. This custom cage offers all the safety standards and accessory mounting locations you need, but with a completely new look for your *RZR*. Add even more customization with a rear plate and a roof.

#### FULL ROHVA COMPLIANCE

The Barricade Cage System meets ANSI/ROHVA 2016-1 ROPS standards, developed and tested by the Recreational Off-Highway Vehicle Association<sup>®</sup>. Visit rohva.org for more information.

Recreational Off-Highway Vehicle Association® is a registered trademark of Recreational Off-Highway Vehicle Association.

### BARRICADE CAGE SYSTEM WITH EXTENSION

Includes Cage 2881986-458 and Extension 2882171-458
 2882558-458
 xP 1000TURE0 14-18

#### CAGE

ROHVA-compliant, single-piece, fully-welded roll cage
7.6 cm lower profile than stock cage for true custom look
High-quality powdercoat and E-coat finish
Works with Polaris Poly Half Windshield

BLACK 2881986-458 XP TURBO S '18, XP 1000/TURBO '15-19


#### EXTENSION

High-quality powdercoat and E-coat finish
Integrated tie-down bar
Easy installation

BLACK 2882171-458

#### ROOF

Protect yourself from the elements while adding style and color to your custom cage
Easy installation with integrated fastening points
High-quality powdercoated finish
Lightweight aluminum



#### **REAR PLATE**

Precision cut and formed from a rugged steel plate
Attaches quickly and easily to integrated fastening points







## POLY

#### LOCK & RIDE

 Rigid injection-molded design to eliminate warping in high-heat conditions

• Integrated mounting locations for lighting

• Rugged, textured polyethylene construction for impact and abrasion resistance

#### **GRAPHIC SPORT ROOF**


• Weighs only 5 kg (30% lighter than aluminum) • Won't bend or break upon impact with debris or other obstacles • Sunroof lets in sunlight while keeping you shaded from the heat

## ALUMINUM

#### **ALUMINUM ROOF**

Seals to the vehicle frame for the best protection and great integration with other RZR accessories

• Strong and durable 5051 aluminum construction for long-lasting, reliable protection



COLOR	2-SEAT	4-SEAT
BLACK	2881582-458	2881592-458
LIME SQUEEZE	2881582-630	2881592-630
INDY RED	2881582-293	2881592-293
VELOCITY BLUE	2881582-689	2881592-689
SPECTRA ORANGE	2881582-446	2881592-446
BRIGHT WHITE	2881582-133	2881592-133







COLOR	2-SEAT	4-SEAT
BLACK	2881206	2881935
INDY RED	2881607	2881936
BRIGHT WHITE	2881608	2881937
	XP 1000/TURBO '14-19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S	XP 4 1000/TURBO '14-19, S4 1000 EPS '19, 4 900 '15-18

'19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 1000 S '17-18

POLANS



#### **CANVAS ROOF**

CANVAS

- Durable, heavyweight 652 g polyester canvas construction
- Mold-resistant and UV-stable to resist fading for long-lasting performance
- Installs quickly and easily with provided straps





RZR XP TURBO S & RZR RS1



### STAND



#### DESERT BUMPER NEW

FRONT

Perfect for: Heavy-duty protection with aggressive style and mounting for lights



4.4 cm DIAMETER STEEL TUBE CONSTRUCTION





FRONT

FRONT FITMENT: XP 4 1000/TURBO '14-18, XP 1000/TURBO '14-18, S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 4 900 '15-18, 1000 S '17-18

REAR FITMENT: XP 4 1000/TURBO '14-18, XP 1000/TURBO '14-18

2881202-458

2881202-630

2881202-293

VELOCITY BLUE 2881202-689

SPECTRA ORANGE 2881202-446

BRIGHT WHITE 2881202-133

BULL

FRONT

REAR

COLOR

LIME SQUEEZE

INDY RED

BLACK

**BUMPERS** 

and minimalist look

Perfect for: Ultra light weight



REAR

2881472-458

2881472-630

2881472-293

2881472-689

2881472-446

2881472-133






4.4 cm DIAMETER STEEL TUBE CONSTRUCTION



COLOR FRONT REAR 2879449-458 2880560-458 BLACK LIME SQUEEZE 2881583-630 2881589-630 2881583-293 2881589-293 INDY RED VELOCITY BLUE 2881583-689 2881589-689 SPECTRA ORANGE 2881583-446 2881589-446 BRIGHT WHITE 2881583-133 2881589-133 RONT FITMENT: XP 4 1000/TURBO '14-18, XP 1000/TURBO '14-18, S4 1000 FP

19, S 900 EPS 19, S 900 19, S 1000 EPS 19, S 1000 16-19, 900 S 15-18, 900 EPS 19, S 900 EPS 19, S 900 EPS 19, S 1000 S 17-18

REAR FITMENT: XP 4 1000/TURBO '14-18, XP 1000/TURBO '14-18



DELUXE



3.8 cm DIAMETER STEEL TUBE CONSTRUCTION



COLOR	FRONT	REAR
BLACK	2880166-458	2880164-458
LIME SQUEEZE	2881591-630	2881590-630
INDY RED	2881591-293	2881590-293
VELOCITY BLUE	2881591-689	2881590-689
SPECTRA ORANGE	2881591-446	2881590-446
BRIGHT WHITE	2881591-133	2881590-133

FRONT FITMENT: XP 4 1000/TURBO '14-18, XP 1000/TURBO '14-18, S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 4 900 '15-18, 1000 S '17-18

REAR FITMENT: S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 1000 S '17-18

REQUIRES LOW PROFILE REAR BUMPER







XP 1000/TURBO '19, XP 4 1000/TURBO '19



XP TURBO S '18



#### EXTREME BUMPER ATTACHMENT

Perfect for: Increased protection around lighting and fenders

FRONT

REAR

COLOR

LIME SQUEEZE

BLACK

INDY RED



4.4 cm DIAMETER STEEL TUBE CONSTRUCTION





FRONT FITMENT: XP 4 1000/TURBO '14-18, XP 1000/TURBO '14-18, S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 4 900 '15-18, 1000 S '17-18 REQUIRES LOW PROFILE FRONT BUMPER

REAR FITMENT: XP 4 1000/TURBO '14-18, XP 1000/TURBO '14-18

#### EXTREME DUTY BUMPER

Perfect for: Full protection in the toughest terrain and riding conditions



4.4 cm DIAMETER STEEL TUBE CONSTRUCTION





54 1000 FPS '19, S 900 EPS '19, S 900 EPS '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 4 900 '15-18, 1000 S '17-18 DOES NOT FIT WITH ANY PLOW SYSTEM

#### ANCHOR MOUNTS

Tougher than conventional nuts and bolts, Expansion Anchor Mounts are engineered into every RZR, allowing for a fast install.

#### BUMPER ANCHOR PACK

• 4 anchors and 2 Bump End Caps included





RZR XP TURBO : & RZR RS1 ഗ

LIGHTING

WHEELS & TIRES

CAGES & ROOFS

PROTECTION

DOORS & WINDSHIELD/ REAR PANELS

D/ STORAGE & COCKPIT ACCESSORIES



53

» 2205114

## PROTECT YOUR RIDE

#### WHEN PUSHING LIMITS in punishing off-road environments, keep your RZR

protected from harsh hits and damage with an added layer of protection and peace of mind.

#### HMW FRONT A-ARM GUARDS

» 2879454 XP 4 1000/TURBO '14-19, XP 1000/TURBO '14-19, RZR RS1T '19, RZR RS1 '18 » 2880274

S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 4 900 '15-18, 1000 S '17-18

» 2880170 900 EPS '19, 900 '14-19

TOUGH .95 cm THICK TOUGHEST IMPACTS

#### HMW REAR TRAILING ARM **GUARDS**

» 2879496 XP 4 1000/TURBO '14-19, XP 1000/TURBO '14-19, RZR RS1T '19, RZR RS1 '18



HMW

SKID

PLATE

» 2-SEAT • 2880290

» 2-SEAT • 2881615

XP 1000/TURBO '14-19 » 4-SEAT • 2880291 S4 1000 EPS '19, 4 900 '15-18

» 4-SEAT • 2881725 XP 4 1000/TURBO '14-19

TO FIT '14-15 ADAPTER BRACKET KIT 2206329 IS REQUIRED

CUSTOM CONTOURED FOR A PERFECT

S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 1000 S '17-18

REAR A-ARM **GUARDS** 

» 2880171 S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 4 900 '15-18, 1000 S '17-18

» 2880172

900 EPS '19, 900 '14-19



INTRUSION BAR

#### » 2879181

54

XP 4 1000/TURBO '14-18, XP 1000/TURBO '14-18, S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 4 900 '15-18, 1000 S '17-18 WILL NOT WORK WITH ANY FULL WINDSHIELD



BUMPER ADAPTER

• Connects the Upper Cab Frame Extension (2880411) with rear bumper, each sold separately

» 2880165

S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 4 900 '15-18, 1000 S '17-18




REAR CAB FRAME EXTENSION


» UPPER • 2880411 » LOWER • 2880412 S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 1000 S '17-18 LOW PROFILE **ROCK SLIDERS - STEEL** 

• Plated steel construction, durable powdercoat finish

• Easy installation with expanded anchor mount



LOW PROFILE: NO LOSS IN GROUND CLEARANCE



COLOR	2-SEAT	4-SEAT
BLACK	2879498-458	2879940-458
LIME SQUEEZE	2881587-630	2881593-630
INDY RED	2881587-293	2881593-293
VELOCITY BLUE	2881587-689	2881593-689
SPECTRA ORANGE	2881587-446	2881593-446
BRIGHT WHITE	2881587-133	2881593-133

2-SEAT: XP TURBO S '18, XP 1000/TURBO '14-19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 1000 S '17-18

4-SEAT: XP 4 1000/TURBO '14-19, S4 1000 EPS '19, 4 900 '15-18



### XXL FENDER FLARES (FRONT ONLY)

 Keep the mud. dirt. and debris from launching off the tires and into your face

Includes 2

#### » 2881985

XP 4 1000/TURBO '14-19, XP 1000/TURBO '14-19, S4 1000 EPS '19, S 900 EPS '19 S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 4 900 '15-18, 1000 S '17-18



• Includes 2

» 2879938

#### **EXTREME KICK-OUT ROCK SLIDERS - STEEL**

 Rugged steel protection and race-inspired styling

• Low-profile mounting location will not diminish around clearance



1¾" DIAMETER STEEL TUBE CONSTRUCTION



COLOR	2-SEAT	4-SEAT
BLACK	2879456-458	2882079-458
LIME SQUEEZE	2881586-630	2882079-630
INDY RED	2881586-293	2882079-293
VELOCITY BLUE	2881586-689	2882079-689
SPECTRA ORANGE	2881586-446	2882079-446
BRIGHT WHITE	2881586-133	2882079-133


2-SEAT: XP TURBO S '18, XP 1000/TURBO '14-19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 1000 S '17-18

4-SEAT: XP 4 1000/TURBO '14-19, S4 1000 EPS '19, 4 900 '15-18



#### MUD FLAPS (FRONT ONLY)

XP TURBO S '18, XP 4 1000/TURBO '14-19, XP 1000/TURBO '14-19, S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '16-19, 4 900 '15-18, 1000 S '17-18



#### FENDER FLARE KIT

- Stock replacement for 900 Models
- Front & Rear Fender Flares (includes 4)
- » 2879434
- 900 EPS '19, 900 '14-19



RZR XP TURBO & RZR RS1



#### **POLARIS ALUMINUM DOORS**

 Single-piece stamped aluminum maximizes quality, fit and finish • More cockpit room with wide berth

• Available with RZR-matched graphics

» 2-SEAT • 2879510 XP TURBO S '18, XP 1000/TURBO '14-19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18,1000 S '17-18 » 4-SEAT • 2879943 XP 4 1000/TURBO '14-19, S4 1000 EPS '19, 4 900 '15-18

Gasket design eliminates rattling and creates a firm seal



TURBO TITANIUM METALLIC

TURBO BLACK PEARL

#### POLARIS ALUMINUM DOOR GRAPHICS

COLOR	2-SEAT	4-SEAT	
KP 1000 BLACK PEARL ////	2884054	2884055	FALL AVAILABILITY
KP 1000 WHITE PEARL ////////////////////////////////////	2884056	2884057	FALL AVAILABILITY
TURBO TITANIUM METALLIC	2884058	2884059	FALL AVAILABILITY
KP1000/TURBO '19 & XP 4 1000/TURE	3O '19		
FURBO VELOCITY BLUE	2883129	2883118	
BLACK PEARL	2883131	2883130	
TURBO BLACK PEARL	2883134	2883032	





UPPER DOOR NETS

» 2-SEAT

2879509

XP TURBO S '18, XP 1000/TURBO '14-19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 1000 S '17-18

» 2881654 XP 1000/TURBO '14-19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 1000 S '17-18

• Durable plastic construction with steel frame

LOWER DOOR INSERTS Covers the bottom of the door opening, shutting out water and dust

» 2-SEAT

2880207

900 EPS '19, 900 '14-19



» 4-SEAT 2879942



### CANVAS UPPER HALF DOORS

- » 2-SEAT 2879902 XP 1000/TURBO '14-19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18 900 '16, 1000 S '17-18
- » 2-SEAT 2880609 900 EPS '19, 900 '14-19
- » 4-SEAT 2879946 XP 4 1000/TURBO '14-19, S4 1000 EPS '19, 4 900 '15-18




STORAGE & COCKPIT ACCESSORIES

COOLERS, WINCHES, PLOWS & MISC



#### HARD COAT POLY



#### FLIP-DOWN WINDSHIELD -HARD COAT POLY

• Two-position design can be adjusted quickly without the use of tools

#### Easy to install and made of tough polycarbonate with scratch-resistant hard coat

#### » 2881616

XP 4 1000/TURBO '14-18, XP 1000/TURBO '14-18, S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 4 900 '15-18, 1000 S '17-18 DOES NOT FIT RIDE COMMAND MODELS

WITH ANTENNA

#### DCK & RIDE VENTED WINDSHIELD

- HARD COAT POLY

 Impact-resistant polycarbonate and installs/removes in minutes without tools

 New vents allow for temperature regulation

#### » 2883111

XP 4 1000/TURBO '14-18, XP 1000/TURBO '14-18, S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 16-19, 900 S '15-18, 900 EPS '19, 900 '15-19, 4 900 '15-18, 1000 S '17-18

#### OCK & RIDE FULL WINDSHIELD -

#### Durable, optical-grade polycarbonate for

maximum impact resistance Installs and removes quickly without tools

» 2884018 **— N = II — Shown** 

#### XP TURBO '19, XP 4 TURBO '19, XP 4 1000 '19, XP 1000 '19

» 2883110 XP 4 1000/TURBO '14-18, XP 1000/TURBO '14-18, S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 '14'-18, 34 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '15-19, 4 900 '15-18, 1000 S '17-18

#### OCK & RIDE HALF WINDSHIELD -

Strong, durable, impact-resistant

polycarbonate

 Installs quickly and easily without tools Fully-sealed lower section of

windshield to hood

#### » 2883109

XP 4 1000/TURBO '14-18, XP 1000/TURBO '14-18, S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '15-19, 4 900 '15-18, 1000 S '17-18

#### LOCK & RIDE

#### HALF WINDSHIELD - HARD COAT TINTED POLY

Enhanced curved styling prevents collecting mud or dirt

- Innovative tint technology helps reduce glare and improve visibility
- Installs and removes quickly with no tools

» 2881613

» 2881614

» 2878752 570 EPS '19, 570 '12-19

XP TURBO S '18, XP TURBO '19, XP 4 TURBO '19, XP 4 1000 '19, XP 1000 '19

### GLASS

» 2883112

• Equipped with self-adjusting clamps

» 2883135

REAR PANELS



XP 4 1000/TURBO '14-19, XP 1000/TURBO '14-19



**REAR PANEL - CANVAS** 

· 23 oz. polyester canvas is mold-S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 4 900 '15-18, 1000 S '17-18 resistant for long-term performance and UV-stable to resist fading

» 2880608 S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 4 900 '15-18, 1000 S '17-18

ADD A REAR PANEL TO REDUCE 🧹 THE DUST SWIRL

#### POLARIS ENGINEERED ADVANTAGES



#### AIRTIGHT GASKET SEAL

Our windshields and rear panels feature 360° airtight gasket seals to keep drafts and moisture out of your cab.



#### **REVOLUTIONARY INSTALLATION**

Lock & Ride Cage Clamp allows for easy installation and easy removal of Polaris poly windshields, eliminating fear of cracked trim when tightening.

GLASS

POLY

GI ASS







#### » 2880409

S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19 S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 4 900 '15-18, 1000 S '17-18

#### » 2879507

XP 4 1000/TURBO '14-19 XP 1000/TURBO '14-19

#### REAR RACE NET

- » 2880408
- S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 4 900 '15-18, 1000 S '17-18
- » 2879936
- XP 4 1000/TURBO '14-19 XP 1000/TURBO '14-19



### SEE P. 8-9 FOR REAR PANEL

#### 59

Superior OPTICAL CLARITY for a clear view. Laminated safety glass **PROTECTS FROM SCRATCHES** and provides automotive-level visibility.

GLASS

#### **VENTED WINDSHIELD -**

#### • 7.6 cm vent opens and closes with one-handed operationprovides immediate vent-out and increased cabin airflow

GLASS

XP 4 1000/TURBO '14-18, XP 1000/TURBO '14-18, S4 1000 EPS '19, S 900 EPS '19 S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '15-19, 4 900 '15-18, 1000 S '17-18

#### GLASS WINDSHIELD

- Installs in minutes and integrates into a designated mounting position
- Laminate safety glass for excellent scratch resistance

#### » 2879447

XP 4 1000/TURBO '14-18, XP 1000/TURBO '14-18, S4 1000 EPS '19, S 900 EPS '19, S 900 IPS '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 4 900 '15-18, 1000 S '17-18

#### WINDSHIELD WIPER SYSTEM

#### » 2879526

XP 4 1000 '14-19, XP 1000 '14-19, S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 4 900 '15-18, 1000 S '17-18

**REAR PANEL - MESH** 

## BRING IT ALL STORE IT ALL

#### LOCK & RIDE **COOLER BOX**

• One-piece Keeps food and beverages cool for 48+ hours, roto construction for extreme durabilit\ nding o • Lid locks securely • UV-fade resistant in place with rubber latches to Installs guickly protect cargo and easily Heavy-duty hinges vithout tools and weatherproof Easy to carry with seal block integrated grab handles ture and dust

» 45.4 L 2881555 XP TURBO S '18, XP 4 1000/TURBO '14-19, XP

» 48.2 L

2881556



» 2882080

**UNDER-HOOD STORAGE BIN** 

· Perfect out of the way space for a tool kit, extra belt, tow straps corner knock-outs for bungee cords (not included) secures your cargo

XP 4 1000/TURBO '14-19, XP 1000/TURBO '14-19, S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 4 900 '15-18, 1000 S '17-

## BED D-RINGS

» 2877460

XP TURBO S '18, XP 4 1000. TURBO '14-19, XP 1000/TUR 14-19, S4 1000 EPS '19, S 900 E 19, S 900 '19, S 1000 EPS '19, S



LOCK & RIDE D-RINGS » 2881544

ALL RZR MODELS LOCK & RIDE EXPANSION ANCHOR

» 2876420

ALL RZR MODELS

## 

#### 

Integrated rear cargo box touting 65 liters of storage

- Secure latching lid with taut rubber strap tie-downs
- Lightweight design integrates seamlessly with RZR Rear Cargo Bed
- Includes all mounting hardware for complete installation

#### » 2881193

XP TURBO S '18, XP 4 1000/TURBO '14-19, XP 1000/TURBO '14-19, S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 4 900 '15-18, 1000 S '17-18



15-18, 1000 S '17-18



#### OVERHEAD BAG

#### » 2879516

XP 4 1000/TURBO '14-19, XP 1000/TURBO '14-19, S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 4 900 '15-18, 1000 S '17-18



UPPER DOOR STORAGE BAG

#### » 2880612

XP TURBO S '18, XP 4 1000/TURBO '14-19, XP 1000/TURBO '14-19, S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 4 900 '15-18, 1000 S '17-18



LOWER DOOR STORAGE BAG

#### » 152.4 cm • 2880613 XP TURBO S '18, XP 4 1000/TURBO '14-19, XP 1000/TURBO '14-19, S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 4 900 '15-18, 1000 S '17-18

REQUIRES LOWER DOOR 2879509 » 127 cm • 2880616

#### 900 EPS '19, 900 '14-19

REQUIRES LOWER DOOR 2880207



#### SPARE TIRE HOLDER

» 2880148 S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 4 900 '15-18, 1000 S '17-18



### RHINO GRIPS





LOCK & RIDI RATCHETING RHINO GRIP » 2881157 ALL RZR MODEL



#### REAR TIRE HOLDER

» 2879464

XP 4 1000/TURBO '14-19, XP 1000/TURBO '14-19

#### **PROTECT THE GEAR YOU NEED.** LIVE THE LIFE YOU LOVE.

ACCESSORIES

RZR XP TURBO & RZR RS1

LIGHTING

## BUMPERS & PROTECTION

DOORS & WINDSHIELD/ REAR PANELS







COOLERS, WINCHES, PLOWS & MISC

LOCK & BIDE RHINO GRIP" XL

2881513 ALL RZR MODELS



#### RHINO GRIP<sup>®</sup> XL REPLACEMENT RUBBER STRAPS

» 2881621 ALL RZR MODELS

LOCK & RIDE RHINO GRIP" XL DOUBLE

2884120 ALL RZR MODELS



#### RHINO GRIP<sup>®</sup> PRO REPLACEMENT RUBBER STRAPS

» 2884109 ALL RZR MODELS





## COCKPIT ACCESSORIES

#### ALL WEATHER FLOOR MATS

» FRONT • 2880414 XP TURBO S '18, XP 1000/TURBO '14-19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 14-19 1000 EF3 19, 3

» FRONT & BACK • 2880415 XP TURBO S '18, XP 4 1000/TURBO '14-19, XP 1000/TURBO '17-18, S4 1000 EPS '19, 4 900 '15-18



#### SEAT ADJUSTER KIT

» 2877390 570 EPS '19, 570 '12-19



SEAT SLIDER



#### HORN KIT

» 2880416 XP TURBO S '18, XP 4 1000/TURBO '14-19, XP 1000/TURBO '14-19, S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19 S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 4 900 '15-18 1000 S '17-18

» 2877788 570 EPS '19, 570 '12-19



» 2881552



XP 4 1000/TURBO '14-19, XP 1000/TURBO '14-19, S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 4 900 '15-18, 1000 S '17-18



» 2881987 XP TUREO S '18, XP 4 1000/TUREO '14-19, XP 1000/TUREO '14-19, S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 4 900 '15-18, 1000 S '17-18



 Two person intercom with built-in two-way radio One compact easy use unit

• Radio range up to 5 miles

Intercom expandable up to 8 positions



» 2882016

» 2881319 XP TURBO S '18, XP 4 1000/TURBO '14-19, XP 1000/TURBO '14-19, S4 1000 EPS '19 S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 570 '12-18, 4900 '15-18, 1000 S '17-18

COMLINK IN-HELMET HEADSET

Headset mounts inside your

helmet and works with the Comlink RTX Radio

» 2881550

### COMLINK RTX MOUNTING KIT

XP TURBO S '18, XP 4 1000/TURBO '14 19, XP 1000/TURBO '14-19, S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 4 900 '15-18, 1000 S '17-1

XP TURBO S '18, XP 4 1000/TURBO '14-19, XP 1000/TURBO '14-19, S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 570 '12-18, 4 900 '15-18, 1000 S '17-18

## Ride and talk with your helmet on

Easily mounts inside Din Box area

» 2881320



Seamlessly integrate your Comlink RTX into your RZR

**RZR SUBZERO 4 HARNESS** 

#### » DRIVER SIDE • 2882281

XP TURBO S '18, XP 1000/TURBO '14-19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 1000 S '17-18

#### » PASSENGER SIDE • 2882282

XP TURBO S '18, XP 1000/TURBO '14-19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 1000 S '17-18

#### **CLICK-6 HARNESS**

100

Racing-quality premium construction for the greatest security and protection

di

· Six straps hold a driver securely in place in all riding conditions

#### • One-click, quick-release buckle releases straps, allows easy egress

» DRIVER SIDE • 2882244 XP TURBO S '18, XP 1000/TURBO '14-19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 1000 S '17-18

### » PASSENGER SIDE • 2882245

XP TURBO S '18, XP 1000/TURBO '14-19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 1000 S '17-18

**COMLINK RTX INTERCOM RADIO** No FCC license required to icate with othe

VHF radios

Easily connect your phone or MP3 player to receive calls or listen to music

1.00



















4-PASS INTERCOM UPGRADE KIT

Add your rear seat passengers to the conversation

XP TURBO S '18, XP 4 1000/TURBO '14-19, XP 1000/TURBO '17-18, S4 1000 EPS '19, 4 900 '15-18





#### FOLDING SIDE MIRRORS

- Includes left and right mirrors with mounting brackets and hardware
- Hinges feature breakaway design for tight trail conditions and easy trailering
- Mounts directly to factory roll cage at the bolt location, works with windshields and doors
- » 2881198
- XP TURBO S '18, XP 4 1000/TURBO '14-19, XP 1000/TURBO '14-19, S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 4 900 '15-18, 1000 S '17-18

#### CONVEX REARVIEW MIRROR TOP SELLER

- Installs easily: mount bolts into your choice of pre-designated mounting locations on vehicle frame
- Convex design provides broad. expanded view of what's behind or alongside the vehicle
- » 2881540

XP TURBO S '18, XP 4 1000/TURBO '14-19, XP 1000/TURBO '14-19, S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 570 '12-18, 4 900 '15-18, 1000 S '17-18



SCRATCH-RESISTANT GLASS MIRROR LENS

#### REAR VIEW MIRROR

- Works with all roofs, soft tops and windshields
- » 2877945

XP TURBO S '18, XP 4 1000/TURBO '14-19, XP 1000/TURBO '14-19, S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 570 EPS '19, 570 '12-19, 4 900 '15-18, 1000 S '17-18

#### WIDE-ANGLE REARVIEW MIRROR

- Stamped steel frame and backing plate with large 6.4 cm x 35.6 cm convex mirror
- Up to 10° of adjustability to adjust to rider height or view preference
- Easy over-structure installation with stamped steel mounts
- » 2881199

XP TURBO S '18, XP 4 1000/TURBO '14-19, XP 1000/TURBO '14-19, S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 570 '12-18, 4 900 '15-18, 1000 S '17-18



CONVEX DESIGN DELIVERS WIDE REAR VIEW



QUICK GLANCE, WIDE-ANGLE VIEWING FOR MAXIMUM VISIBILITY

## **GRIZZLY TESTED.** POLARIS APPROVED.

This cooler is IGBC-approved, meaning it withstands the power expended by a typical grizzly bear if it was trying to get inside. Seriously, there are experts who know what a grizzly is capable of doing, and they certify that the Polaris Northstar Cooler can take it.

#### **POLARIS NORTHSTAR COOLER ACCESSORIES**



WIRE BASKET » 99 LITER • 2883648 » 57 LITER • 2882185 » 28 LITER • 2882438



» 99 LITER • 2883468 // 1///// MES WITH ONE DIVIDE » 57 LITER • 2882184 COMES WITH TWO I

OMES WITH ONE DIVIDE



28 LITER



» 28 LITER • 2882507 COOLER WHEELS

» 57 LITER • 2882180

BOTTLE OPENER

» 2882183



3.8 cm x 4.6 m 2495 kg RATCHET STRAP

3.8 cm x 4.6 m straps, 2 Pack

Heavy duty webbing

2495 kg maximum load,

831 kg working load

» 2884031

POLARIS NORTHSTAR COOLERS can survive just about anything - from extreme heat to a nasty tumble off a vehicle. So when we say ice will stay cold for hours on end and anything inside will stay locked up tight, we mean it.

POLARIS NORTHSTAR COOLER



99 LITER » GRAPHITE • 2883426 » DESERT • 2883392

ComfortCarry Handles

57 LITER » GRAPHITE • 2883425 » DESERT • 2881259





» GRAPHITE • 2883968



**19 LITER SOFTSIDE** 

» GRAPHITE • 2883390





TUMBLERS

TravelLock System



28, 57 & 99 LITER FEATURES



Rubber Feet





0000



» 887 mL • 2883394 » 591 mL • 2883393 1 way to partition 2 ways to partition

SEAT CUSHION






LIGHTING





- 5 cm x 6.1 m Ratchet Straps
- Heavy duty webbing, floating D-rings, double J-hooks
- 4536 kg maximum load, 1497 kg working load
- » 2884032

## CHOOSE THE **RIGHT WINCH**



<u>/NEW</u>/

2883825

FITIVIËN

RZR RS1 '18-19



#### **3** ADD CABLES

#### REQUIRED BATTERY CONNECTION CABLES

XP 1000 & 900 '14-15: 2879862 XP 1000 & 900 '16-17: 2881551 XP 4 1000 & 900 '14-15: 2880055 XP 4 1000 & 900 '16-17: 2881646 ALL OTHER MODELS/YEARS, INCLUDED WITH WINCH

INCLUDED WITH WINCH

INCLUDED WITH WINCH



#### POLARIS WIRELESS WINCH REMOTE

- Allows for remote operation of Polaris HD winch
- Up to 15 m range with LED indicator
- Direct plug and play operation
- » 2879316 WORKS WITH 28

### AUTO STOP TECHNOLOGY WINCH UPGRADE

- Machined from billet aluminum and weighs less than common steel fairleads
- Installs easily in place of stock fairlead
- Requires synthetic winch rope (not included) mpatible with steel cabl
- » 2881693 WORKS WITH 288

#### SYNTHETIC WINCH ROPE

- » 2879187
- » 2878888 WORKS WITH 288167



### 1588 kg WINCH REPLACEMENT STEEL CABLE

» 2878890 WORKS WITH 28 ACCESSORIES

RZR XP TURBO S & RZR RS1

LIGHTING

RIDE COMMAND & AUDIO

WHEELS & TIRES

CAGES & ROOFS

BUMPERS 6 PROTECTION

DOORS & WINDSHIELD/ REAR PANELS

STORAGE & COCKPIT ACCESSORIES

COOLERS, PI NWS



**AGIER** HD \* 61



dismounting and amazing value, Glacier<sup>®</sup> HD is a great choice in the dead of winter. 168 cm POLY BLADE ST FOR CORROSION RESISTANCE 168 cm STEEL BLADE ST FOR BIG JOBS YEAR AFTER YEAR BEST FOR BEST FOR BT STEP 1 STEP 2 STEP 3 STEP 4 STEP 5 SELECT A FRAME SELECT A LIFT METHOD SELECT A MOUNT SELECT A BLADE SELECT ACCESSORIES MODELS MOUNT FRAME WINCH BLADES ACCESSORIES S4 1000 EPS '19, **GLACIER**<sup>®</sup> Pro GLACIER<sup>®</sup> Pro HD Polaris PRO HD GLACIER<sup>®</sup> Pro 168 cm Snow Deflector 2879866 S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 2041 kg Winch Plow 168 cm Poly 168 cm HD Wear Bar 2879868 Plow Mount Plow Frame 2880269 168 cm Wear Bar 2879867 2880262 2880260 See previous page Plow Marker 2872726 EPS '19, 900 '14-19, 4 900 '15-18, 1000 S '17-18 GLACIER<sup>®</sup> Pro Polaris HD Skid Shoe 2205071 1588 kg Winch Plow 168 cm Steel Shear Pin 2205527 2880268 Extension for Tracks 2880267 See previous page

#### RZR NEON SIGN



RZR WHIP FLAG

#### » 2877502

» 2881468 XP TURBO S 18, XP 4 1000/TURBO 14-19, XP 1000/TURBO 14-19, S4 1000 EPS 19, S 900 EPS 19, S 900 19, S 1000 EPS 19, S 1000 16-19, 900 S 15-18, 900 EPS 19, 900 14-19, 570 12-18, 4 900 15-18, 1000 S 17-18



XP TURBO S '18, XP 4 1000/TURBO '14-19, XP 1000/TURBO '14-19, S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 570 EPS '19, 570 '12-19, 4 900 -18, 1000 S '17-18



OFF-ROAD JACK KIT

#### » 2881201 XP TURBO S '18, XP 4 1000/TURBO '14-19, XP 1000/TURBO '14-19, S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 570 '12-18, 4 900 '15-18, 1000 S '17-18

#### TURBO HOOD

#### » 2881467

XP 4 1000/TURBO '14-19, XP 1000/TURBO '14-19, S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, A 900 '15-18, 1000 S '17-18

MAKE QUICK WORK

OF SMALLER JOBS Move snow with the robust

and capable Glacier® HD

plow system, and discover

the highlight of your week.

With a robust frame, beefy

poly and steel blade options,

why a major snowfall can be



#### **RIDE & REPAIR ESSENTIALS KIT**



#### FIRE EXTINGUISHER MOUNT

#### » 2881200

XP TURBO S '18. XP 4 1000/TURBO '14'19, XP 1000/TURBO '14'19, S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16'19, 900 S '15'18, 900 EPS '19, 900 '14 19, 570 '12'18, 4 900 '15'18, 1000 S '17'18



OPTIMIZED WEIGHT DISTRIBUTION Triangular geometry ensures optimized load distribution for best flotation

 Vehicle weight is spread over larger area, to reduce down pressure and prevent sinking

• 227 kg maximum cargo load with tracks installed

#### DURABILITY AND RELIABILITY

 Triple sealed main bearings and oil bath bearing housing offer superior load ratings and resist contamination for longer life expectancy

• Extra wide rubber-coated mid rollers with double-sealed bearings resist ice build-up, and spread the load of vehicle to increase flotation and maintain load rating on tracks

#### OUTSTANDING TRACTION

• Rubber tracks are engineered to create optimized traction across the greatest track surface area

• The track rubber compound and design resist deflection to maintain a stable contact patch on the ground to deliver great performance and comfort

#### EASY STEERING, SURE HANDLING

Polaris side-by-side track system steering is optimized by a rigid track frame, specifically designed Polaris hubs, and track design

• Easiest steering, sure handling and reduced vibration

#### LOCK & RIDE SPORT ROOF

» BLACK • 2878748 570 EPS '19, 570 '12-19

LOCK & RIDE

#### HALF WINDSHIELD » 2879493

570 '12-18

#### POLY WINDSHIELD » 2879492

570 '12-18

FRONT DELUXE BRUSHGUARD

» 2878284 570 EPS '19, 570 '12-19

#### POLARIS HD 3500 LB WINCH

» 2879334 570 EPS '19, 570 '12-19

170 '14, '16



#### Retains open-air riding environment Adds sporty style

» 2877813

Strong, tough.

and protective

complement

vehicle's look

Styling and finish



68





#### NON EPS MODEL

#### » 2880757

EQUIPPED WITH FACTORY EPS: S 900 '19, S 1000 '19 900 S '15-18, 900 '15-19, 1000 S '18

#### » MOUNTS • 2880648

900 '15-19, 900 EPS '15-19, 900 XC '15-18 MOUNTS FIT 50" WIDE RZR MODELS

#### EPS MODEL

#### » 2880758

FOR USE ON THE FOLLOWING MODELS THAT CO WITH FACTORY-INSTALLED EPS: 900 EPS '15-19, 900XC '15-18, S 900 EPS '15-19, S 1000 EPS '15-19

» MOUNTS • 2880649

FITS THE FOLLOWING 60" WIDE *RZR* MODELS: S 900 '15-19, S 900 EPS '15-19, S1000 EPS '16-19,

PLOW EXTENSION 2880267 REQUIRED FOR USING A PLOW WITH TRACKS ONLY COMPATIBLE WITH GLACIER" PRO HD SYSTEM



#### FRONT BRUSHGUARD

- Protects front end of vehicle from impact
- Easy bolt-on installation



#### SOFT TOP

- Adds sporty styling and offers protection
- Provides shade for riders
- » 2877685 170 '14, '16-19



- Protects against rain. overhead branches, etc.
- Easy installation

ACCESSORIES

LIGHTING

RIDE COMMAND & AUDIO

BUMPERS & PROTECTION

DOORS & WINDSHIELD/ REAR PANELS

STORAGE & COCKPIT ACCESSORIES



### ENGINEERED TO MAXIMIZE THE LIFE OF YOUR RIDE

All Polaris fluids-from AGL to Demand Drive Fluid-are developed for your vehicle. Trust the only fluids perfectly engineered for your needs.



### SPECIFIC NEEDS, SPECIFIC OILS

Polaris invests millions in engine development, and part of that investment is making sure its lubricants-critical to engine performance-are the right formula for your specific engine.

PS-4 is designed specifically for Polaris 4-cycle engines and has high film strength and wear protection under extreme loads and temperatures. Exclusive anti-wear additives protect engine parts with extra rust and corrosion protection.



Everything needed to change your oil! The correct filter & amount of oil for your vehicle.



IPS-4 OIL CHANC KIT (OIL & FILTER)	SIE		( <u>EXTREME DUTY</u> ) NIL CHANGE KIT (OIL & FILTER)
PART NUMBER	VEHIC	LE FITMENT	PART NUMBER
2202166	RANGER/RZR/SPORTSMAN 570, TWIN 600, TWIN 700, TWIN 800		2879004
2879323	RANGER, POLARIS GENERAL, RZR 900/1000, RS1		2879324
2877473	RANGER/ SPORTSMAN 300-500, Sportsman/scrambler 500/850/1000		2878924
2881696	RZR TURBO		2881697



PS-4 FULL-SYNTHETIC OIL

PS-4 is optimal for ambient operating temperatures of -40° C to 38° C » .95 L • 2876244 » 3.8 L • 2876245 » 60.6 L • 2876247



PS-4 EXTREME-DUTY FULL-SYNTHETIC OIL

PS-4 Extreme Duty is optimal for ambient operating temperatures of -18° C to 54° C

» .95 L • 2878920 » 3.8 L • 2878919 » 60.6 L • 2879003

-íl



### ORV MAINTENANCE KIT

This convenient kit includes everything you need, in the correct fluid volumes, to properly maintain your drive train, and keep your vehicle in top operating condition.

• Includes: 1.4 L AGL, .95 L Angle Drive Fluid, .47 L Demand Drive Fluid, 38.4 ml tube of All-Season Grease

» 2880425



### PS-4 **RACE PROVEN** PERFORMANCE

"The Baja 1000 is probably the toughest race in the world! In the brutal Baja desert there are so many things that can ruin your race it is great to know that Polaris Engineered Lubricants will never let us down.

We trust in the Polaris products like the PS-4 motor oil to protect our machines vitals, they are a critical part of a winning formula."

BILL SCHUELER CREW CHIEF JAGGED X

### 71

### MAINTENANCE FLUIDS



### GREASE GUN KIT 2871312

### 2D BATTERY-OPERATED SIPHON PUMP

non-corrosive liquids

» 2830513

• Liquid transfer pumps 4.7-5.7 L/ ninimum suctioning powe · Use with gas, water, oil, and othe

### liter, and 9.5 L bottles 2871285



### Helps maintain air pressure for the life of the tire Helps seal the tire bead against the wheel • 100% water soluble for easy cleanup

PREMIUM TIRE SEALANT

Instantly seals and repairs rim, bead leaks.

and 1.9 cm on heavy ply tires

and punctures up to .64 cm on standard tires,

» 946 mL • 2830484 » 3.8 L · 2830485 » 19 L • 2830486

» 19 L PUMP • 2830487 » 208 L • 2830489 » 1041 L • 2830488

down to -43° C

Will not rust, corrode, or pit wheels

stem with valve core removed

Remains fluid and effective in temperatures

Creates permanent repair

**24 X 7 COVERAGE I** BE PREPARED FOR ANYTHING

TIRE

SEALANT

HOW IT WORKS

Tire sealant remains liquefied


develops in the tire or wheel.

inside vour tire until a leak

### NOTHING CAN STOP YOU. COVERAGE WHEN YOU NEED IT. FIX ON THE GO | TEMPORARY COVERAGE

### CV BOOT **REPAIR KIT**

- A quick trail side fix to increase trail time
- The flexible and durable boot material expands over a cone tool for CV boot repairs, without disassembling CV axles
- Universal fit works as a temporary fix for most powersports axles
- All components fit inside the cone, and a cover is provided for compact durable storage
- Easily fits in a cargo box, attached to the roll cage, in the glovebox or many other storage locations



Refer to your owner's manual for further instructions and torque specifications. \*Designed for temporary CV boot repair. Purchase the OEM CV Boot for a permanent repair.



**& LUBRICANTS** 

POWER

BATTERY & LIFTS

VEHICLE CARE & TRAILERING

Once a leak occurs, the tire sealant rushes out of the tire and quickly creates a permanent solid plug.

The plug maintains the pressure of the tire so you can continue your ride.

### Easily installed through existing tire valve



### UTV CV BOOT REPAIR KIT

Kit includes the following items:

- (1) Expandable XL CV Boot • (1) Reusable Cone Tool
- (2) CV Boot Clamps
- (1) Tube of Silicone Lube • (1) Grease Packet
- (1) Cone Cover

» 2830526

UTV TRAIL BOOT ONLY

» 2830527


### ATV

- » CV REPAIR KIT 2830528
- » TRAIL BOOT ONLY 2830529


Items shown are contained inside cone

### HOW TO INSTALL






Spread silicone lube on entire cone tool. Slide boot over cone tool, large end first. See package for outer boot instructions.



CV joint/boot, clean sealing points & install clamps.



Empty the bag of grease into the Reassemble tie rod, ball joints, brake caliper, axle nut, tire & wheel,

# FOR THE LIFE OF YOUR RIDE

### **AIR FILTERS**

Critical to engine performance and reliability. A clogged air filter can restrict air flow to the engine leading to reduced engine performance. Dirt and debris ingestion can damage the engine leading to reduced engine life or catastrophic failure. Polaris recommends changing the vehicle's air filter at the specified intervals outlined in the owner's manual, which may be shorter if your vehicle is subject to severe conditions.

### **BRAKE PADS**

Check your brakes if you are close to the mended service interval, hear grinding when applying the brakes, your vehicle is taking longer to stop or if you have to apply more pressure to your pedal to engage the brakes. Check the brake discs for signs of cracks, excessive corrosion or warping.

If the brake pads are contaminated with oils or grease (petroleum products), brake pads have to be discarded and replaced.

Discs need to be cleaned with brake cleaner or alcohol based cleaner only

### THE KEY TO KEEPING YOUR POLARIS OFF-ROAD VEHICLE PERFORMING

as well as the day you brought it home is proper maintenance. Items like belts, filters, and batteries represent only a few of these critical items engineered specifically by Polaris.

### **DRIVE BELTS**

Polaris Engineered belts deliver unmatched performance for your off-road vehicle. Developed and tested on all our engines for all environments and conditions. Check your belt for delamination, hour glassing and glazing

### **OIL FILTERS**

Change oil filters with every oil change to provide the best protection for your engine. Superior engine protection keeps your engine operating at peak performance. Be sure to follow the suggested service intervals for oil/oil filter changes.

### BATTERIES

Never leave a battery unattended during the storage season. To ensure your battery maintains its level of charge when unused for extended periods of time or during freezing weather, the battery should be connected to a BatteryMINDer®. Be sure to check for corrosion from the terminals to the ends of the cables.

350 HRS/4020 km



ENGINE OIL: CHANGE

BATTERY: TEST, CLEAN, & CHECK FLUID LEVEL REPLACE AS NEEDED

DRIVE BELT: INSPECT & ADJUST REPLACE AS NEEDED

GENERAL LUBRICATION: ALL FITTINGS, PIVOTS. CABLES, ETC.

> EXHAUST SYSTEM: INSPECT & CLEAN INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

200 HRS/3200 km



CHANGE

**BRAKE PADS** & FLUID: INSPECT & CLEAN REPLACE AS NEEDED

SPARK PLUGS: INSPECT REPLACE AS NEEDED

EXHAUST SYSTEM: INSPECT & CLEAN INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR



RER

ENGINE OIL: CHANGE

BATTERY: TEST, CLEAN, & CHECK FLUID LEVEL REPLACE AS NEEDED

DRIVE BELT: INSPECT & ADJUST REPLACE AS NEEDED

TIRES: INSPECT CONDITION & PRESSURE

EXHAUST SYSTEM: **INSPECT & CLEAN** INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR



ENGINE OIL: CHANGE

DRIVE BELT: INSPECT & ADJUST REPLACE AS NEEDED

TRANSMISSION FLUID: CHANGE

EXHAUST SYSTEM: **INSPECT & CLEAN** INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

50 HRS/800 km

MAINTENANCE SCHEDULE



EXHAUST SYSTEM: INSPECT & CLEAN INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

GENERAL LUBRICATION: ALL FITTINGS, PIVOTS, CABLES, ETC.

DRIVE BELT: **INSPECT & ADJUST** REPLACE AS NEEDED

25 HRS/400 km



ENGINE OIL: CHANGE

GENERAL LUBRICATION: ALL FITTINGS, PIVOTS, CABLES, ETC.

> AIR FILTER: INSPECT & CLEAN REPLACE AS NEEDED

EXHAUST SYSTEM: INSPECT & CLEAN INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

POLARIS POWER

BATTERY & LIFTS

### MAINTENANCE TIP

### **BREAK-IN PERIOD**

The break-in period for your new RZR is the first 25 hours of operation, or the time it takes to use the first two tanks of fuel. No single action on your part is as important as a proper break-in period. Careful treatment of a new engine will result in more efficient performance and longer life for the engine. Perform the listed procedures carefully.

NOTICE: Excessive heat build-up during the first three hours of operation will damage close-fitted engine parts. Do not operate at full throttle or high speeds for extended periods during the first

500 HRS/8045 km MONTHS

> ENGINE OIL: CHANGE

AIR FILTER: INSPECT, CLEAN REPLACE AS NEEDED

COOLANT: CHECK LEVEL **REPLACE EVERY 2 YEARS** 

**GEARCASES:** CHECK OIL LEVEL

**EXHAUST SYSTEM: INSPECT & CLEAN** INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR CHECK YOUR **OWNER'S MANUAL** FOR ADDITIONAL RECOMMENDED SERVICE ITEMS AND VEHICLE-SPECIFIC TIMING

# SERVICE PARTS

### Polaris Engineered service parts deliver unmatched performance and fit for your off-road vehicle.

All service parts are developed and tested for your vehicle. Half shafts, bushings, bearings, decals, side panels, electrical components, and clutching components are the same parts that are manufactured on the factory lines for each specific vehicle. This ensures it doesn't merely fit your vehicle - it outperforms your expectations!

### **VISIT YOUR POLARIS DEALER TO SHOP FOR SERVICE PARTS.**



## FOR THE LIFE OF YOUR RIDE

Maintenance is the key to keeping your Polaris off-road vehicle performing at its peak. Items like belts, lubricants, and batteries represent only a few of these critical items engineered specifically by Polaris.



### POLARIS ENGINEERED **DRIVE BELTS**

### TESTED, PERFECTED

We test each belt on the intended vehicle – we don't just try to make an existing belt "just work".

- Amery Kuhl, Polaris<sup>®</sup> CVT System Engineer

### OUR INVESTMENT

- 32,187 km of field testing
- Thousands of dyno hours
- 18+ months of development
- (3,000+ design hours) per belt
- 1200+ vehicle validation hours
- Collaboration with powertrain & clutch engineers

**OUR INVESTMENTS ENSURE POLARIS BELTS** OUTPERFORM YOUR EXPECTATIONS.



### YOUR ADVANTAGE

- No clutch recalibration
- Less wear & tear due to heat
- Ensure maximum performance of your vehicle
- More time out riding, less time wrenching



### **WHICH GENERATOR FITS YOUR NEEDS?**

140 cm LCD TV

625W Microwave

Fridge or Freezer

Sump Pump: 1/3 HP

Coffee Maker

Electric Griddle

Air Conditione

78

18 cm Circular Saw

Blender

Crock Pot

Radio

Laptop

Add up the running watts of everything you might power at the same time.

Startup

Wattage

0

0

Π

0

0

700

1300

1300

1000

0

1700

1500

Running

Wattage

150

200

50-200

200-250

625

700

800

800

1000

1500

1400

1500

Pick the device with the highest running watts and add its starting watts to the previous total.

Select a generator with a slightly higher wattage.



P1000i

- 1000 WATT PORTABLE / QUIET
- Dual handles and only 16.5 kg
- Connect two units together for even more output

 Ouieter than casual conversation (54db @ 25%)

- Up to 10 hours on 1 tank of gas
- » P13GDGANA

### **POLARIS POWER INVERTER GENERATORS**





P2000i

- 2000 WATT VERSATILE / LIGHTWEIGHT
- Dual handles and only 24 kg

 Connect two units together for even more output Ouieter than casual conversation

(54db @ 25%)

- Up to 10 hours on 1 tank of gas
- » P13GDGBNA



P3000iE

3000 WATT ROBUST / ELECTRIC START

 Locking 360 degree pivoting wheels

• Easy electric start for minimal effort

 Ouieter than casual conversation (56db @ 25%)

• Up to 21.5 hours on 13 L of gas

» P13GDGCNA





POLARIS POWER COLD WEATHER KIT

- Ensure smooth running of your Polaris Generator in sub-zero temperatures
- Prevents ice blockage in the crankcase breather tube, which may lead to operational issues including oil leakage
- Installation required, no need to disconnect for warm weather operation
- + Exclusively designed for use with Polaris P1000i & P2000i inverter generators

» 2881433



### POLARIS POWER CABLE KIT

• Use a parallel cable kit to easily connect two Polaris Power generators together to increase the total power available to a load

» 3/L10281



» 1000 WATT COVER • 2686441

### **PORTABLE POWER**



### POLARIS FLEX JUMPSTARTER

- 12,000 mAh capacity. Two 5V/2.1A USB outputs, 200-lumen flashlight, and a digital battery life monitor Includes storage case, smart jumper cables, car charger, wall charger, and user guide.
- Jumpstart any engine up to 6.4L. The Polaris Flex Jumpstarter is small enough to be stored in your glovebox and holds its charge so you can count on it when it's needed.
- » 2830495



### POLARIS POWER TIE-DOWN LEADS

- Secure your Polaris Power Generator by inserting the Lock & Ride Tie Down Leads into the handle and running a strap across to tie down the generator
- Secures Lock & Ride accepting gear
- Safely provides a point for 2.5 cm wide tie-down strap
- » 2880959



### POLARIS POWER GENERATOR OIL

 Corrosion inhibitors protect against rust and oxidation during long-term storage

» .95 L • 2879383

### POLARIS POWER GENERATOR STORAGE COVERS

• Keep your generator looking like new with a strong, durable cover that is resistant to mold, mildew, tears, and abrasions

» 2000 WATT COVER • 2686442

» 3000 WATT COVER • 2686443

### 2 IVMIND

### **ENSURE YOUR RIDE IS READY** WHEN YOU ARE!

- Add years of capacity, power and range to new and older batteries, regardless of type or brand
- Never over or under charged in any temperature
- Leave your vehicle connected for months and return to fully charged and conditioned batteries
- Recover older-weak batteries that would normally need to be replaced
- Charge and maintain extra-backup batteries as well as those in your vehicle
- Automatic turn-on, sleeps while keeping your batteries at full-charge
- Easy push-button selector to change battery type or time

			-0
	BatteryMINDer <sup>®</sup> 2012 AGM 2 AMP	BatteryMINDer <sup>®</sup> 1510 1.5 AMP	BatteryMINDer <sup>®</sup> 1.5 AMP CONVERTIBLE
PART NUMBER	2830438	2830404	2830511
VOLTAGE	12	12	12
CHARGING CURRENT	2 AMP	1.5 AMP	1.5 AMP
OVERCHARGE Protection	Yes	Yes	Yes
BATTERIES MAINTAINED AT ONE TIME	6	4	4
BATTERY Compatibility	12 Volt Sealed AGM Lead-Acid	12 Volt flooded (filler cap) and sealed maintenance free batteries	12 Volt flooded (filler cap) and sealed maintenance free batteries
COMES WITH	Non-fused battery clip cord set with Quick Connector	Ambient temperature sensor (installed) 3.7 m power cord Battery clip cord set with Quick Connector Optional Permanent Mounting Tab	Auto-Temp compensation sensor (installed) Optional permanent mounting brackets & screws Battery clips (fully-insulated, aircraft grade, 15A replaceable fuse) Ring terminal assembly with 15A replaceable fuse
KEY FEATURES	Designed for high performance specialty AGM sealed batteries	Easy to use, economical	Convertible on-vehicle or bench top use



### BATTERY MAINTENANCE TIPS

Extend your battery life with a BatteryMINDer<sup>®</sup> and these tips.

BatteryMINDer® ACCESSORIES

CABLE

connectors

» 2830410

black zip cord featuring

automotive SAE bullet

BatteryMINDer<sup>®</sup>

VPP-12:12/24 VOLT

Allows easy connection to

or 12/24V power port with

replaceable 15 amp fuse

» 2830518

80

VEHICLE POWER PLUG

vehicle's battery through lighter

### 1. Store batteries in a cool, dry location.

- 2. Check that the battery connections are tight. Cables should not be able to be rotated or shifted by hand.
- 3. If your battery has a drain tube, make sure it is free of clogs.
- 4. Clean your battery use a soft brush to scrub the top of the battery. Use baking soda to remove grease.
- 5. Connect a BatteryMINDer® after using your vehicle even if the vehicle is in regular use.

### **POLARIS X3 CREEPER**

- Three positions: flat, 45-degree angle or seated work stool
- Helps you perform any repair with ease
- Stay dry and warm away from cold, wet
  cement floors
- Easily stores away when not in use

» BLACK • 2830429

### SHOP ACCESSORIES



PARTS TRAY

» SILVER • 2830432



POLARIS MAGNETIC POLARIS 84 cm TELESCOPIC MAGNET

» BLACK • 2830435



BattervMINDer<sup>®</sup> MULTI-BATTERY SPLITTER

 Made with heavy-duty 16 gauge A simple, safe, and affordable way to connect two batteries simultaneously for easy battery maintenanc

Includes a set of ring terminals

» 2830409



RING TERMINAL KIT

 Features 61 cm long 18-gauge wire · Plug has standard .8 cm negative and .95 cm positive terminals

Replaceable 15 amp in-line fuse for . circuit protection

SAE quick connector and cap

» 2830437

BatteryMINDer® EZ CONNECT

Allows for quick and easy connecting and disconner your BatteryMINDer® tina of • Includes a set of ring terminals

» 2830411

# RICANTS



# LIFT IT SAFELY LIFT IT SAFELY

### POLARIS VEHICLE LIFT

- Get fast, easy access to the underside of your vehicle
- Manual and pneumatic operation available
- Raises vehicle up to 81 cm to make repairs and maintenance faster and easier
- » 544 kg 2830424

### LIFT ATTACHMENTS

- Add the appropriate attachment to use your lift for all your off-road vehicles
- » ATV/POLARIS ACE 2830427 » SNOWMOBILE • 2830426

82 cm





### POLARIS 30.5 cm HI-TORQUE RATCHETING DRIVER

» BLACK / BLUE • 2830434



POLARIS LED POCKET FLASHLIGHT

» BLACK • 2830436



### **CLEAN YOUR VEHICLE**

### PRE-TREAT

### MUD SHIELD<sup>®</sup> PRE-TREATMENT

• Inhibits the adhesion of dirt, mud, and snow, making cleaning vour vehicle faster and easier.

» 473 mL AEROSOL

· Synthetic formula highly resistant to water protects against rust and corrosion while lubricating metal surfaces.

GLASS

» 473 mL

CLEANER

Heavy-duty foam

crystal clear dirt-

resistant barrier for

long-lasting results.

non-streak formula cuts

through grease, dirt, dried

bugs and film leaving a

**NEVER RUST SPRAY®** 

### CLEAN

**XP WASH XP SPRAY WASH<sup>®</sup>**  Foaming, highly-Effortless biodegradable concentrated wash easily removes the most stubborn and intense dirt build-up. » 946 mL

high-performance wash ideal for removing dirt, oils and carbon-simply spray on, spray off and go. » 946 ml

Professional grade, non-streak, foam formula cuts through grease, dirt and film leaving an invisible, dirt-resistant barrier for long-lasting results.

ALL-PURPOSE

» 473 mL

INSTANT

» 90 CT • 2830441

### SHINE I

### POLARIS POLISH

 Easy protection and shine-spray on, wipe off, and go, For ideal use on painted and plastic surfaces. Contains carnauba wax. » 355 mL

plastic and painted surfaces. » 473 mL

SHINE & DETAILER

Spray and wipe formula-cleans, polishes, and protects

**CLEAN YOUR SHOP** 

### TOWELS

POLARIS SHOP TOWELS

» 200 CT WITH DISPENSER 2830402 » 200 CT REFILL • 2830403

» 64 CT REFILL • 2830440



### PROFESSIONAL **GRADE CLEANERS**

### VEHICLE

VEHICLE & EQUIPMENT WASH

Concentrated professional grade formula powers through vehicle buildup, dirt and grease with a spot-free rinse. Treat up to 32 gals. Biodegradable product.

» <u>3.8 L • 28</u>30417 » 19 L • 2830422

### SHOP

ALL-PURPOSE CLEANER PLUS

Professional-grade formula removes built-up stains from shop floors, work benches, and other hard surfaces.

ntally-friendly

» 3.8 L • 2830414

» 19 I • 2830416

stains and soi

» 3.8 L • 2830418 » 19 L • 2830420 TRAILERING





ALUMINUM ARCHED

» 193 cm x 30.5 cm • 907 kg • 2875384

» 224 cm x 30.5 cm • 1361 kg • 2875386

LOADING RAMPS

### RAMP PRO BY CALIBER

· Designed for ATVs and UTVs up to 127 cm wide


• Integrated grip glides for ultimate traction

Folding sides for easy transportation

and storing » 132 cm x 229 cm • 2883005

### HITCHES

### 3:1 HITCHES VERSATILE 3 IN 1 FUNCTIONALITY



——— BALL ———



NEW

1 7/8" BALL

NEW

RATCHET STRAP

3.8 cm x 4.6 m straps.

HITCH WITH 2" BALL » 2" x 2" RECEIVER

2830522 » 1 ¼" x 1 ¼" RECEIVER 2830523

• Designed to work with 3:1 Hitch » 2830524

• 1<sup>7</sup>/8" replacement ball for hitch

### STRAPS & ROPES

NEW RECOVERY STRAP





• 5 cm x 9 m (8165 ka) Comes with carry bag



 Heavy duty webbing • 2495 kg maximum load,

831 kg working load » 2884031

2 Pack

### AIR FILTER

### PREMIUM FILTER KIT

- Polaris Ultraweb high performance air filter
- Provides superior engine protection with 99.99% efficiency
- Superior dust-holding capacity
- · Lower restriction offers better performance for high horsepower, torque, and acceleration
- » 2882233

» 2882234 S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 S '15-18, 900 EPS '19, 900 '14-19, 4 900 '15-18, 1000 S '17-18

XP TURBO S '18, XP 4 1000/TURBO '14-19, XP 1000/ TURBO '14-19





POLARIS HEAVY-DUTY SCRUBBER WIPES



CLEANER

# RICANTS

### РО ARIS POWER





### LIGHTWEIGHT TRI-FOLD RAMPS

- Ramp folds up for transport
- Capacity for up to 681 kg
- Safety straps included
- » 183 cm x 130 cm · 2875385
- » 208 cm x 130 cm 2875860



### FOLDING ALUMINUM ARCHED RAMPS

- Ramp folds up for transport
- Capacity up to 1361 kg
- Safety straps included
- » 224 cm x 30.5 cm 2875387

• Ball, pin and hook design


• Rust resistant, black

powdercoated finish

Removable ball

• HD ⁵/₀" pin and clip

Durable steel construction



PIN



### HITCH

- » 2" RECEIVER TONGUE 2875320
- » FRONT HITCH RECEIVER 2878846

RATCHET STRAP

D-rings, double J-hooks

4536 kg maximum load,

1497 kg working load

5 cm x 6.1 m Ratchet Straps

Heavy duty webbing, floating

NEW

- TRAILER BALL 3/4" SHANK
- » 1 %" BALL 2877602
- » 2" BALL 2877603




- · 3.8 cm 1361 kg breaking strength
- Keeps tension on tie-down straps to secure load
- 2 Pack
- » 3.8 cm x 4.6 m 2883296
- » 3.8 cm x 2.1 m 2883295

### **COVERS**

» 2884032

### TRAILERABLE COVER BY POLARIS

- » 2-SEAT · 2880327 S 900 EPS '19, S 900 '19, S 1000 EPS '19 S 1000 '16-19, 900 S '15-18, 1000 S '17-18
- » 2-SEAT 2880325 900 EPS '19, 900 '14-19
- » 2-SEAT 2879373 XP 1000/TURBO '14-1
- » 2-SEAT 2876526 570 EPS '19, 570 '12-19
- » 4-SEAT 2879949 XP 4 1000/TURBO '14-19. . S4 1000 EPS '19
- » 2-SEAT 2880326 S4 1000 EPS '19 4 900 '15-18



### **FIND YOUR PERFECT HELMET!**

RIDE SAFE -OUR HELMETS ARE DOT/ECE CERTIFIED



### 509° ALTITUDE CARBON HELMET

- Durable, ultra lightweight, Carbon Fiber
- Full carbon fiber shell
- 1100 grams
- » S-4XL 2867814 • MATTE BLACK 2867815 • GLOSS BLACK



### 509° ALTITUDE HELMET

- Stylish, Lightweight with 509 Fit and Finish
- Thermoplastic poly alloy out shell
- 1260 grams
- » S-4XL
- 2868539 · LIME 2867820 · BLUE 2867818 • ORANGE

2867819 • RED 2867817 · GRAY



### TENACITY HELMET

- All the style and protection in our most affordable helmet
- Injection molded plastic
- 1450 grams
- » XS-3XL 2868624 • PINK GLOSS 2868620 • BLACK/GRAY 2868622 • BLUE GLOSS

2868619 · BLACK MATTE 2868623 • RED GLOSS 2868621 • LIME GLOSS

### **PROTECT YOUR HANDS**

### OFF-ROAD RIDING GLOVES

- As seen in images at left
- » S-3XL 2867937 · PINK 2867933 · GRAY 2868712 • BLUE/LIME

2867936 • RED 2867935 · ORANGE 2867934 • BLUE

### NEW RAIN SUIT

- Packs small
- YKK<sup>®</sup> zippers
- » JACKET 2869527 S-3XL
- PANT 2869528 S-3XL

MEN'S RZR VAPOR HOODIE

MEN'S

APPAREL

» S-3XL GRAY • 2869593 RED HEATHER • 2869594

MEN'S AIR TEE » S-3XL Black • 2869591



» S-3XL GRAY • 2868719

MEN'S 4-SCENE TEE

» S-3XL NAVY • 2869599 GRAY • 2868794







REAL

MEN'S CLASSIC TEE » S-3XL GRAY • 2869597 Black/RED • 2867886 RED • 2868764

# APPAREL & HELMETS RZR LOGO HOODIE » S-3XL HEATHER NAVY • 2869586 Charcoal • 2869587 MEN'S EDGE TEE » S-3XL NAVY • 2869603 GRAY • 2868762

MEN'S *RZR* LOGO TEE

» S-3XL Charcoal • 2869584 Navy • 2869585



NG GEAR

CASUALWEAR

### **WOMEN'S** APPAREL

WOMEN'S TRAIL V-NECK TEE

» S-3XL TURQUOISE • 2869602 GRAY • 2688773 BLUE • 2868772







WOMEN'S RZR VAPOR HOODIE

» S-3XL Charcoal Heather • 2869595 Teal • 2869596



WOMEN'S 4-SCENE TEE

WOMEN'S DUNE TEE

RASPBERRY · 2869598

NAVY • 2868775

» S-3XL

» S-3XL Purple frost • 2869589 Gray frost • 2869588



**YOUTH** APPAREL

YOUTH ORV RIDING JERSEY

» S-XL PINK • 2867944 RED • 2867943 YOUTH TENACITY

» S-L PINK • 2868833 RED • 2868831 BLACK • 2868832



88

### WOMEN'S TECH FULL ZIP

» S-3XL ASTER BLUE • 2869556

### WOMEN'S SCRIPT TEE

» S-3XL NAVY • 2868589





### YOUTH VAPOR HOODIE

» S-XL Gray/Pink • 2867973 YOUTH AIR TEE

» S-XL Black • 2869592



WOMEN'S ASYMMETRICAL HOODIE

» S-3XL BLACK • 2868597

WOMEN'S ROSEAU TEE

» S-3XL Gray Frost • 2869559 Black • 2868586



CAMO WATER	CAMO COFFEE TRAVEL MUG	CAMO BOTTLE KOOZIE
» 2867962	» 2867961	» 2867964
CAMO CAN KOOZIE	CAMO STEERING WHEEL COVER	CAMO BOTTLE OPENER [NOT SHOWN]
» 2867963	» 2868663	» 2867965





MEN'S ESTA TEE

» S-3XL Black/Red • 2869530 NAVY · 2869532 NOT SHOWN MEN'S RETRO CAP


» ONE SIZE Charcoal • 2869542


» S-3XL Charcoal Heather • 2869552 Navy • 2869562 Black • 2868570

MEN'S FULL ZIP HOODIE

POLARIS








» ONE SIZE

» S-3XL



# **#RZRLife** LIVE THE LIFESTYLE

Unless noted, trademarks are the property of Polaris Industries Inc. 509° is a registered trademark of Teton Outfitters, LLC, Alodine<sup>®</sup> is a registered trademark of HENKEL AG & CO. KGAA, BatteryMINDer<sup>®</sup> is a registered trademark of VDC Electronics Inc., Bluetooth<sup>®</sup> is a registered trademark of Bluetooth Sig, Inc., Caliber<sup>®</sup> is a registered trademark of Caliber, Inc., COULCORE<sup>®</sup> is a registered trademark of Bluetooth Sig, Inc., Caliber<sup>®</sup> is a registered trademark of Cheng Shin Rubber Inc., COULCORE<sup>®</sup> is a registered trademark of Maxxonnics USA Inc., Majd<sup>®</sup> is a trademark of SPO Inc., Maxis<sup>®</sup> is a registered trademark of Cheng Shin Rubber Ind. Co., Ltd., MB Quart<sup>®</sup> is a registered trademark of Maxxonnics USA Inc., Migid<sup>®</sup> is a trademark of JST Performance, LLC d/b/a Rigid Industries, Tiger Drylac<sup>®</sup> is a registered trademark of Teton SMBH & CO. KG, Walker Evans<sup>®</sup> is a registered trademark of Walker Evans<sup>®</sup> is a registered trademark of Yeti Coolers, LLC YKK<sup>®</sup> is a registered trademark of Walker Evans<sup>®</sup> is a registered trademark of Yeti Coolers, LLC YKK<sup>®</sup> is a registered trademark of Voc Concestion. Prices and availability are subject to change at any moment. © 2018 Polaris Industries Inc. All rights reserved.

Availability varies by market, check your local dealer for availability. Never transport a loaded frearm. Verify firearm is unloaded prior to mounting. Please refer to local laws and regulations regarding the requirements for the legal transport of firearms





### POLARIS





SEE P. 64



MY19 RZR APP ACC INTL 9930503